


1 Identification of the substance/preparation and of the company/undertaking

- **Product details**
- **Trade name:** **PERGAQUICK C12**
- **Application of the substance / the preparation** Accelerator for polymerisation / crosslinking
For industrial use
- **Manufacturer/Supplier:** PERGAN GmbH
Hilfsstoffe für industrielle Prozesse
Schlavenhorst 71
D-46395 Bocholt
Tel: +49 2871 9902-0
Fax: +49 2871 9902-50
- **Further information obtainable from:** Environment protection / Security of labour
Competent person:
* Kathrin Bohland (Sales) e-mail: k.bohland@pergan.com
* Christoph Wilting (Environment protection / Security of labour) e-mail: c.wilting@pergan.com
- **Information in case of emergency:** - Tel: +49 2871 9902-0

2 Hazards identification

- **Hazard description:**  Xi Irritant
- **Information concerning particular hazards for human and environment:** The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
R 43 May cause sensitisation by skin contact.
- **Classification system:** The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

*** 3 Composition/information on ingredients**

· **Chemical characterization**

· **Dangerous components:**

CAS: 84-69-5 EINECS: 201-553-2 Reg.nr.: 05-2116407342-58-0000	diisobutyl phthalate		80-90%
CAS: 68409-81-4 EINECS: 270-066-5 Reg.nr.: 05-2116407769-34-0000	Fatty acids, C6-19-branched, cobalt(2+) salts	Xn, Xi, N; R 22-38-43-51/53	5-10%
CAS: 1330-20-7 EINECS: 215-535-7 Index number: 601-022-00-9 Reg.nr.: 05-2117814277-42-0000	xylene	Xn, Xi; R 10-20/21-38	2.5-5.0%

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- **General information:** Take care of personal protection for the first aider.
- **After inhalation:** Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
Take affected persons into fresh air and keep quiet.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
Immediately remove contaminated clothing.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.

5 Fire-fighting measures


- **Suitable extinguishing agents:** CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards caused by the substance, its products of combustion or resulting gases:** Under certain fire conditions, traces of other toxic gases cannot be excluded.
- **Protective equipment:** Do not inhale explosion gases or combustion gases.

Trade name: **PERGAQUICK C12**

(Contd. of page 1)

· **Additional information** Self-protection first!

6 Accidental release measures

- **Person-related safety precautions:** Wear protective equipment. Keep unprotected persons away.
- **Measures for environmental protection:**
 Do not allow to enter sewers/ surface or ground water.
- **Measures for cleaning/collecting:**
 - Ensure adequate ventilation.
 - Soak up with absorbant material (e. g. Vermiculit) and dispose of in accordance with government regulations.
- **Additional information:** In case of large spillage the environmental authority should be informed.

7 Handling and storage

- **Handling:** Pay attention to the special requirements of your local authorities for handling with dangerous goods.
- **Information for safe handling:**
 - Ensure good ventilation/exhaustion at the workplace.
 - Prevent formation of aerosols.
 - Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.
 - Use only in well ventilated areas.
 - Before break and at the end of work hands should be thoroughly washed.
 - Avoid contact with skin and eyes.
 - While using do not eat, drink or smoke.
- **Information about fire - and explosion protection:** No special measures required.
- **Storage:** Pay attention to the special requirements of your local authorities for storing dangerous goods.
- **Requirements to be met by storerooms and receptacles:**
 - Prevent any seepage into the ground.
 - Use only receptacles specifically permitted for this substance/product.
- **Information about storage in one common storage facility:**
 - Store away from peroxide.
 - Store away from foodstuffs, drinks and feeding stuffs.
- **Further information about storage conditions:**
- **Recommended storage temperature (To maintain quality):** +5 +30°C
- **Storage class:** -

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.




Ingredients with limit values that require monitoring at the workplace:	
84-69-5 diisobutyl phthalate	
WEL (Great Britain)	Long-term value: 5 mg/m ³
1330-20-7 xylene	
WEL (Great Britain)	Short-term value: 441 mg/m ³ , 100 ppm Long-term value: 220 mg/m ³ , 50 ppm Sk; BMGV
IOELV (EU)	Short-term value: 442 mg/m ³ , 100 ppm Long-term value: 221 mg/m ³ , 50 ppm

- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
 - The usual precautionary measures are to be adhered to when handling chemicals.
 - Keep away from foodstuffs, beverages and feed.
 - Immediately remove all soiled and contaminated clothing
 - Wash hands before breaks and at the end of work.
 - Do not inhale gases / fumes / aerosols.
 - Avoid close or long term contact with the skin.
 - Do not eat, drink, smoke or sniff while working.
 - Use skin protection cream for skin protection.
 - Be sure to clean skin thoroughly after work and before breaks.

(Contd. on page 3)

Trade name: **PERGAQUICK C12**

(Contd. of page 2)

- **Respiratory protection:** In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
Use suitable respiratory protective device in case of insufficient ventilation.
 Filter A2
- **Protection of hands:** Only use chemical-protective gloves with CE-labelling of category III.
 Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
Protective gloves
- **Material of gloves** The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
Butyl rubber, BR
Fluorocarbon rubber (Viton)
Nitrile rubber, NBR
Neoprene
- **Penetration time of glove material** The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**  Tightly sealed goggles
- **Body protection:** Protective work clothing

9 Physical and chemical properties

· General Information	
· Form:	Fluid
· Colour:	Violet
· Odour:	Characteristic
· Change in condition	
· Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	Undetermined.
· Flash point:	>55°C
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Density at 20°C:	1.04 g/cm ³
· Solubility in / Miscibility with water:	Not miscible or difficult to mix.
· Segregation coefficient (n-octanol/water): not determined	
· Viscosity:	
· Dynamic:	53 mPas

10 Stability and reactivity

- **Dangerous reactions** No dangerous reactions known.
- **Dangerous decomposition products:** No hazardous decomposition products if used and stored according to specifications.
- **Additional information:** Emergency procedures will vary depending on conditions. The customer should have an emergency response plane in place.

11 Toxicological information

- **Acute toxicity:**

· LD/LC50 values relevant for classification:	
84-69-5 diisobutyl phthalate	
Oral	LD50 15000 mg/kg (rattus)
1330-20-7 xylene	
Oral	LD50 4300 mg/kg (rattus)
Dermal	LD50 2000 mg/kg (cuniculosus)

- **Primary irritant effect:**
- **on the skin:** Low irritant effect

(Contd. on page 4)

Trade name: **PERGAQUICK C12**

(Contd. of page 3)

- on the eye: Low irritant effect
- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information: The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
Irritant
- Sensitisation: May cause sensitisation by skin contact.

12 Ecological information

· Ecotoxicological effects:

· Aquatic toxicity:

84-69-5 diisobutyl phthalate

EC50 / 24h 2.2 mg/l (scenedesmus subspicatus)

LC50 / 96h 3 mg/l (cyprinus carpio)

1330-20-7 xylene

EC50 / 48h 86 mg/l (leuciscus idus)

EC50 / 96h 14 mg/l (oncorhynchus mykiss)

LC50 / 24h 165 mg/l (daphnia magna)

LC50 / 3h 46 mg/l (chlamydia angulosa)

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.

13 Disposal considerations

· Product:

· Recommendation



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Waste disposal key:

Please contact your hazardous waste disposers to assign the right EWC-(European waste catalog)-number.

· Uncleaned packaging:

· Recommendation:

This material and its container must be disposed of as hazardous waste.

14 Transport information

· Transport/Additional information:

No dangerous good according the regulation of transport.

*** 15 Regulatory information**

· Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· Code letter and hazard designation of product:



Xi Irritant

· Hazard-determining components of labelling:

Fatty acids, C6-19-branched, cobalt(2+) salts

· Risk phrases:

43 May cause sensitisation by skin contact.

· Safety phrases:

- 23 Do not breathe gas/fumes/vapour/spray.
- 24/25 Avoid contact with skin and eyes.
- 36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
- 50 Do not mix with organic peroxides.
- 60 This material and its container must be disposed of as hazardous waste.

· National regulations:

· Other regulations, limitations and prohibitive regulations

· Please note:

Take care of the respective local regulations.

(Contd. on page 5)

Trade name: **PERGAQUICK C12**

(Contd. of page 4)

· **Substance of High Concern = SVHC**

None of the ingredients is listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant R-phrases**
 - 10 Flammable.
 - 20/21 Harmful by inhalation and in contact with skin.
 - 22 Harmful if swallowed.
 - 38 Irritating to skin.
 - 43 May cause sensitisation by skin contact.
 - 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- **Department issuing MSDS:** Environment protection / Security of labour
- **Contact:** Tel: +49 2871 9902-0
E-mail: mail@pergan.com
- *** Data compared to the previous version altered.**