




### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** **PERGAQUICK A200**
- **CAS Number:** 121-69-7
- **EC number:** 204-493-5
- **Index number:** 612-016-00-0
- **Registration number:** 01-2119950342-44
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture**  
Accelerator for polymerisation / crosslinking  
For industrial use
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** PERGAN GmbH  
Hilfsstoffe für industrielle Prozesse  
Schlavenhorst 71  
D-46395 Bocholt  
Tel: +49 2871 9902-0  
Fax: +49 2871 9902-50
- **Further information obtainable from:** Environment protection / Security of labour  
Qualified person: E-mail: msds@pergan.com
- **1.4 Emergency telephone number:** - Tel: +49 2871 9902-0

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
- Acute Tox. 3 H301 Toxic if swallowed.
- Acute Tox. 3 H311 Toxic in contact with skin.
- Acute Tox. 3 H331 Toxic if inhaled.
- Carc. 2 H351 Suspected of causing cancer.
- Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** The substance is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms**

GHS06 GHS08 GHS09

- **Signal word** Danger
- **Hazard-determining components of labelling:** N,N-dimethylaniline
- **Hazard statements**  
H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.  
H351 Suspected of causing cancer.  
H411 Toxic to aquatic life with long lasting effects.
- **Precautionary statements**  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264 Wash thoroughly after handling.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
P330 Rinse mouth.  
P361+P364 Take off immediately all contaminated clothing and wash it before reuse.  
P391 Collect spillage.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** This substance does not meet the PBT/vPvB criteria of UK REACH, Annex XIII.
- **vPvB:** This substance does not meet the PBT/vPvB criteria of UK REACH, Annex XIII.

### SECTION 3: Composition/information on ingredients

- **3.1 Substances**
- **CAS No. Description** 121-69-7 N,N-dimethylaniline
- **Identification number(s)**
- **EC number:** 204-493-5

Trade name: **PERGAQUICK A200**

(Contd. of page 1)

· **Index number:** 612-016-00-0

#### SECTION 4: First aid measures

##### · 4.1 Description of first aid measures

- **General information:** Immediately remove any clothing soiled by the product.  
Remove breathing equipment only after contaminated clothing have been completely removed.  
In case of irregular breathing or respiratory arrest provide artificial respiration.



Take care of personal protection for the first aider.

- **After inhalation:** Supply fresh air or oxygen; call for doctor.  
In case of unconsciousness place patient stably in side position for transportation.  
Take affected persons into fresh air and keep quiet.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.  
Immediately remove contaminated clothing.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Do not induce vomiting; call for medical help immediately.

##### · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

##### · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### SECTION 5: Firefighting measures

##### · 5.1 Extinguishing media

- **Suitable extinguishing agents:** CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

##### · 5.2 Special hazards arising from the substance or mixture

Under certain fire conditions, traces of other toxic gases cannot be excluded.

##### · 5.3 Advice for firefighters

##### · Protective equipment:

Mouth respiratory protective device.  
Do not inhale explosion gases or combustion gases.

##### · Additional information

Self-protection first!

#### SECTION 6: Accidental release measures

##### · 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

##### · 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.



Do not allow to enter sewers/ surface or ground water.

##### · 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.  
Soak up with absorbant material (e. g. Vermiculit) and dispose of in accordance with government regulations.

##### · 6.4 Reference to other sections

In case of large spillage the environmental authority should be informed.

#### SECTION 7: Handling and storage

##### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.  
Prevent formation of aerosols.  
Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.  
Use only in well ventilated areas.  
Before break and at the end of work hands should be thoroughly washed.  
Avoid contact with skin and eyes.  
While using do not eat, drink or smoke.

##### · Information about fire - and explosion protection:

Keep respiratory protective device available.

(Contd. on page 3)

Trade name: **PERGAQUICK A200**

(Contd. of page 2)

**7.2 Conditions for safe storage, including any incompatibilities**

- **Storage:** Pay attention to the special requirements of your local authorities for storing dangerous goods.
- **Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.  
Use only receptacles specifically permitted for this substance/product.
- **Information about storage in one common storage facility:** Store away from peroxide.  
Store away from foodstuffs, drinks and feeding stuffs.
- **Further information about storage conditions:** Keep container tightly sealed.  
Store under lock and key and out of the reach of children.
- **Recommended storage temperature (To maintain quality):** 0 .... +30°C
- **7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:****121-69-7 N,N-dimethylaniline**

|                     |  |
|---------------------|--|
| WEL (Great Britain) | Short-term value: 50 mg/m <sup>3</sup> , 10 ppm<br>Long-term value: 25 mg/m <sup>3</sup> , 5 ppm<br>Sk |
|---------------------|--|

**DNELs****121-69-7 N,N-dimethylaniline**

|            |                      |                                  |
|------------|----------------------|----------------------------------|
| Dermal     | DNEL Longterm System | 2.988 mg/kg bw/day (Worker)      |
| Inhalative | DNEL Longterm System | 3.406 mg/m <sup>3</sup> (Worker) |

**PNECs****121-69-7 N,N-dimethylaniline**

|                      |                         |
|----------------------|-------------------------|
| PNEC Marinewater sed | 4.942 mg/kg sed dw (-)  |
| PNEC Freshwater      | 0.023 mg/l (AF 100)     |
| PNEC Freshwater sed  | 4.942 mg/kg sed dw (-)  |
| PNEC Soil            | 1.906 mg/kg soil dw (-) |
| PNEC STP             | 5.948 mg/l (AF 10)      |
| PNEC Marinewater     | 0.002 mg/l (AF 1.000)   |

· **Additional information:** The lists valid during the making were used as basis.

**8.2 Exposure controls****Appropriate engineering controls**

No further data; see section 7.

**Individual protection measures, such as personal protective equipment****General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.  
Avoid contact with the eyes and skin.  
Do not eat, drink, smoke or sniff while working.  
Use skin protection cream for skin protection.  
Be sure to clean skin thoroughly after work and before breaks.

**Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.



Use suitable respiratory device when it exceed exposure limit and when insufficiently ventilated.

Filter A2

**Hand protection**

Only use chemical-protective gloves with CE-labelling of category III.



Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Protective gloves

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.  
Butyl rubber, BR

(Contd. on page 4)

Trade name: **PERGAQUICK A200**

(Contd. of page 3)

Fluorocarbon rubber (Viton)  
Nitrile rubber, NBR  
Neoprene

· **Penetration time of glove material**

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**



Tightly sealed goggles

· **Body protection:**



Protective work clothing

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### General Information

|  |                        |
|--|------------------------|
| · Colour:  | Yellowish              |
| · Odour:   | Characteristic         |
| · Melting point/freezing point:                            | 2 - 3 °C               |
| · Boiling point or initial boiling point and boiling range | 192 - 195 °C           |
| · Flash point:   | 75 °C                  |
| · pH at 20 °C  | 7.4                    |
| · Viscosity:   |                        |
| · Dynamic at 20 °C:  | 2 mPas                 |
| · Solubility   |                        |
| · water:   | Undetermined.          |
| · Partition coefficient n-octanol/water (log value)        | not determined         |
| · Density and/or relative density                          |                        |
| · Density at 20 °C:  | 0.96 g/cm <sup>3</sup> |

### 9.2 Other information

|   |   |
|---|---|
| · Appearance:   |   |
| · Form:   | Fluid   |
| · Important information on protection of health and environment, and on safety. |   |
| · Explosive properties:   | Product does not present an explosion hazard. |

### Information with regard to physical hazard classes

|   |      |
|---|------|
| · Explosives  | Void |
| · Flammable gases   | Void |
| · Aerosols  | Void |
| · Oxidising gases   | Void |
| · Gases under pressure  | Void |
| · Flammable liquids   | Void |
| · Flammable solids  | Void |
| · Self-reactive substances and mixtures                                     | Void |
| · Pyrophoric liquids  | Void |
| · Pyrophoric solids   | Void |
| · Self-heating substances and mixtures                                      | Void |
| · Substances and mixtures, which emit flammable gases in contact with water | Void |
| · Oxidising liquids   | Void |
| · Oxidising solids  | Void |
| · Organic peroxides   | Void |
| · Corrosive to metals   | Void |
| · Desensitised explosives   | Void |

## SECTION 10: Stability and reactivity

|   |   |
|---|---|
| · 10.1 Reactivity                         | No further relevant information available.  |
| · 10.3 Possibility of hazardous reactions | No dangerous reactions known.   |
| · 10.4 Conditions to avoid                | No further relevant information available.  |
| · 10.5 Incompatible materials:            | No further relevant information available.  |
| · 10.6 Hazardous decomposition products:  | No hazardous decomposition products if used and stored according to specifications. |

(Contd. on page 5)

GB

Trade name: **PERGAQUICK A200**

(Contd. of page 4)

- **Additional information:** Emergency procedures will vary depending on conditions. The customer should have an emergency response plane in place.

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Toxic if swallowed, in contact with skin or if inhaled.

- **LD/LC50 values relevant for classification:**

- **121-69-7 N,N-dimethylaniline**

|        |      |                      |
|--------|------|----------------------|
| Oral   | LD50 | 951 mg/kg (rattus)   |
| Dermal | LD50 | 1,690 mg/kg (rabbit) |

- **Skin corrosion/irritation** Irritating effect.
- **Serious eye damage/irritation** Irritating effect.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Suspected of causing cancer.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

Substance is not listed.

### SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

- **121-69-7 N,N-dimethylaniline**

|            |                  |
|------------|------------------|
| EC50 / 72h | 22 mg/l (algae)  |
| LC50 / 96h | 53.7 mg/l (fish) |

- **12.2 Persistence and degradability**

- **Degree of elimination:**

- **Classification:**

- **121-69-7 N,N-dimethylaniline**

Degradation (Readily biodegradable)

- **12.3 Bioaccumulative potential**

- **Partition coefficient: nOctanol/water: [Log Kow]**

1,17 (38°C)

- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** This substance does not meet the PBT/vPvB criteria of UK REACH, Annex XIII.
- **vPvB:** This substance does not meet the PBT/vPvB criteria of UK REACH, Annex XIII.
- **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **General notes:** Also poisonous for fish and plankton in water bodies.  
Toxic for aquatic organisms  
Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**

- **Recommendation**



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)




GB

Trade name: **PERGAQUICK A200**

(Contd. of page 5)

- **Waste disposal key:** Please contact your hazardous waste disposers to assign the right EWC-(European waste catalog)-number.
- **Uncleaned packaging:**
- **Recommendation:** This material and its container must be disposed of as hazardous waste.

**SECTION 14: Transport information**

|   |  |
|---|--|
| · <b>14.1 UN number or ID number</b><br>· <b>ADR, IMDG, IATA</b>  | UN2253   |
| · <b>14.2 UN proper shipping name</b><br>· <b>ADR</b><br>· <b>IMDG</b><br>· <b>IATA</b>   | UN2253 N,N-DIMETHYLANILINE, ENVIRONMENTALLY HAZARDOUS<br>N,N-DIMETHYLANILINE, MARINE POLLUTANT<br>N,N-DIMETHYLANILINE    |
| · <b>14.3 Transport hazard class(es)</b><br>· <b>ADR</b>  |  |
|    |  |
| · <b>Class</b><br>· <b>Label</b>  | 6.1 (T1) Toxic substances.<br>6.1  |
| · <b>IMDG</b>   |  |
|   |  |
| · <b>Class</b><br>· <b>Label</b>  | 6.1 Toxic substances.<br>6.1   |
| · <b>IATA</b>   |  |
|    |  |
| · <b>Class</b><br>· <b>Label</b>  | 6.1 Toxic substances.<br>6.1   |
| · <b>14.4 Packing group</b><br>· <b>ADR, IMDG, IATA</b>   | II   |
| · <b>14.5 Environmental hazards:</b>  | Product contains environmentally hazardous substances: N,N-dimethylaniline   |
| · <b>Marine pollutant:</b>  | Yes<br>Symbol (fish and tree)  |
| · <b>Special marking (ADR):</b>   | Symbol (fish and tree)   |
| · <b>14.6 Special precautions for user</b><br>· <b>Hazard identification number (Kemler code):</b><br>· <b>EMS Number:</b><br>· <b>Stowage Category</b> | Warning: Toxic substances.<br>60<br>F-A,S-A<br>A   |
| · <b>14.7 Maritime transport in bulk according to IMO instruments</b>   | Not applicable.  |
| · <b>Transport/Additional information:</b>  |  |
| · <b>ADR</b><br>· <b>Limited quantities (LQ)</b><br>· <b>Excepted quantities (EQ)</b>   | 100 ml<br>Code: E4<br>Maximum net quantity per inner packaging: 1 ml<br>Maximum net quantity per outer packaging: 500 ml |
| · <b>Transport category</b><br>· <b>Tunnel restriction code</b>   | 2<br>D/E   |
| · <b>RID / GGVSEB:</b>  | like ADR   |
| · <b>IMDG</b><br>· <b>Limited quantities (LQ)</b>   | 100 ml   |

(Contd. on page 7)  
GB

Trade name: **PERGAQUICK A200**

(Contd. of page 6)

· **Exempted quantities (EQ)**

Code: E4

Maximum net quantity per inner packaging: 1 ml

Maximum net quantity per outer packaging: 500 ml

**SECTION 15: Regulatory information**· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**· **Poisons Act**· **Regulated explosives precursors**

Substance is not listed.

· **Regulated poisons**

Substance is not listed.

· **Reportable explosives precursors**

Substance is not listed.

· **Reportable poisons**

Substance is not listed.

· **Directive 2012/18/EU**· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 50 t· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

Substance is not listed.

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

Substance is not listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

Substance is not listed.

· **Regulation (EC) No 273/2004 on drug precursors**

Substance is not listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

Substance is not listed.

· **National regulations:**· **Other regulations, limitations and prohibitive regulations**· **Please note:** Take care of the respective local regulations.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environment protection / Security of labour· **Contact:** Tel: +49 2871 9902-0

E-mail: mail@pergan.com

· **Abbreviations and acronyms:** RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organisation  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level (UK REACH)  
PNEC: Predicted No-Effect Concentration (UK REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Acute Tox. 3: Acute toxicity – Category 3  
Carc. 2: Carcinogenicity – Category 2  
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

(Contd. on page 8)

---

Trade name: **PERGAQUICK A200**

---

(Contd. of page 7)

\* Data compared to the  
previous version altered.