

Printing date 04.04.2024 Version: 12 (replaces version 11) Revision: 20.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

PERGAQUICK C12 X · Trade name:

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available. · Application of the substance /

the mixture

Accelerator for polymerisation / crosslinking

For industrial use

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: PERGAN GmbH

Hilfsstoffe für industrielle Prozesse

Schlavenhorst 71 D-46395 Bocholt Tel: +49 2871 9902-0 Fax: +49 2871 9902-50

· Further information obtainable

Qualified person: E-mail: msds@pergan.com

1.4 Emergency telephone

- Tel: +49 2871 9902-0 number:

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

H317 May cause an allergic skin reaction.

Repr. 1B H360Fd May damage fertility. Suspected of damaging the unborn child.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

· Labelling according to

Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



· Signal word Danger

· Hazard-determining

components of labelling:

1-isopropyl-2,2-dimethyltrimethylene diisobutyrate

cobalt(II) 2-ethylhexanoate

· Hazard statements May cause an allergic skin reaction.

H360Fd May damage fertility. Suspected of damaging the unborn child.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements P261 Avoid breathing mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P281 Use personal protective equipment as required. P308+P313 IF exposed or concerned: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P391 Collect spillage. P405 Store locked up

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations

Additional information: Restricted to professional users.

2.3 Other hazards

Results of PBT and vPvB assessment

· PBT: The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH, annex XIII.

· vPvR· The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH, annex XIII.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

OIZ IIIIXtaroo		
· Dangerous components:		
CAS: 6846-50-0 EINECS: 229-934-9 Reg-No.: 01-2119451093-47	1-isopropyl-2,2-dimethyltrimethylene diisobutyrate Repr. 2, H361d; Aquatic Chronic 3, H412	80-90%
CAS: 136-52-7 EINECS: 205-250-6 Reg-No.: 01-2119524678-29	cobalt(II) 2-ethylhexanoate Repr. 1B, H360Fd; Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412	5-10%

(Contd. on page 2)



(Contd. of page 1)

2.5-5%

Printing date 04.04.2024 Version: 12 (replaces version 11) Revision: 20.12.2022

Trade name: PERGAQUICK C12 X

CAS: 1330-20-7 EINECS: 215-535-7 Consisting of: 1330-20-7 xylene; 100-41-4 ethylbenzene; 108-88-3 toluene

Index number: 601-022-00-9 Flam. Liq. 3, H226; STOT RE 2, H373; Asp. Tox. 1, H304; Acute Tox. 4, H312; Acute Tox. 4, H332; Reg-No.: 01-2119488216-32 Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335; Aquatic Chronic 3, H412 Index number: 601-022-00-9

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information:

Take care of personal protection for the first aider.

After inhalation: Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Take affected persons into fresh air and keep quiet.

· After skin contact: Immediately wash with water and soap and rinse thoroughly. Immediately remove contaminated clothing.

Rinse opened eye for several minutes under running water.

· After eye contact: After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and

delayed

4.3 Indication of any immediate medical attention and special

treatment needed

No further relevant information available.

No further relevant information available

SECTION 5: Firefighting measures

5.1 Extinguishing media

· Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from

the substance or mixture 5.3 Advice for firefighters Under certain fire conditions, traces of other toxic gases cannot be excluded.

· Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Self-protection first!

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures

6.2 Environmental precautions:

Wear protective equipment. Keep unprotected persons away.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Soak up with absorbant material (e. g. Vermiculit) and dispose of in accordance with government

regulations.

· 6.4 Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

In case of large spillage the environmental authority should be informed.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.

Use only in well ventilated areas.

Before break and at the end of work hands should be thoroughly washed.

Avoid contact with skin and eyes. While using do not eat, drink or smoke.

(Contd. on page 3)



Printing date 04.04.2024 Version: 12 (replaces version 11) Revision: 20.12.2022

Trade name: PERGAQUICK C12 X

(Contd. of page 2)

· Information about fire - and

explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

• **Storage:** Pay attention to the special requirements of your local autorithies for storing dangerous goods.

Requirements to be met by

storerooms and receptacles: Prevent any seepage into the ground.

Use only receptacles specifically permitted for this substance/product.

· Information about storage in

one common storage facility: Store away from peroxide.

Store away from foodstuffs, drinks and feeding stuffs.

· Further information about storage conditions:

· Recommended storage temperature (To maintain

quality): +5 +30 °C • **Storage class:** 6.1 C

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with lir	nit values that require monitoring at the workplace:		
1330-20-7 xylene	- · ·		
, ,	Short-term value: 441 mg/m³, 100 ppm Long-term value: 220 mg/m³, 50 ppm Sk; BMGV		
	Short-term value: 442 mg/m³, 100 ppm Long-term value: 221 mg/m³, 50 ppm Skin		
DNELs			
6846-50-0 1-isopropyl-2,2-dimethyltrimethylene diisobutyrate			
Dermal DNEL Lor	gterm System 5 mg/kg bw/day (Worker)		
Inhalative DNEL Lor	gterm System 17.62 mg/m3 (Worker)		
136-52-7 cobalt(II) 2	-ethylhexanoate		
Inhalative DNEL Lor	gterm Local 0.2351 mg/m3 (Worker)		
1330-20-7 xylene			
	gterm System 212 mg/kg bw/day (Worker)		
Inhalative DNEL Lor	gterm System 221 mg/m3 (Worker)		
PNECs			
6846-50-0 1-isoprop	yl-2,2-dimethyltrimethylene diisobutyrate		
PNEC Marinewater s	ed 0.529 mg/kg sed dw (-)		
PNEC Freshwater	0.014 mg/l (AF 50)		
PNEC Freshwater se	d 5.29 mg/kg sed dw		
PNEC Soil	1.05 mg/kg soil dw		
PNEC STP	3 mg/l (AF 10)		
PNEC Marinewater	0.001 mg/l (AF 500)		
136-52-7 cobalt(II) 2			
PNEC Marinewater s	ed 69.8 mg/kg sed dw (AF 10)		
PNEC Freshwater	0.0006 mg/l (-)		
PNEC Freshwater se			
PNEC Soil	10.9 mg/kg soil dw (AF 2)		
PNEC STP	0.37 mg/l (AF 10)		
PNEC Marinewater	0.00236 mg/l (-)		
1330-20-7 xylene			
	ed 12.46 mg/kg sed dw		
PNEC Freshwater	0.327 mg/l (-)		
PNEC Freshwater se	-		
PNEC Soil	2.31 mg/kg soil dw		
PNEC STP	6.58 mg/l		
PNEC Marinewater	0.327 mg/l (Contd. on page		

(Contd. on page 4)



Printing date 04.04.2024 Version: 12 (replaces version 11) Revision: 20.12.2022

Trade name: PERGAQUICK C12 X

(Contd. of page 3)

· Ingredients with biological limit values:

1330-20-7 xylene

BMGV (Great Britain) 650 mmol/mol creatinine

Medium: urine

Sampling time: post shift Parameter: methyl hippuric acid

The lists valid during the making were used as basis. Additional information:

8.2 Exposure controls Appropriate engineering

controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and

The usual precautionary measures are to be adhered to when handling chemicals. hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Avoid close or long term contact with the skin. Do not eat, drink, smoke or sniff while working Use skin protection cream for skin protection.

Be sure to clean skin thoroughly after work and before breaks.

· Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer

exposure use self-contained respiratory protective device.

Use suitable respiratory device when it exceed exposure limit and when insufficiently ventilated.

Filter A2

· Hand protection Only use chemical-protective gloves with CE-labelling of category III.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Protective gloves

· Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of

quality and varies from manufacturer to manufacturer.

Butvl rubber, BR

Fluorocarbon rubber (Viton)

Nitrile rubber, NBR

Neoprene

· Penetration time of glove

material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be

observed.

· Eye/face protection

Tightly sealed goggles

· Body protection:



Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour: Violet · Odour: Characteristic Odour threshold: Not determined. · Melting point/freezing point: Undetermined · Boiling point or initial boiling point and boiling range Not applicable. Flammability Not applicable.

· Lower and upper explosion limit

· Lower: Not determined. Not determined. · Upper: 107 °C Flash point: Not determined. · Decomposition temperature: Not determined. pН

Viscosity:

Kinematic viscosity Not determined. · Dynamic at 20 °C: 11 mPas

(Contd. on page 5)



Printing date 04.04.2024 Version: 12 (replaces version 11) Revision: 20.12.2022

Trade name: PERGAQUICK C12 X

(Contd. of page 4)

· Solubility
· water:

· Partition coefficient n-octanol/water (log value)

Undetermined. not determined Not determined.

· Vapour pressure:

Not determined.

Density and/or relative density · Density at 20 °C:

0.955 g/cm3 Not determined.

· Relative density Vapour density

Not determined.

· 9.2 Other information

Appearance:

Fluid · Form:

· Important information on protection of health and environment, and on safety.

· Ignition temperature:

Product is not selfigniting.

Explosive properties: Change in condition

Product does not present an explosion hazard.

· Evaporation rate

Not determined

· Information with regard to physical hazard classes

· Explosives Void Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water

Oxidising liquids · Oxidising solids

· Organic peroxides

Void Void Void Void Void

Corrosive to metals · Desensitised explosives

Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.3 Possibility of hazardous reactions

No dangerous reactions known. No further relevant information available

· 10.4 Conditions to avoid · 10.5 Incompatible materials:

No further relevant information available.

10.6 Hazardous decomposition products:

Additional information:

No hazardous decomposition products if used and stored according to specifications. Emergency procedures will vary depending on conditions. The customer should have an emergency

response plane in place.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

6846-50-0 1-isopropyl-2,2-dimethyltrimethylene diisobutyrate

LD50 3,200 mg/kg (rattus) Dermal LD50 18,900 mg/kg (caviinae) 136-52-7 cobalt(II) 2-ethylhexanoate

LD50 3,129 mg/kg (rattus) Oral

1330-20-7 xylene

LD50 3,520 mg/kg (rattus) Oral Dermal LD50 12,126 mg/kg (rabbit)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

(Contd. on page 6)



Printing date 04.04.2024 Version: 12 (replaces version 11) Revision: 20.12.2022

Trade name: PERGAQUICK C12 X

Based on available data, the classification criteria are not met. Serious eye damage/irritation

May cause an allergic skin reaction.

(Contd. of page 5)

3,16 (20°C)

Respiratory or skin

sensitisation

 Germ cell mutagenicity · Carcinogenicity

· Reproductive toxicity

· STOT-single exposure STOT-repeated exposure · Aspiration hazard

Based on available data, the classification criteria are not met.

May damage fertility. Suspected of damaging the unborn child. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

Aquatic toxicity:

136-52-7 cobalt(II) 2-ethylhexanoate

LC50 / 96h | 1.5 mg/l (fish)

12.2 Persistence and degradability

· Degree of elimination:

· Classification:

6846-50-0 1-isopropyl-2,2-dimethyltrimethylene diisobutyrate

Degradation (Readily biodegradable, failing 10-d wind) (OECD 301 B)

1330-20-7 xylene

Degradation (Readily biodegradable) (OECD 301 F)

12.3 Bioaccumulative potential

· Partition coefficient: nOctanol/water: [Log Kow]

1330-20-7 xylene

· Bioconcentration factor (BCF)

6846-50-0 1-isopropyl-2,2-dimethyltrimethylene diisobutyrate

BCF 183-194 (fish)

1330-20-7 xylene

BCF 25.9

No further relevant information available.

12.4 Mobility in soil · 12.5 Results of PBT and vPvB assessment

· PBT:

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH, annex XIII. The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH, annex XIII. · vPvB:

· 12.6 Endocrine disrupting

properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

· Remark: Toxic for fish Additional ecological information:

General notes: Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation



Must not be disposed together with household garbage. Do not allow product to reach sewage

· Waste disposal key: Please contact your hazardous waste disposers to assign the right EWC-(European waste catalog)number.

· Uncleaned packaging:

· Recommendation: This material and its container must be disposed of as hazardous waste.

GB



Printing date 04.04.2024 Version: 12 (replaces version 11) Revision: 20.12.2022

Trade name: PERGAQUICK C12 X

(Contd. of page 6)

SECTION 14: Transport information			
· 14.1 UN number or ID number · ADR, IMDG, IATA	Void		
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void		
· 14.3 Transport hazard class(es)			
· ADR, IMDG, IATA · Class	Void		
· 14.4 Packing group · ADR, IMDG, IATA	Void		
· 14.5 Environmental hazards:	Not applicable.		
· 14.6 Special precautions for user	Not applicable.		
· 14.7 Maritime transport in bulk according to IMC	O instruments Not applicable.		
· Transport/Additional information:	No dangerous good according the regulation of transport.		
· ADR			
· RID / GGVSEB:	like ADR		

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances
- ANNEX I None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- Please note: Take care of the respective local regulations.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases H226 Flammable liquid and vapour.
 - H304 May be fatal if swallowed and enters airways.
 - H312 Harmful in contact with skin.

(Contd. on page 8)



Printing date 04.04.2024 Version: 12 (replaces version 11) Revision: 20.12.2022

Trade name: PERGAQUICK C12 X

(Contd. of page 7)

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

Harmful if inhaled. H332

H335 May cause respiratory irritation.

H360Fd May damage fertility. Suspected of damaging the unborn child.

H361d Suspected of damaging the unborn child.

May cause damage to organs through prolonged or repeated exposure. H373

Harmful to aquatic life with long lasting effects. H412

· Contact: Tel: +49 2871 9902-0

E-mail: mail@pergan.com

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International · Abbreviations and acronyms:

Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Skill illi. 2: Serious eye damageleye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
Repr. 1B: Reproductive toxicity – Category 1B
Repr. 2: Reproductive toxicity – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

·* Data compared to the previous version altered.

GB -