Printing date 04.01.2024

Version: 4 (replaces version 3)

Revision: 20.12.2022

The Peroxide Company

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### · 1.1 Product identifier

Trado namo

**PERGAQUICK CP24 A** 

· Trade name:	
· 1.2 Relevant identified uses of	the substance or mixture and uses advised agains No further relevant information available.
<ul> <li>Application of the substance</li> </ul>	I
the mixture	Accelerator for polymerisation / crosslinking
	For industrial use
· 1.3 Details of the supplier of the	ne safety data sheet
Manufacturer/Supplier:	PERGAN GmbH
	Hilfsstoffe für industrielle Prozesse
	Schlavenhorst 71
	D-46395 Bocholt
	Tel: +49 2871 9902-0
	Fax: +49 2871 9902-50
· Further information obtainab	le
from:	Environment protection / Security of labour
	Qualified person: E-mail: msds@pergan.com
4.4.5	
<ul> <li>1.4 Emergency telephone number:</li> </ul>	- Tel: +49 2871 9902-0

### **SECTION 2: Hazards identification**

### · 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008
 Carc. 2 H351 Suspected of causing cancer.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

 Labelling according to Regulation (EC) No 1272/2008

· Hazard pictograms



The product is classified and labelled according to the GB CLP regulation.

	GHS08	
· Signal word	Warning	
<ul> <li>Hazard-determining components of labelling:</li> <li>Hazard statements</li> </ul>	N,N-dimethylaniline H351 Suspected of causing cancer. H412 Harmful to aquatic life with long lasting effects.	
<ul> <li>Precautionary statements</li> </ul>	P201       Obtain special instructions before use.         P202       Do not handle until all safety precautions have been read and understood.         P273       Avoid release to the environment.         P280       Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.         P308+P313 IF exposed or concerned: Get medical advice/attention.         P405       Store locked up.         P501       Dispose of contents/container in accordance with local/regional/national/international regulations.	
<ul> <li>2.3 Other hazards</li> <li>Results of PBT and vPvB ass</li> </ul>	essment	

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH, annex XIII. The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH, annex XIII.

## SECTION 3: Composition/information on ingredients

### · 3.2 Mixtures

· PBT:

· vPvB:

CAS: 121-69-7         N,N-dimethylaniline           EINECS: 204-493-5         Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Carc. 2, H351; Aquatic Chronic 2, H411           Index number: 612-016-00-0         Reg-No.: 01-2119950342-44	5-10%
CAS: 107-41-5         2-methylpentane-2,4-diol           EINECS: 203-489-0         Skin Irrit. 2, H315; Eye Irrit. 2, H319           Index number: 603-053-00-3         Reg-No.: 01-2119539582-35	5-10%
CAS: 128-37-0 Butylated hydroxytoluene EINECS: 204-881-4 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Reg-No.: 01-2119555270-46 01-2119565113-46	0.1-1%

Printing date 04.01.2024

Version: 4 (replaces version 3)

Revision: 20.12.2022

The Peroxide Company

## Trade name: PERGAQUICK CP24 A

		(Contd. of page 1)
CAS: 68084-48-0	Copper(2+) neodecanoate	0.1-1%
EINECS: 268-439-2 Reg-No.: 01-2120784744-41	Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302	
· Additional information:	For the wording of the listed hazard phrases refer to section 16.	
· Components:		
Cobalt-Polymer		

### **SECTION 4: First aid measures**

· 4.1 Description of first aid meas	ures
General information:	Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. Take care of personal protection for the first aider.
· After inhalation:	Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation. Take affected persons into fresh air and keep quiet.
<ul> <li>After skin contact:</li> </ul>	Immediately remove contaminated clothing.
<ul> <li>After eye contact:</li> </ul>	Rinse opened eve for several minutes under running water.
After swallowing:	Call for a doctor immediately.
• 4.2 Most important symptoms and effects, both acute and	
delayed	No further relevant information available.
• 4.3 Indication of any immediate medical attention and special	
treatment needed	No further relevant information available.
SECTION 5: Firefighting measures	

<ul> <li>5.2 Special hazards arising from</li></ul>	CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
the substance or mixture	Under certain fire conditions, traces of other toxic gases cannot be excluded.
<ul> <li>5.3 Advice for firefighters</li> <li>Protective equipment:</li> <li>Additional information</li> </ul>	Mouth respiratory protective device. Do not inhale explosion gases or combustion gases. Self-protection first!

### SECTION 6: Accidental release measures

<ul> <li>6.1 Personal precautions, protective equipment and emergency procedures</li> <li>6.2 Environmental precautions:</li> </ul>	Wear protective equipment. Keep unprotected persons away. Inform respective authorities in case of seepage into water course or sewage system.
	Do not allow to enter sewers/ surface or ground water.
• 6.3 Methods and material for	
containment and cleaning up:	Dispose contaminated material as waste according to section 13.
0 1	Ensure adequate ventilation.
	Soak up with absorbant material (e. g. Vermiculit) and dispose of in accordance with government regulations.
<ul> <li>6.4 Reference to other sections</li> </ul>	See Section 7 for information on safe handling.
	See Section 8 for information on personal protection equipment.
	See Section 13 for disposal information.
	In case of large spillage the environmental authority should be informed.

### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe	
handling	Ensure good ventilation/exhaustion at the workplace.
-	Prevent formation of aerosols.
	Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.
	(Contd. on page 3)

Printing date 04.01.2024

Safety data sheet according to 1907/2006/EC, Article 31

Version: 4 (replaces version 3)



Revision: 20.12.2022

# Trade name: PERGAQUICK CP24 A

· 7.3 Specific end use(s)	No further relevant information available.
· Storage class:	10-13
temperature (To maintain quality):	+5 +30 °C
<ul> <li>Further information about storage conditions:</li> <li>Recommended storage</li> </ul>	Keep container tightly sealed.
<ul> <li>Information about storage in one common storage facility:</li> </ul>	Store away from peroxide. Store away from foodstuffs, drinks and feeding stuffs.
<ul> <li>Requirements to be met by storerooms and receptacles:</li> </ul>	Prevent any seepage into the ground. Use only receptacles specifically permitted for this substance/product.
7.2 Conditions for safe storage, Storage:	including any incompatibilities Pay attention to the special requirements of your local autorithies for storing dangerous goods.
<ul> <li>Information about fire - and explosion protection:</li> </ul>	No special measures required.
	Use only in well ventilated areas. Before break and at the end of work hands should be thoroughly washed. While using do not eat, drink or smoke.

### SECTION 8: Exposure controls/personal protection

· Ingredients with limit	values that require monitoring at the workplace:
121-69-7 N,N-dimethyla	niline
	prt-term value: 50 mg/m³, 10 ppm
	ng-term value: 25 mg/m³, 5 ppm
Sk	
107-41-5 2-methylpenta	
WEL (Great Britain) Short-term value: 123 mg/m <sup>3</sup> , 25 ppm Long-term value: 123 mg/m <sup>3</sup> , 25 ppm	
128-37-0 Butylated hyd	
WEL (Great Britain) Lor	
· DNELs	
121-69-7 N,N-dimethyla	
	rm System 2.988 mg/kg bw/day (Worker)
	rm System 3.406 mg/m3 (Worker)
107-41-5 2-methylpenta	
-	rm System 42 mg/kg bw/day (Worker)
•	rm System 44.4 mg/m3 (Worker)
128-37-0 Butylated hyd	•
-	rm System 0.5 mg/kg bw/day (Worker) rm System 1.76 mg/m3 (Worker)
5	
PNECs	
121-69-7 N,N-dimethyla	
PNEC Marinewater sed	
PNEC Freshwater	0.023 mg/l (AF 100)
	4.942 mg/kg sed dw (-)
PNEC Soil	1.906 mg/kg soil dw (-)
PNEC STP	5.948 mg/l (AF 10)
PNEC Marinewater	0.002 mg/l (AF 1.000)
107-41-5 2-methylpentane-2,4-diol	
PNEC Marinewater sed	
PNEC Freshwater	0.429 mg/l (AF 1.000)
PNEC Freshwater sed	1.59 mg/kg sed dw (-)
PNEC Soil	0.066 mg/kg soil dw (-)
PNEC STP	20 mg/l (AF 10)
PNEC Marinewater	0.043 mg/l (AF 10.000)
	(Contd. on page GB

Printing date 04.01.2024

Version: 4 (replaces version 3)

Revision: 20.12.2022

• )

The Peroxide Company

# Trade name: PERGAQUICK CP24 A

	(Contd. of page 3)	
128-37-0 Butylated hyd	•	
	0.046 mg/kg sed dw (-)	
PNEC Freshwater	0.000199 mg/l (AF 1.000)	
PNEC Seawater	0.00002 mg/l (AF 10.000)	
PNEC Freshwater sed	0.458 mg/kg sed dw (-)	
PNEC Soil	0.054 mg/kg soil dw (-)	
PNEC STP	0.017 mg/l (AF 100)	
· Additional information	The lists valid during the making were used as basis.	
· 8.2 Exposure controls		
<ul> <li>Appropriate engineer</li> </ul>		
controls	No further data; see section 7.	
•	measures, such as personal protective equipment	
· General protective a		
hygienic measures:	The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed.	
	Immediately remove all soiled and contaminated clothing	
	Wash hands before breaks and at the end of work.	
	Avoid contact with the eyes and skin.	
	Do not eat, drink, smoke or sniff while working.	
	Use skin protection cream for skin protection.	
	Be sure to clean skin thoroughly after work and before breaks.	
Respiratory protection	on: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer	
	exposure use self-contained respiratory protective device. Use suitable respiratory device when it exceed exposure limit and when insufficiently ventilated.	
	Filter A2	
· Hand protection	Only use chemical-protective gloves with CE-labelling of category III.	
nand protection	Selection of the glove material on consideration of the penetration times, rates of diffusion and the	
	with degradation	
	Protective gloves	
• Material of gloves	The selection of the suitable gloves does not only depend on the material, but also on further marks of	
	quality and varies from manufacturer to manufacturer. Butyl rubber, BR	
	Fluorocarbon rubber (Viton)	
	Nitrile rubber, NBR	
	Neoprene	
· Penetration time of	glove	
material	The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be	
	observed.	
<ul> <li>Eye/face protection</li> </ul>	Tightly socied goggles	
	Tightly sealed goggles	
<ul> <li>Body protection:</li> </ul>		
	Protective work clothing	
SECTION 9: Physica	al and chemical properties	
<ul> <li>9.1 Information on bas</li> <li>General Information</li> </ul>	sic physical and chemical properties	

General Information	
· Colour:	Red
· Odour:	Characteristic
· Odour threshold:	Not determined.
<ul> <li>Melting point/freezing point:</li> </ul>	Undetermined.
Boiling point or initial boiling point and boiling range	Not applicable.
Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	94 °C
<ul> <li>Decomposition temperature:</li> </ul>	Not determined.
∙рН	Not determined.
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic at 20 °C:	73 mPas

Printing date 04.01.2024

Version: 4 (replaces version 3)

Revision: 20.12.2022

## Trade name: PERGAQUICK CP24 A

	(Contd. of page
· Solubility	
· water:	Undetermined.
<ul> <li>Partition coefficient n-octanol/water (log value)</li> </ul>	not determined
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	0.96 g/cm <sup>3</sup>
Relative density	Not determined.
· Vapour density	Not determined.
• 9.2 Other information	
· Appearance:	
· Form:	Fluid
<ul> <li>Important information on protection of health and environment,</li> </ul>	
and on safety.	
· Ignition temperature:	Product is not selfigniting.
<ul> <li>Explosive properties:</li> </ul>	Product does not present an explosion hazard.
Change in condition	
· Evaporation rate	Not determined.
Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
<ul> <li>Self-reactive substances and mixtures</li> </ul>	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in	
contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
· Desensitised explosives	Void

### **SECTION 10: Stability and reactivity**

 • 10.1 Reactivity
 No further relevant information available.

 • 10.3 Possibility of hazardous
 No dangerous reactions known.

 • 10.4 Conditions to avoid
 No further relevant information available.

 • 10.5 Incompatible materials:
 No further relevant information available.

 • 10.6 Hazardous decomposition products:
 No hazardous decomposition products if used and stored according to specifications.

 • Additional information:
 Emergency procedures will vary depending on conditions. The customer should have an emergency response plane in place.

### **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute	• Acute toxicity Based on available data, the classification criteria are not met.		
· LD/LC	· LD/LC50 values relevant for classification:		
121-69-7 N,N-dimethylaniline			
Oral	LD50	050 951 mg/kg (rattus)	
Dermal	LD50	1,690 mg/kg (cuniculosus)	
107-41-5 2-methylpentane-2,4-diol			
Oral	LD50	>2,000 mg/kg (rattus)	
Dermal	LD50	D50 >2,000 mg/kg (cuniculosus)	
128-37-0 Butylated hydroxytoluene			
Oral	Oral  LD50 >2,000 mg/kg (rattus)		
Dermal LD50 >2,000 mg/kg (cuniculosus)			
• Skin corrosion/irritation Based on available data, the classification criteria are not met.			



Printing date 04.01.2024

Safety data sheet according to 1907/2006/EC, Article 31

Version: 4 (replaces version 3)



Revision: 20.12.2022

### Trade name: PERGAQUICK CP24 A

		(Contd. of page 5)
<ul> <li>Serious eye damage/irritation</li> <li>Respiratory or skin</li> </ul>	Based on available data, the classification criteria are not met.	
sensitisation	Based on available data, the classification criteria are not met.	
<ul> <li>Germ cell mutagenicity</li> </ul>	Based on available data, the classification criteria are not met.	
· Carcinogenicity	Suspected of causing cancer.	
<ul> <li>Reproductive toxicity</li> </ul>	Based on available data, the classification criteria are not met.	
<ul> <li>STOT-single exposure</li> </ul>	Based on available data, the classification criteria are not met.	
<ul> <li>STOT-repeated exposure</li> </ul>	Based on available data, the classification criteria are not met.	
<ul> <li>Aspiration hazard</li> </ul>	Based on available data, the classification criteria are not met.	
<ul> <li>11.2 Information on other hazar</li> </ul>	rds	
Endocrine disrupting propertie	95	
128-37-0 Butylated hydroxytoluer	ne	List II

### **SECTION 12: Ecological information**

· 12.1 Toxicity		
· Aquatic toxicity:		
121-69-7 N,N-dimethylaniline		
EC50 / 72h 22 mg/l (alga)		
LC50 / 96h 53.7 mg/l (piscis)		
107-41-5 2-methylpentane-2,4	-diol	
LC50 / 96h 8,510 mg/l (gambu	sia affinis)	
128-37-0 Butylated hydroxytol	luene	
LC0 /96h >0.57 mg/l (piscis)		
EC50 / 48h 0.61 mg/l (daphnia	magna)	
IC50 / 72h >0.4 mg/l (alga)		
12.2 Persistence and degrada	ıbility	
· Degree of elimination:		
· Classification:		
121-69-7 N,N-dimethylaniline		
Degradation (Readily biodegra	,	
107-41-5 2-methylpentane-2,4		
Degradation (Readily biodegra		
128-37-0 Butylated hydroxytol		
Degradation (Not readily biode	<b>o</b> ,	
12.3 Bioaccumulative potentia	al	
· Partition coefficient: nOctan	nol/water: [Log Kow]	
121-69-7 N,N-dimethylaniline		1,17 (38°C)
107-41-5 2-methylpentane-2,4-		< 1
128-37-0 Butylated hydroxytolu	iene	5,1
67-56-1 methanol		-0,77 (20°C
· Bioconcentration factor (BCI	F)	
128-37-0 Butylated hydroxytol	luene	
BCF 1,277		
12.4 Mobility in soil	No further relevant information available.	
12.5 Results of PBT and vPvE	3 assessment	
· PBT:	The substances in the mixture do not meet the PBT/vPvB criteria according to UK REAC	
· vPvB:	The substances in the mixture do not meet the PBT/vPvB criteria according to UK REAC	CH, annex XIII.
12.6 Endocrine disrupting	For information on an desvice discussion managements are conting 44	
properties 12.7 Other adverse effects	For information on endocrine disrupting properties see section 11.	
· Remark:	Harmful to fish	
· Additional ecological information		
General notes:	Harmful to aquatic organisms	
	Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water	
	Do not allow product to reach ground water, water course or sewage system.	
	Danger to drinking water if even small quantities leak into the ground.	GB

(Contd. on page 7)

Printing date 04.01.2024

Version: 4 (replaces version 3)

Revision: 20.12.2022

The Peroxide Company

## Trade name: PERGAQUICK CP24 A

(Contd. of page 6)

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods · Recommendation

· Waste disposal key:

system. Please contact your hazardous waste disposers to assign the right EWC-(European waste catalog)number.

Must not be disposed together with household garbage. Do not allow product to reach sewage

· Uncleaned packaging: · Recommendation:

This material and its container must be disposed of as hazardous waste.

SECTION 14: Transport information	
· 14.1 UN number or ID number · ADR, IMDG, IATA	Void
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, IMDG, IATA</li> </ul>	Void
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according to IMC	D instruments Not applicable.
· Transport/Additional information:	No dangerous good according the regulation of transport.
· ADR	
· RID / GGVSEB:	like ADR

#### **SECTION 15: Regulatory information**

<ul> <li>Regulated</li> </ul>	explosives precursors
None of the in	ngredients is listed.
· Regulated	poisons
None of the in	ngredients is listed.
· Reportable	explosives precursors
None of the in	ngredients is listed.
· Reportable	poisons
None of the in	ngredients is listed.
· DIRECTIVE	2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Anne
None of the in	ngredients is listed.
· Regulation	(EC) No 273/2004 on drug precursors
None of the in	ngredients is listed.
· Regulation precursors	(EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug
None of the in	ngredients is listed.

· Other regulations, limitations and prohibitive regulations

· Please note: Take care of the respective local regulations.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Printing date 04.01.2024

Version: 4 (replaces version 3)

Revision: 20.12.2022

# Trade name: PERGAQUICK CP24 A

	(Contd. of page 7)
· Relevant phrases	<ul> <li>H301 Toxic if swallowed.</li> <li>H302 Harmful if swallowed.</li> <li>H311 Toxic in contact with skin.</li> <li>H315 Causes skin irritation.</li> <li>H319 Causes serious eye irritation.</li> <li>H331 Toxic if inhaled.</li> <li>H351 Suspected of causing cancer.</li> <li>H400 Very toxic to aquatic life.</li> <li>H410 Very toxic to aquatic life with long lasting effects.</li> <li>H411 Toxic to aquatic life with long lasting effects.</li> </ul>
<ul> <li>Department issuing SDS:</li> <li>Contact:</li> </ul>	Environment protection / Security of labour Tel: +49 2871 9902-0 E-mail: mail@pergan.com
• Abbreviations and acronyms:	ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDC: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LD50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/Irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Carc. 2: Carcinogenicity – Category 2 Aquatic Chronic 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
<ul> <li>* Data compared to the previous version altered.</li> </ul>	



