

Printing date 04.04.2024 Version: 10 Revision: 20.12.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

PERGASLOW BK-100 · Trade name:

· CAS Number: 98-29-3 202-653-9 · EC number: Registration number: 01-2119548368-28

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance /

the mixture

Inhibitor

For industrial use

· 1.3 Details of the supplier of the safety data sheet

 Manufacturer/Supplier: PERGAN GmbH

Hilfsstoffe für industrielle Prozesse

Schlavenhorst 71 D-46395 Bocholt Tel: +49 2871 9902-0 Fax: +49 2871 9902-50

· Further information obtainable

Environment protection / Security of labour

Qualified person: E-mail: msds@pergan.com

1.4 Emergency telephone

number: - Tel: +49 2871 9902-0

### **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H302 Harmful if swallowed. H312 Harmful in contact with skin. Acute Tox. 4

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage. Skin Sens. 1 H317 May cause an allergic skin reaction. Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

· 2.2 Label elements

Labelling according to Hazard pictograms

Regulation (EC) No 1272/2008

The substance is classified and labelled according to the GB CLP regulation.



· Signal word Danger

· Hazard-determining

components of labelling:

4-tert-butylpyrocatechol

**Hazard statements** H302+H312 Harmful if swallowed or in contact with skin.

H314 Causes severe skin burns and eye damage. May cause an allergic skin reaction. H317

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements P260 Do not breathe dusts or mists. P264 Wash thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace. P272

P273 Avoid release to the environment.

protection

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of UK REACH, Annex XIII. · PBT: · vPvB: This substance does not meet the PBT/vPvB criteria of UK REACH, Annex XIII.

GB



Printing date 04.04.2024 Version: 10 Revision: 20.12.2022

# Trade name: PERGASLOW BK-100

(Contd. of page 1)

### **SECTION 3: Composition/information on ingredients**

· 3.1 Substances

**CAS No. Description** 98-29-3 4-tert-butylpyrocatechol

· Identification number(s)

· EC number: 202-653-9

#### **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48

hours after the accident.

Take care of personal protection for the first aider.

After inhalation: In case of unconsciousness place patient stably in side position for transportation.

Take affected persons into fresh air and keep quiet. · After skin contact: Immediately wash with water and soap and rinse thoroughly.

Immediately remove contaminated clothing.

· After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special

treatment needed No further relevant information available

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media

· Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from

the substance or mixture 5.3 Advice for firefighters Under certain fire conditions, traces of other toxic gases cannot be excluded.

· Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Self-protection first!

# **SECTION 6: Accidental release measures**

 6.1 Personal precautions, protective equipment and emergency procedures

6.2 Environmental precautions:

Wear protective equipment. Keep unprotected persons away.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Pick up mechanically, collect in a suitable receptacle and dispose in accordance with government

regulations.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

In case of large spillage the environmental authority should be informed.

# **SECTION 7: Handling and storage**

· 7.1 Precautions for safe

handling

Thorough dedusting. Prevent formation of dust.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.

(Contd. on page 3)



Printing date 04.04.2024 Version: 10 Revision: 20.12.2022

Trade name: PERGASLOW BK-100

Before break and at the end of work hands should be thoroughly washed.

(Contd. of page 2)

Avoid contact with skin and eyes.

While using do not eat, drink or smoke.

· Information about fire - and explosion protection:

No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities Storage:

Pay attention to the special requirements of your local autorithies for storing dangerous goods.

Requirements to be met by

storerooms and receptacles: Prevent any seepage into the ground.

Use only receptacles specifically permitted for this substance/product.

· Information about storage in one common storage facility: **Further information about** 

Store away from foodstuffs, drinks and feeding stuffs.

storage conditions:

Keep container tightly sealed.

· Recommended storage

Store under lock and key and out of the reach of children.

temperature (To maintain quality):

max.: +30°C

7.3 Specific end use(s)

No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

8.1 Control parameters

· Ingredients with limit values that require monitoring at the

workplace: Not required.

· DNELs

#### 98-29-3 4-tert-butylpyrocatechol

Inhalative DNEL Longterm System 1.6 mg/m3 (Worker)

# 98-29-3 4-tert-butylpyrocatechol

PNEC Marinewater sed 0.00069 mg/kg sed dw (-) **PNEC Freshwater** 0.0012 mg/l (AF 100) PNEC Freshwater sed 0.0069 mg/kg sed dw (-) PNEC STP 0.16 mg/l (AF 100) **PNEC Marinewater** 0.00012 mg/l (AF 1.000)

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls Appropriate engineering

controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and

hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection.

Be sure to clean skin thoroughly after work and before breaks.

· Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer

exposure use self-contained respiratory protective device.

Use suitable respiratory device when it exceed exposure limit and when insufficiently ventilated.



Filter P2

· Hand protection Only use chemical-protective gloves with CE-labelling of category III.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Protective gloves

 Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of

quality and varies from manufacturer to manufacturer.

Butyl rubber, BR

(Contd. on page 4)



(Contd. of page 3)

Printing date 04.04.2024 Version: 10 Revision: 20.12.2022

Trade name: PERGASLOW BK-100

Fluorocarbon rubber (Viton) Nitrile rubber, NBR

Neoprene

· Penetration time of glove


material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection

Tightly sealed goggles

· Body protection:



SECTION 9: Physical and ch	nemicai	properties
----------------------------	---------	------------

· 9 1 Information	on basic physical	and chamica	l nronartiae

· General Information

· Colour:

· Odour:

Odour threshold:

· Melting point/freezing point:

Boiling point or initial boiling point and boiling range

Flammability

Lower and upper explosion limit

· Lower:

· Upper:

Flash point:

· Decomposition temperature:

pН

Viscosity:

Kinematic viscosity

· Dynamic:

Solubility · water at 20 °C:

Partition coefficient n-octanol/water (log value)

· Vapour pressure at 25 °C:

Density and/or relative density

Density:

· Relative density Bulk density at 20 °C:

Vapour density

55-58 °C 290 °C

Yellow tint

Phenol-like

Product is not flammable.

Not determined.

Not determined.

Not determined.

158 °C

Not determined.

Not applicable.

Not applicable.

Not applicable.

4.2 g/l

not determined

0.0003 hPa

Not determined. Not determined.

410 kg/m<sup>3</sup> Not applicable.

# · 9.2 Other information

Appearance:

· Form: · Important information on protection of health and environment,

and on safety.

Ignition temperature:

Explosive properties:

Change in condition · Evaporation rate

Not determined.

Product does not present an explosion hazard.

No further relevant information available.

Not applicable.

· Information with regard to physical hazard classes

· Explosives Flammable gases

· Aerosols · Oxidising gases

· Gases under pressure Flammable liquids

Flammable solids · Self-reactive substances and mixtures · Pyrophoric liquids

· Pyrophoric solids Self-heating substances and mixtures

· Substances and mixtures, which emit flammable gases in

contact with water **Oxidising liquids** 

Oxidising solids · Organic peroxides

Flakes

Void Void

Void Void

Void Void Void

Void Void Void

Void Void

Void Void Void

(Contd. on page 5)



Printing date 04.04.2024 Version: 10 Revision: 20.12.2022

Trade name: PERGASLOW BK-100

(Contd. of page 4)

 Corrosive to metals Void Desensitised explosives Void

# **SECTION 10: Stability and reactivity**

No further relevant information available. · 10.1 Reactivity

· 10.3 Possibility of hazardous

reactions

No dangerous reactions known. · 10.4 Conditions to avoid No further relevant information available. · 10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition

products:

No hazardous decomposition products if used and stored according to specifications.

Additional information: Emergency procedures will vary depending on conditions. The customer should have an emergency

response plane in place.

### **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Harmful if swallowed or in contact with skin.

· LD/LC50 values relevant for classification:

98-29-3 4-tert-butylpyrocatechol LD50 815 mg/kg (rattus) Dermal LD50 1,331 mg/kg (rattus)

· Skin corrosion/irritation Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Causes serious eye damage.

Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. · STOT-repeated exposure Based on available data, the classification criteria are not met. · Aspiration hazard Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

#### **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity:

98-29-3 4-tert-butylpyrocatechol

LC50 / 96h | 0.12 mg/l (brachydanio rerio)

EC50 / 48h | 0.48 mg/l (daphnia)

12.2 Persistence and degradability

· Degree of elimination:

· Classification

98-29-3 4-tert-butylpyrocatechol

Degradation (Evidence for inherent biodegradability.)

· Partition coefficient: nOctanol/water: [Log Kow]

12.3 Bioaccumulative potential

1,98 (25°C)

· 12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

· PBT: This substance does not meet the PBT/vPvB criteria of UK REACH, Annex XIII. · vPvB: This substance does not meet the PBT/vPvB criteria of UK REACH, Annex XIII.

· 12.6 Endocrine disrupting

properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects No further relevant information available

· Remark: Toxic for fish

(Contd. on page 6)



# Trade name: PERGASLOW BK-100

(Contd. of page 5)

· Additional ecological information:

General notes: Toxic for aquatic organisms

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Also poisonous for fish and plankton in water bodies.

Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

# **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

Recommendation



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• Waste disposal key: Please contact your hazardous waste disposers to assign the right EWC-(European waste catalog)-

Uncleaned packaging:

· Recommendation:

· Recommended cleansing agents:

This material and its container must be disposed of as hazardous waste.

Water, if necessary together with cleansing agents.

# **SECTION 14: Transport information**

· 14.1 UN number or ID number · ADR, IMDG, IATA	UN3261	
· 14.2 UN proper shipping name		
ADR	UN3261 CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (4-tert-	
	BUTYLPYROCATECHOL), ENVIRONMENTALLY HAZARDOUS	
· IMDG	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (4-tert-	
	BUTYLPYROCATECHOL), MARINE POLLUTANT	
· IATA	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (4-tert-	
	BUTYLPYROCATECHOL)	

# · 14.3 Transport hazard class(es)

· ADR





· Class 8 (C4) Corrosive substances.

· Label · IMDG





• Class 8 Corrosive substances. • Label 8

· IATA



Class 8 Corrosive substances.

14.4 Packing group

· 14.5 Environmental hazards:

Ш

· ADR, IMDG, IATA

Product contains environmentally hazardous substances: 4-tert-BUTYLPYROCATECHOL

· Marine pollutant: Yes

Yes

Special marking (ADR):

Special marking (ADR):

Symbol (fish and tree)

• 14.6 Special precautions for user Warning: Corrosive substances.

Hazard identification number (Kemler code):

(Contd. on page 7)



(Contd. of page 6)

Printing date 04.04.2024 Version: 10 Revision: 20.12.2022

# Trade name: PERGASLOW BK-100

· EMS Number: F-A,S-B · Segregation groups (SGG1) Acids

Stowage Category

· 14.7 Maritime transport in bulk according to IMO instruments Not applicable.

· Transport/Additional information:

· ADR

· Limited quantities (LQ) 1 kg · Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g

· Transport category 2 · Tunnel restriction code E

· RID / GGVSEB: like ADR

· IMDG

· Limited quantities (LQ) 5 kg · Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g

# SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

- Directive 2012/18/EU
- Qualifying quantity (tonnes) for the application of lower-tier

requirements 100 t

Qualifying quantity (tonnes) for the application of upper-tier

requirements

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex

None of the ingredients is listed.

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

Other regulations, limitations and prohibitive regulations

• **Please note:** Take care of the respective local regulations.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection / Security of labour

(Contd. on page 8)



Printing date 04.04.2024 Version: 10 Revision: 20.12.2022

Trade name: PERGASLOW BK-100

(Contd. of page 7) Tel: +49 2871 9902-0

· Contact: E-mail: mail@pergan.com

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the

International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

ADR: Accord relatif au transport international des marchandises dangereuses pa Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose. 50 percent

LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

·\* Data compared to the previous version altered.

GB —