

Printing date 02.04.2024 Version: 6 (replaces version 5) Revision: 15.02.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name: PEROXAN BP-40 WS

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance /

the mixture

Reaction initiator
For industrial use

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: PERGAN GmbH

Hilfsstoffe für industrielle Prozesse

Schlavenhorst 71 D-46395 Bocholt Tel: +49 2871 9902-0 Fax: +49 2871 9902-50

· Further information obtainable

from: Environment protection / Security of labour

Qualified person: E-mail: msds@pergan.com

· 1.4 Emergency telephone

**number:** - Tel: +49 2871 9902-0

#### SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Org. Perox. F H242 Heating may cause a fire.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements

Labelling according to

· Hazard pictograms

Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.



· Signal word Warning

· Hazard-determining

components of labelling:

nts of labelling: dibenzoyl peroxide

Ethoxylated-2,4,7,9-tetramethyl-5-decyne-4,7-diol Hazard statements H242 Heating may cause a fire.

H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.

• Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P220 Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and

accelerators (e. g. heavy metal compounds and amines).

P234 Keep only in original packaging.
P264 Wash thoroughly after handling.
P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P410 Protect from sunlight.

P411+P235 Store at temperatures not exceeding +25°C. Keep cool.

P420 Store separately

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

\* Additional information: \* The product is a suspension with low viscosity and can separate easily. Stirring before use is absolutely essential. \*

2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH, annex XIII.
 vPvB: The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH, annex XIII.

(Contd. on page 2)



Printing date 02.04.2024 Version: 6 (replaces version 5) Revision: 15.02.2023

## Trade name: PEROXAN BP-40 WS

(Contd. of page 1)

## **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

Dangerous components:		
CAS: 94-36-0 EINECS: 202-327-6 Index number: 617-008-00-0 Reg-No.: 01-2119511472-50		40-50%
CAS: 56-81-5 EINECS: 200-289-5 Reg-No.: 01-2119471987-18	glycerol substance with a Community workplace exposure limit	2.5-5%
CAS: 9014-85-1 NLP: 500-022-5 Reg-No.: 01-2119954393-33	Ethoxylated-2,4,7,9-tetramethyl-5-decyne-4,7-diol Eye Dam. 1, H318; Skin Sens. 1, H317; Aquatic Chronic 3, H412	0.1-1%
· Additional information:	For the wording of the listed hazard phrases refer to section 16.	

#### **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

General information:

Take care of personal protection for the first aider.

· After inhalation: Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Take affected persons into fresh air and keep quiet.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

Immediately remove contaminated clothing.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After eye contact:

After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate

medical attention and special

No further relevant information available.

treatment needed

No further relevant information available

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media

• Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from

the substance or mixture Under certain fire conditions, traces of other toxic gases cannot be excluded.

Hydrocarbons, carbondioxide and -monoxid.

5.3 Advice for firefighters

· Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. Self-protection first!

## **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources.

In case of further temperature should be cooled with waterspray from a safe distance.

Wear breathing apparatus with filter A during decomposition of materials.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions: <u>Inform</u> respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Large quantities should be diluted with suitable desensitation agent to a concentration below 10 % before

disposal.

Soak up with absorbant material (e. g. Vermiculit) and dispose of in accordance with government

regulations.

(Contd. on page 3)



(Contd. of page 2)

Printing date 02.04.2024 Version: 6 (replaces version 5) Revision: 15.02.2023

Trade name: PEROXAN BP-40 WS

See Section 7 for information on safe handling. · 6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

In case of large spillage the environmental authority should be informed.

## **SECTION 7: Handling and storage**

· 7.1 Precautions for safe

handling Keep away from heat and direct sunlight.

Open and handle receptacle with care. Prevent formation of aerosols.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.

Do not refill residue into storage receptacles. Restrict the quantity stored at the work place.

Before break and at the end of work hands should be thoroughly washed.

Only use tools made of suitable materials (e.g. polyethylene or stainless steel).

Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavymetal compounds and amines).

While using do not eat, drink or smoke. Do not generate flames or sparks.

Keep product and emptied container away from heat and sources of ignition.

Avoid shock and friction.

Take precautionary measures against static discharges.



Do not smoke.

· Information about fire - and explosion protection:

Protect from heat.

Protect against electrostatic charges.

Prevent impact and friction.

Use explosion-proof apparatus / fittings and spark-proof tools. Fumes can combine with air to form an explosive mixture.



Wear shoes with conductive soles.

Formation of flammable or explosive gas/air-mixtures is possible.



Avoid open flames, sparks, direct sunlight and other sources of ignition.

Keep ignition sources away - Do not smoke.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage: Pay attention to the special requirements of your local autorithies for storing dangerous goods.

· Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Prevent any seepage into the ground.

Use only receptacles specifically permitted for this substance/product.

Information about storage in one common storage facility:

Do not store or park organic peroxide together with heavy metal compounds and amines.

Store away from foodstuffs, drinks and feeding stuffs.

Further information about storage conditions:

Keep container tightly sealed. Protect from heat and direct sunlight.

Protect from contamination.

· Recommended storage temperature (To maintain quality):

+5 .... +25 °C

· Storage class: 5.2

· 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

94-36-0 dibenzoyl peroxide

WEL (Great Britain) Long-term value: 5 mg/m<sup>3</sup>

56-81-5 glycerol

WEL (Great Britain) Long-term value: 10 mg/m³

(Contd. on page 4)



Printing date 02.04.2024 Version: 6 (replaces version 5) Revision: 15.02.2023

## Trade name: PEROXAN BP-40 WS

(Contd. of page 3)

94-36-0	dibenzovl	peroxide

DNEL Longterm System 2 mg/kg bw/day (General population) Oral

DNEL Longterm System 13.3 mg/kg bw/day (Worker) Dermal

Inhalative DNEL Longterm System 39 mg/m3 (Worker)

56-81-5 glycerol

Inhalative DNEL Longterm Local 56 mg/m3 (Worker)

· PNECs

·DNELs

## 94-36-0 dibenzoyl peroxide

PNEC Marinewater sed | 0.001 mg/kg sed dw PNEC Freshwater 0.00002 mg/l (AF 50) PNEC Freshwater sed 0.013 mg/kg sed dw PNEC STP 0.35 mg/l

**PNEC Marinewater** 0.000002 mg/l (AF 500)

56-81-5 glycerol

PNEC Marinewater sed | 0.33 mg/kg sed dw (-) **PNEC Freshwater** 0.885 mg/l (AF 1.000) PNEC Freshwater sed 3.3 mg/kg sed dw (-) PNEC Soil 0.141 mg/kg soil dw (-) PNEC STP 1,000 mg/l (AF 10) **PNEC Marinewater** 0.088 mg/l (AF 10.000)

Additional information:

The lists valid during the making were used as basis.

#### 8.2 Exposure controls

Appropriate engineering

controls

No further data; see section 7.

· Individual protection measures, such as personal protective equipment

General protective and

hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid close or long term contact with the skin. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working.

Use skin protection cream for skin protection.

Be sure to clean skin thoroughly after work and before breaks.

· Respiratory protection: Not necessary if room is well-ventilated.



Use suitable respiratory device when it exceed exposure limit and when insufficiently ventilated.

· Hand protection Only use chemical-protective gloves with CE-labelling of category III.



Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Protective gloves

Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of

quality and varies from manufacturer to manufacturer.

Butyl rubber, BR

Fluorocarbon rubber (Viton)

Nitrile rubber, NBR

Neoprene

· Penetration time of glove

material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be

observed.

· Eye/face protection



Tightly sealed goggles

· Body protection:



Protective work clothing

GB ·



Printing date 02.04.2024 Version: 6 (replaces version 5) Revision: 15.02.2023

Trade name: PEROXAN BP-40 WS

(Contd. of page 4)

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties	
· General Information	
· Colour:	White
· Odour:	Characteristic
· Odour threshold:	Not determined.
Melting point/freezing point:	Not applicable.
Boiling point or initial boiling point and boiling range	Not applicable.
Flammability	Not applicable.
Lower and upper explosion limit	• • •
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not determined.
Decomposition temperature:	> +60 °C (SADT)
pH	Not determined.
· Viscosity:	
· Kinematic viscosity	Not determined

Kinematic viscosity

· Dynamic:

Solubility

· water: Partition coefficient n-octanol/water (log value)

· Vapour pressure:

Density and/or relative density

· Density: Relative density

Not determined. Not determined. · Vapour density Not determined.

· 9.2 Other information

· Appearance: · Form:

· Important information on protection of health and environment,

and on safety.

· Ignition temperature:

Explosive properties:

Change in condition

Evaporation rate

Suspension

Not determined.

Undetermined.

not determined

Not determined.

Product is not selfigniting. Product does not present an explosion hazard.

Not determined.

Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in	
contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Heating may cause a fire.
· Corrosive to metals	Void

· Corrosive to metals

· Desensitised explosives

· Other safety characteristics

Active oxygen

2.6 - 2.7 %

Void

## **SECTION 10: Stability and reactivity**

· 10.1 Reactivity

· 10.2 Chemical stability

· Thermal decomposition / conditions to be avoided: No further relevant information available.

SADT (Self Accelerating Decomposition Temperature) is the lowest temperature at which self accelerating decomposition may occur with substance in the packaging as used in transport. A dangerous selfaccelerating decomposition reaction and, under certain circumstances, explosion or fire can be cause decomposition at and above the temperature. Contact with incompatible substances can cause decomposition at or below the SADT.

(Contd. on page 6)



Printing date 02.04.2024 Version: 6 (replaces version 5) Revision: 15.02.2023

## Trade name: PEROXAN BP-40 WS

No decomposition if used and stored according to specifications.

(Contd. of page 5)

· 10.3 Possibility of hazardous

reactions

Self-accelerating decomposition at SADT. · 10.4 Conditions to avoid

· 10.5 Incompatible materials:

No further relevant information available.

To avoid thermal decomposition do not overheat.

Rapid decomposition by dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e.g. heavy-metal compounds and amines).

· 10.6 Hazardous decomposition

products:

Hydrocarbons, carbondioxide and -monoxid.

No hazardous decomposition products if used and stored according to specifications.

· Additional information: Emergency procedures will vary depending on conditions. The customer should have an emergency

response plane in place.

## **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

 Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

94-36-0 dibenzoyl peroxide

LD50 >5,000 mg/kg (rattus) Oral

56-81-5 glycerol

LD50 12,600 mg/kg (rattus) Oral Dermal LD50 >18,700 mg/kg (rabbit)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Causes serious eye irritation.

· Serious eye damage/irritation

Respiratory or skin

May cause an allergic skin reaction.

sensitisation · Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. · STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. · Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity:

94-36-0 dibenzoyl peroxide

EC50 / 72h | 0.0711 mg/l (pseudokirchneriella subcapitata)

LC50 / 96h 0.0602 mg/l (oncorhynchus mykiss)

EC50 / 48h 110 mg/l (daphnia)

9014-85-1 Ethoxylated-2,4,7,9-tetramethyl-5-decyne-4,7-diol

LC50 / 96h | 52 mg/l (fish) LC50 / 48h 166 mg/l (daphnia)

12.2 Persistence and degradability

· Degree of elimination:

· Classification:

94-36-0 dibenzoyl peroxide

Degradation (Readily biodegradable) (OECD 301 D)

56-81-5 glycerol

Degradation (Readily biodegradable)

9014-85-1 Ethoxylated-2,4,7,9-tetramethyl-5-decyne-4,7-diol

Degradation (Not readily biodegradable)

12.3 Bioaccumulative potential

· Partition coefficient: nOctanol/water: [Log Kow]

94-36-0 dibenzoyl peroxide 3,2 (20 °C)

(Contd. on page 7)



Printing date 02.04.2024 Version: 6 (replaces version 5) Revision: 15.02.2023

## Trade name: PEROXAN BP-40 WS

	(Contd. of page 6)
56-81-5 glycerol	-1,75 (25°C)
9014-85-1 Ethoxylated-2,4,7,9-tetramethyl-5-decyne-4,7-diol	1,8 - 2,5 (21°C)
61791-12-6 Castor oil, ethoxylated	4,3 (25°C)

· 12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH, annex XIII. · PBT: · vPvB: The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH, annex XIII.

· 12.6 Endocrine disrupting properties

12.7 Other adverse effects

The product does not contain substances with endocrine disrupting properties.

· Remark: Very toxic for fish

· Additional ecological information:

· General notes: Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

## **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

Recommendation



After diluting with a suitable desentisation agent to 10 %, the solution must be supplied to a special treatment (e. g. thermal utilization) under observance of all official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Waste disposal key: Please contact your hazardous waste disposers to assign the right EWC-(European waste catalog)-

number.

· Uncleaned packaging:

Recommendation: This material and its container must be disposed of as hazardous waste.

## **SECTION 14: Transport information**

· 14.1 UN number or ID number · ADR, IMDG, IATA	UN3109
· 14.2 UN proper shipping name	
· ADR	UN3109 ORGANIC PEROXIDE TYPE F, LIQUID (DIBENZOYL
	PEROXIDE), ENVIRONMENTALLY HAZARDOUS
· IMDG	ORGANIC PEROXIDE TYPE F, LIQUID (DIBENZOYL PEROXIDE),
	MARINE POLLUTANT
· IATA	ORGANIC PEROXIDE TYPE F, LIQUID (DIBENZOYL PEROXIDE)

· 14.3 Transport hazard class(es)

· ADR





Class 5.2 (P1) Organic peroxides. · Label 5.2

· IMDG





Class 5.2 Organic peroxides. · Label

IATA



Class 5.2 Organic peroxides. · Label

(Contd. on page 8)



Printing date 02.04.2024 Version: 6 (replaces version 5) Revision: 15.02.2023

## Trade name: PEROXAN BP-40 WS

(Contd. of page 7)

· 14.4 Packing group

· ADR, IMDG, IATA Void

• 14.5 Environmental hazards: Product contains environmentally hazardous substances: DIBENZOYL

PEROXIDE

• Marine pollutant:

Yes

Symbol (fish and tree)
• Special marking (ADR):

Symbol (fish and tree)

• 14.6 Special precautions for user Warning: Organic peroxides.

Hazard identification number (Kemler code):

Stowage Category D

Stowage Code SW1 Protected from sources of heat.
Segregation Code SG35 Stow "separated from" SGG1-acids
SG36 Stow "separated from" SGG18-alkalis.

SG72 See 7.2.6.3.2.

· 14.7 Maritime transport in bulk according to IMO instruments Not applicable.

14.7 martime transport in bank according to imo instruments Not applicable

· Transport/Additional information:

· ADR · Limited quantities (LQ)

Excepted quantities (EQ) Code: E0

Not permitted as Excepted Quantity

• Transport category 2

• Tunnel restriction code D

· RID / GGVSEB: like ADR

·IMDG

Limited quantities (LQ) 125 ml Excepted quantities (EQ) Code: E0

Not permitted as Excepted Quantity

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous substances

- ANNEX I None of the ingredients is listed.

Seveso category P6b SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES

E1 Hazardous to the Aquatic Environment

 Qualifying quantity (tonnes) for the application of lower-tier requirements

requirements 50 t

Qualifying quantity (tonnes) for
the application of upper-tier
requirements 200 t

requirements 200

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex

None of the ingredients is listed.

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 9)



Printing date 02.04.2024 Version: 6 (replaces version 5) Revision: 15.02.2023

## Trade name: PEROXAN BP-40 WS

(Contd. of page 8)

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations:
- Other regulations, limitations and prohibitive regulations
- · Please note: Take care of the respective local regulations

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H241 Heating may cause a fire or explosion.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

 Department issuing SDS: Environment protection / Security of labour

· Contact: Tel: +49 2871 9902-0 E-mail: mail@pergan.com

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International · Abbreviations and acronyms:

Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

INFO STREET AND THE PROPERTY OF THE PROPERTY O

DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Org. Perox. B: Organic peroxides – Type B
Org. Perox. F: Organic peroxides – Type E/F
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

\* \* Data compared to the previous version altered.

GB -