

Printing date 29.12.2023 Version: 14 (replaces version 13) Revision: 15.02.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name: PEROXAN BP-Pulver 50 W +

• 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance /

the mixture

Reaction initiator For industrial use

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: PERGAN GmbH

Hilfsstoffe für industrielle Prozesse

Schlavenhorst 71 D-46395 Bocholt Tel: +49 2871 9902-0 Fax: +49 2871 9902-50

· Further information obtainable

from: Environment protection / Security of labour

Qualified person: E-mail: msds@pergan.com

1.4 Emergency telephone

**number:** - Tel: +49 2871 9902-0

#### SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Org. Perox. D H242 Heating may cause a fire.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Repr. 1B H360D May damage the unborn child.

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

· Labelling according to

Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms









GHS02 GHS07 GHS08 GHS09

· Signal word Danger

· Hazard-determining

components of labelling:

dicyclohexyl phthalate

dibenzoyl peroxide **Hazard statements**H242 Heating may cause a fire.

H319 Causes serious eye irritation.H317 May cause an allergic skin reaction.H360D May damage the unborn child.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P220 Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavy metal compounds and amines).

P234 Keep only in original packaging.
P264 Wash thoroughly after handling.
P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P410 Protect from sunlight.

P411+P235 Store at temperatures not exceeding +30°C. Keep cool.

P420 Store separately.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Additional information: Restricted to professional users.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH, annex XIII.

(Contd. on page 2)



Printing date 29.12.2023 Version: 14 (replaces version 13) Revision: 15.02.2023

Trade name: PEROXAN BP-Pulver 50 W +

(Contd. of page 1)
The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH, annex XIII.

**SECTION 3: Composition/information on ingredients** 

· 3.2 Mixtures

· vPvB:

· Dangerous components:		
CAS: 84-61-7 EINECS: 201-545-9 Index number: 607-719-00-4 Reg-No.: 01-2119978223-34		40-50%
CAS: 94-36-0 EINECS: 202-327-6 Index number: 617-008-00-0 Reg-No.: 01-2119511472-50		40-50%
· SVHC 84-61-7 dicyclohexyl phthala	ate.	

## **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

· General information:

· Additional information:

+

Take care of personal protection for the first aider.

For the wording of the listed hazard phrases refer to section 16.

• After inhalation: Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Take affected persons into fresh air and keep quiet.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

Immediately remove contaminated clothing.

• After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
• After swallowing: If symptoms persist consult doctor.

• After swallowing: If syr 4.2 Most important symptoms

and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special

treatment needed

No further relevant information available.

No further relevant information available

## **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from

the substance or mixture

Under certain fire conditions, traces of other toxic gases cannot be excluded.

Hydrocarbons, carbondioxide and -monoxid.

5.3 Advice for firefighters

Protective equipment:
Additional information

Do not inhale explosion gases or combustion gases. Cool endangered receptacles with water spray.

Self-protection first!

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources.

In case of further temperature should be cooled with waterspray from a safe distance.

Wear breathing apparatus with filter A during decomposition of materials.

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.

D D

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

(Contd. on page 3)



Printing date 29.12.2023 Version: 14 (replaces version 13) Revision: 15.02.2023

## Trade name: PEROXAN BP-Pulver 50 W +

(Contd. of page 2)

Large quantities should be diluted with suitable desensitation agent to a concentration below 10 % before

disposal.

Pick up mechanically, collect in a suitable receptacle and dispose in accordance with government

regulations.

· 6.4 Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

In case of large spillage the environmental authority should be informed.

## SECTION 7: Handling and storage

## · 7.1 Precautions for safe handling

Keep away from heat and direct sunlight.

Open and handle receptacle with care.

Prevent formation of dust.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.

Do not refill residue into storage receptacles. Restrict the quantity stored at the work place.

Before break and at the end of work hands should be thoroughly washed. Only use tools made of suitable materials (e. g. polyethylene or stainless steel).

Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavy-

metal compounds and amines).

While using do not eat, drink or smoke.

Do not generate flames or sparks.

Keep product and emptied container away from heat and sources of ignition.

Avoid shock and friction.

Take precautionary measures against static discharges.



Do not smoke.

#### · Information about fire - and explosion protection:

Protect from heat.

Protect against electrostatic charges.

Prevent impact and friction.

Use explosion-proof apparatus / fittings and spark-proof tools.

Dust can combine with air to form an explosive mixture.

Substance/product is oxidising when dry.

Product is not explosive. However, formation of explosive air/dust mixtures are possible.



Avoid open flames, sparks, direct sunlight and other sources of ignition.

Keep ignition sources away - Do not smoke.

## · 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

Pay attention to the special requirements of your local autorithies for storing dangerous goods.

Requirements to be met by

storerooms and receptacles:

Store only in the original receptacle.

Prevent any seepage into the ground.

· Information about storage in

Use only receptacles specifically permitted for this substance/product.

one common storage facility:

Do not store or park organic peroxide together with heavy metal compounds and amines. Store away from foodstuffs, drinks and feeding stuffs.

· Further information about storage conditions:

Keep container tightly sealed.

Protect from heat and direct sunlight

Protect from contamination.

Storage in a collecting room is required.

Recommended storage temperature (To maintain

quality):

max.: +30 °C

7.3 Specific end use(s) No further relevant information available

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

## 84-61-7 dicyclohexyl phthalate

WEL (Great Britain) Long-term value: 5 mg/m<sup>3</sup>

(Contd. on page 4)



Printing date 29.12.2023 Version: 14 (replaces version 13) Revision: 15.02.2023

## Trade name: PEROXAN BP-Pulver 50 W +

(Contd. of page 3) 94-36-0 dibenzoyl peroxide WEL (Great Britain) Long-term value: 5 mg/m<sup>3</sup> · DNELs 84-61-7 dicyclohexyl phthalate DNEL Longterm System 0.5 mg/kg bw/day (Worker) Dermal Inhalative DNEL Longterm System 35.2 mg/m3 (Worker) 94-36-0 dibenzoyl peroxide DNEL Longterm System 2 mg/kg bw/day (General population) Oral DNEL Longterm System 13.3 mg/kg bw/day (Worker) Dermal Inhalative DNEL Longterm System 39 mg/m3 (Worker) · PNECs 84-61-7 dicyclohexyl phthalate PNEC Marinewater sed | 0.106 mg/kg sed dw **PNEC Freshwater** 0.004 mg/l (AF 50) PNEC Freshwater sed 1.06 mg/kg sed dw PNEC Soil 0.21 mg/kg soil dw PNEC STP 10 mg/l (AF 10) 0 mg/l (AF 500) **PNEC Marinewater** 94-36-0 dibenzoyl peroxide PNEC Marinewater sed | 0.001 mg/kg sed dw **PNEC Freshwater** 0.00002 mg/l (AF 50) 0.013 mg/kg sed dw PNEC Freshwater sed PNEC STP 0.35 mg/l

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls Appropriate engineering

**PNEC Marinewater** 

controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

0.000002 mg/l (AF 500)

General protective and

hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Store protective clothing separately

Avoid close or long term contact with the skin.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection.

Be sure to clean skin thoroughly after work and before breaks.

· Respiratory protection: Not necessary if room is well-ventilated.

Use suitable respiratory device when it exceed exposure limit and when insufficiently ventilated.



Filter P2

· Hand protection Only use chemical-protective gloves with CE-labelling of category III.



Selection of the glove material on consideration of the penetration times, rates of diffusion and the

degradation

Protective gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of Material of gloves

quality and varies from manufacturer to manufacturer.

Butyl rubber, BR Fluorocarbon rubber (Viton)

Nitrile rubber, NBR Neoprene

· Penetration time of glove

material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be

observed.

· Eye/face protection



Tightly sealed goggles

(Contd. on page 5)



Printing date 29.12.2023 Version: 14 (replaces version 13) Revision: 15.02.2023

## Trade name: PEROXAN BP-Pulver 50 W +

· Body protection:

Protective work clothing

(Contd. of page 4)

SECTION 9: Physical and chemical properties	
9.1 Information on basic physical and chemical properties	
General Information	
· Colour:	Whitish
· Odour:	Characteristic
· Odour threshold:	Not determined.
· Melting point/freezing point:	Not applicable.
<ul> <li>Boiling point or initial boiling point and boiling range</li> </ul>	Not applicable.
· Flammability	May cause fire.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
Decomposition temperature:	+60 °C (SADT)
· pH	Not applicable.
Viscosity:	
Kinematic viscosity	Not applicable.
Dynamic:	Not applicable.
Solubility	
water:	Undetermined.
Partition coefficient n-octanol/water (log value)	not determined
Vapour pressure:	Not applicable.
Density and/or relative density	4.00 (
Density at 20 °C:	1.23 g/cm³
Relative density	Not determined.
Bulk density at 20 °C:	650 kg/m³
· Vapour density	Not applicable.
· 9.2 Other information	No further relevant information available.

· Appearance:

Form:

Ignition temperature:

**Explosive properties:** 

· Change in condition · Evaporation rate

· Important information on protection of health and environment, and on safety.

Product is not selfigniting.

Product is not explosive. However, formation of explosive air/dust

mixtures are possible.

Not applicable.

Solid Powder

Void

Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void

Void · Gases under pressure Void · Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void

· Self-heating substances and mixtures · Substances and mixtures, which emit flammable gases in

Void contact with water · Oxidising liquids Void Oxidising solids Void

Organic peroxides Heating may cause a fire.

· Corrosive to metals Void · Desensitised explosives Void Other safety characteristics

Active oxygen 3.2 - 3.4 %



Printing date 29.12.2023 Version: 14 (replaces version 13) Revision: 15.02.2023

## Trade name: PEROXAN BP-Pulver 50 W +

(Contd. of page 5)

## **SECTION 10: Stability and reactivity**

· 10.1 Reactivity

No further relevant information available.

 10.2 Chemical stability
 Thermal decomposition / conditions to be avoided:

SADT (Self Accelerating Decomposition Temperature) is the lowest temperature at which self accelerating decomposition may occur with substance in the packaging as used in transport. A dangerous self-accelerating decomposition reaction and, under certain circumstances, explosion or fire can be cause decomposition at and above the temperature. Contact with incompatible substances can cause

decomposition at or below the SADT.

No decomposition if used and stored according to specifications.

To avoid thermal decomposition do not overheat.

10.3 Possibility of hazardous

reactions

Self-accelerating decomposition at SADT. No further relevant information available.

10.4 Conditions to avoid
 10.5 Incompatible materials:

· Additional information:

Rapid decomposition by dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g.

heavy-metal compounds and amines).

· 10.6 Hazardous decomposition

products:

Hydrocarbons, carbondioxide and -monoxid.

No hazardous decomposition products if used and stored according to specifications.

Emergency procedures will vary depending on conditions. The customer should have an emergency

response plane in place.

#### **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

84-61-7 dicyclohexyl phthalate

Oral LD50 >2,000 mg/kg (rattus)

94-36-0 dibenzoyl peroxide

Oral LD50 >5,000 mg/kg (rattus)

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation

· Respiratory or skin

sensitisation

May cause an allergic skin reaction.

Causes serious eye irritation.

· Germ cell mutagenicity · Carcinogenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

· Reproductive toxicity May damage the unborn child.

STOT-single exposure
STOT-repeated exposure
Aspiration hazard

Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.

11.2 Information on other hazards

· Endocrine disrupting properties

84-61-7 dicyclohexyl phthalate

List I; II

## **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity:

94-36-0 dibenzoyl peroxide

EC50 / 72h 0.0711 mg/l (pseudokirchneriella subcapitata)

LC50 / 96h | 0.0602 mg/l (oncorhynchus mykiss)

EC50 / 48h 110 mg/l (daphnia magna)

12.2 Persistence and degradability

Degree of elimination:

· Classification:

84-61-7 dicyclohexyl phthalate

Degradation (Readily biodegradable)

94-36-0 dibenzoyl peroxide

Degradation (Readily biodegradable) (OECD 301 D)

(Contd. on page 7)



Printing date 29.12.2023 Version: 14 (replaces version 13) Revision: 15.02.2023

## Trade name: PEROXAN BP-Pulver 50 W +

· 12.3 Bioaccumulative potential

(Contd. of page 6)

Partition coefficient: nOctanol/water: [Log Kow]

84-61-7 dicyclohexyl phthalate 4,82 (25 °C)
94-36-0 dibenzoyl peroxide 3,2 (20 °C)

· Bioconcentration factor (BCF)

84-61-7 dicyclohexyl phthalate

BCF 85

12.4 Mobility in soil
 No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

▶ PBT: The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH, annex XIII.
 ▶ vPvB: The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH, annex XIII.

12.6 Endocrine disrupting

**properties** For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects No further relevant information available.

· Remark: Very toxic for fish

· Additional ecological information:

· General notes: Very toxic for aquatic organisms

Also poisonous for fish and plankton in water bodies.

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

## **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

Recommendation



After diluting with a suitable inert solid material to 10 %, the product must be supplied to a special treatment (e. g. thermal utilization) under observance of all official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage

· Waste disposal key: Please contact your hazardous waste disposers to assign the right EWC-(European waste catalog)-

number.

Uncleaned packaging:

Recommendation: This material and its container must be disposed of as hazardous waste.

#### **SECTION 14: Transport information**

· 14.1 UN number or ID number

· ADR, IMDG, IATA UN3106

· 14.2 UN proper shipping name

ADR UN3106 ORGANIC PEROXIDE TYPE D, SOLID (DIBENZOYL

PEROXIDE), ENVIRONMENTALLY HAZARDOUS

· IMDG ORGANIC PEROXIDE TYPE D, SOLID (DIBENZOYL PEROXIDE),

MARINE POLLUTANT

· IATA ORGANIC PEROXIDE TYPE D, SOLID (DIBENZOYL PEROXIDE)

· 14.3 Transport hazard class(es)

· ADR



Class
 Label
 5.2 (P1) Organic peroxides.
 5.2

· IMDG





· Class 5.2 Organic peroxides

(Contd. on page 8)



Printing date 29.12.2023 Version: 14 (replaces version 13) Revision: 15.02.2023

## Trade name: PEROXAN BP-Pulver 50 W +

(Contd. of page 7) · Label 5.2 · IATA Class 5.2 Organic peroxides. · Label 52 · 14.4 Packing group · ADR, IMDG, IATA Void · 14.5 Environmental hazards: Product contains environmentally hazardous substances: DIBENZOYL **PEROXIDE** · Marine pollutant: Yes Symbol (fish and tree) · Special marking (ADR): Symbol (fish and tree) · 14.6 Special precautions for user Warning: Organic peroxides. · Hazard identification number (Kemler code): · EMS Number: F-J,S-R D Stowage Category · Stowage Code SW1 Protected from sources of heat. · Segregation Code SG35 Stow "separated from" SGG1-acids SG36 Stow "separated from" SGG18-alkalis. · 14.7 Maritime transport in bulk according to IMO instruments Not applicable · Transport/Additional information: · Limited quantities (LQ) 500 g · Excepted quantities (EQ) Code: E0 Not permitted as Excepted Quantity · Transport category

D

like ADR

Code: E0

Not permitted as Excepted Quantity

500 g

## **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Poisons Act			

Regulated explosives precursors

· Tunnel restriction code

· Limited quantities (LQ)

Excepted quantities (EQ)

· RID / GGVSEB:

· IMDG

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU

· Qualifying quantity (tonnes) for the application of lower-tier requirements

Qualifying quantity (tonnes) for the application of upper-tier

requirements

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex

None of the ingredients is listed.

(Contd. on page 9)



Printing date 29.12.2023 Version: 14 (replaces version 13) Revision: 15.02.2023

## Trade name: PEROXAN BP-Pulver 50 W +

(Contd. of page 8)

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Please note: Take care of the respective local regulations.
- · Substances of very high concern (SVHC) according to UK REACH

84-61-7 dicyclohexyl phthalate

· Substances of very high concern (SVHC) according to REACH, Article 57

dicyclohexyl phthalate

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases Heating may cause a fire or explosion.

> H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H360D May damage the unborn child. H400 Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects. H410 H412 Harmful to aquatic life with long lasting effects.

Department issuing SDS: Environment protection / Security of labour

Contact: Tel: +49 2871 9902-0 E-mail: mail@pergan.com

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) · Abbreviations and acronyms:

ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic

VPUB: very Persistent and very Bioaccumulative Org. Perox. B: Organic peroxides – Type B Org. Perox. D: Organic peroxides – Type C/D Eye Irrit. 2: Serious eye damage/eye irritation – Skin Sens. 1: Skin sensitisation – Category 1

Category 2

Repr. 1B: Reproductive toxicity – Category 1B Aguatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Categor Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

\* Data compared to the previous version altered.

GB -