

Printing date 11.12.2023 Version: 11 (replaces version 10) Revision: 19.07.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

PEROXAN DC-Paste 50 SI/3 · Trade name:

1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

· Application of the substance /

the mixture

Reaction initiator For industrial use

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: PERGAN GmbH

Hilfsstoffe für industrielle Prozesse

Schlavenhorst 71 D-46395 Bocholt Tel: +49 2871 9902-0 Fax: +49 2871 9902-50

· Further information obtainable

Environment protection / Security of labour from:

Qualified person: E-mail: msds@pergan.com

1.4 Emergency telephone

- Tel: +49 2871 9902-0 number:

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Org. Perox. F H242 Heating may cause a fire. Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. Repr. 1B H360D May damage the unborn child.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to

Hazard pictograms

Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.











· Signal word Danger

· Hazard-determining

components of labelling: **Hazard statements**

bis(a,a-dimethylbenzyl) peroxide H242 Heating may cause a fire. H315 Causes skin irritation. H319 Causes serious eye irritation. H360D May damage the unborn child.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smokina.

P220 Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavy metal compounds and amines).

P234 Keep only in original packaging. P264 Wash thoroughly after handling. P273 Avoid release to the environment

Wear protective gloves/protective clothing/eye protection/face protection/hearing P280

protection.

P305+P351+P338 F IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P410 Protect from sunlight.

P411+P235 Store at temperatures not exceeding +30°C. Keep cool.

P420 Store separately.

Dispose of contents/container in accordance with local/regional/national/international

regulations.

 Additional information: Restricted to professional users.

· 2.3 Other hazards

Results of PBT and vPvB assessment

· PBT: The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH, annex XIII. · vPvB: The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH, annex XIII.

(Contd. on page 2)



Printing date 11.12.2023 Version: 11 (replaces version 10) Revision: 19.07.2023

Trade name: PEROXAN DC-Paste 50 SI/3

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information:

+

Take care of personal protection for the first aider.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

Take affected persons into fresh air and keep quiet.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

Immediately remove contaminated clothing.

After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate

medical attention and special treatment needed

No further relevant information available.

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from

the substance or mixture Under certain fire conditions, traces of other toxic gases cannot be excluded.

Hydrocarbons, carbondioxide and -monoxid.

· 5.3 Advice for firefighters

Protective equipment:
 Additional information
 Do not inhale explosion gases or combustion gases.
 Cool endangered receptacles with water spray.

Self-protection first!

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources.

In case of further temperature should be cooled with waterspray from a safe distance.

Wear breathing apparatus with filter A during decomposition of materials.

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.



Do not allow to enter sewers/ surface or ground water.

 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Large quantities should be diluted with suitable desensitation agent to a concentration below 10 % before

disposal.

Soak up with absorbant material (e. g. Vermiculit) and dispose of in accordance with government

regulations.

• 6.4 Reference to other sections See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

In case of large spillage the environmental authority should be informed.

GB -



Printing date 11.12.2023 Version: 11 (replaces version 10) Revision: 19.07.2023

Trade name: PEROXAN DC-Paste 50 SI/3

(Contd. of page 2)

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep away from heat and direct sunlight. Open and handle receptacle with care.

Prevent formation of aerosols.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.

Do not refill residue into storage receptacles. Restrict the quantity stored at the work place.

Before break and at the end of work hands should be thoroughly washed.

Only use tools made of suitable materials (e. g. polyethylene or stainless steel).

Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavy-

metal compounds and amines). While using do not eat, drink or smoke. Do not generate flames or sparks.

Keep product and emptied container away from heat and sources of ignition.

Avoid shock and friction.

Take precautionary measures against static discharges.



Do not smoke.

Information about fire - and explosion protection:

Protect from heat.

Protect against electrostatic charges.

Prevent impact and friction.

Use explosion-proof apparatus / fittings and spark-proof tools. Fumes can combine with air to form an explosive mixture.



Wear shoes with conductive soles.

Formation of flammable or explosive gas/air-mixtures is possible.



Avoid open flames, sparks, direct sunlight and other sources of ignition.

Keep ignition sources away - Do not smoke.

· 7.2 Conditions for safe storage, including any incompatibilities

Storage:
Requirements to be met by

Pay attention to the special requirements of your local autorithies for storing dangerous goods.

storerooms and receptacles:

Store only in the original receptacle. Prevent any seepage into the ground.

Use only receptacles specifically permitted for this substance/product.

Information about storage in one common storage facility:

Do not store or park organic peroxide together with heavy metal compounds and amines.

Store away from foodstuffs, drinks and feeding stuffs.

Further information about storage conditions:

Keep container tightly sealed. Protect from heat and direct sunlight. Protect from contamination. Storage in a collecting room is required.

 Recommended storage temperature (To maintain quality):

+5 +30 °C

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be

monitored at the workplace.

· DNELs

80-43-3 bis(a,a-dimethylbenzyl) peroxide

Oral DNEL Longterm System 0.4 mg/kg bw/day (General population)

Dermal DNEL Longterm System 0.8 mg/kg bw/day (Worker)

0.4 mg/kg bw/day (General population)

Inhalative DNEL Longterm System 5.6 mg/m3 (Worker)

(Contd. on page 4)



Printing date 11.12.2023 Version: 11 (replaces version 10) Revision: 19.07.2023

Trade name: PEROXAN DC-Paste 50 SI/3

(Contd. of page 3)

1.4 mg/m3 (General population)

· PNFCs

80-43-3 bis(a,a-dimethylbenzyl) peroxide

0.00234 mg/l (AF 50) PNEC Freshwater PNEC Freshwater sed | 2.24 mg/kg sed dw (-) 0.447 mg/kg soil dw (-) PNEC Soil PNEC STP 100 mg/l (AF 10)

The lists valid during the making were used as basis. Additional information:

· 8.2 Exposure controls

Appropriate engineering

controls No further data: see section 7.

· Individual protection measures, such as personal protective equipment

General protective and

The usual precautionary measures are to be adhered to when handling chemicals. hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid close or long term contact with the skin.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection.

Be sure to clean skin thoroughly after work and before breaks.

· Respiratory protection: Not necessary if room is well-ventilated.

Use suitable respiratory device when it exceed exposure limit and when insufficiently ventilated.



Filter A2

· Hand protection Only use chemical-protective gloves with CE-labelling of category III.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the

degradation

Protective gloves

· Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of

quality and varies from manufacturer to manufacturer.

Butyl rubber, BR

Fluorocarbon rubber (Viton)

Nitrile rubber, NBR

Neoprene

· Penetration time of glove

material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be

observed

· Eye/face protection

Tightly sealed goggles

· Body protection:



Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

· General Information

· Colour: Odour:

· Odour threshold:

· Melting point/freezing point:

Boiling point or initial boiling point and boiling range

· Flammability

Lower and upper explosion limit

· Lower: · Upper:

· Flash point: Decomposition temperature:

· pH

Viscosity:

· Kinematic viscosity

Whitish

Characteristic

Not determined. Not applicable.

Not applicable.

Not applicable.

Not determined. Not determined. Not determined. +80 °C (SADT) Not determined.

Not determined.

(Contd. on page 5)



Printing date 11.12.2023 Version: 11 (replaces version 10) Revision: 19.07.2023

Trade name: PEROXAN DC-Paste 50 SI/3

(Contd. of page 4) Dvnamic: Not determined. · Solubility water: Undetermined. · Partition coefficient n-octanol/water (log value) not determined · Vapour pressure: Not determined. Density and/or relative density Density at 20 °C: 0.85 - 1.12 g/cm3 Relative density Not determined. Vapour density Not determined. 9.2 Other information No further relevant information available. · Appearance: · Form: · Important information on protection of health and environment, and on safety. · Ignition temperature: Product is not selfigniting. **Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible. · Change in condition Evaporation rate Not determined. · Information with regard to physical hazard classes · Explosives Void Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void Pyrophoric solids Void · Self-heating substances and mixtures Void

Void

Void

Void

Void

Void

2.9 - 3.0 %

Heating may cause a fire.

SECTION 10: Stability and reactivity

· Substances and mixtures, which emit flammable gases in

· 10.1 Reactivity

· 10.2 Chemical stability

contact with water

· Oxidising liquids

· Oxidising solids

Active oxygen

Organic peroxides

· Corrosive to metals

· Desensitised explosives

Other safety characteristics

No further relevant information available.

Thermal decomposition / conditions to be avoided:

SADT (Self Accelerating Decomposition Temperature) is the lowest temperature at which self accelerating decomposition may occur with substance in the packaging as used in transport. A dangerous selfaccelerating decomposition reaction and, under certain circumstances, explosion or fire can be cause decomposition at and above the temperature. Contact with incompatible substances can cause decomposition at or below the SADT

No decomposition if used and stored according to specifications.

To avoid thermal decomposition do not overheat

· 10.3 Possibility of hazardous reactions

· 10.4 Conditions to avoid

· 10.5 Incompatible materials:

· 10.6 Hazardous decomposition

Self-accelerating decomposition at SADT.

No further relevant information available

Rapid decomposition by dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g.

heavy-metal compounds and amines).

products:

Hydrocarbons, carbondioxide and -monoxid.

No hazardous decomposition products if used and stored according to specifications.

· Additional information: Emergency procedures will vary depending on conditions. The customer should have an emergency

response plane in place.

GB



Printing date 11.12.2023 Version: 11 (replaces version 10) Revision: 19.07.2023

Trade name: PEROXAN DC-Paste 50 SI/3

(Contd. of page 5)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity
 Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

80-43-3 bis(a,a-dimethylbenzyl) peroxide

Oral LD50 >2,000 mg/kg (rattus) Dermal LD50 >2,000 mg/kg (rattus)

Skin corrosion/irritation Causes skin irritation.
Serious eye damage/irritation Causes serious eye irritation.

Respiratory or skin

sensitisation

Germ cell mutagenicity

Carcinogenicity

Reproductive toxicity

STOT-single exposure

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

May damage the unborn child.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

80-43-3 bis(a,a-dimethylbenzyl) peroxide

EC50 / 72h | >20 mg/l (alga)

EC50 >1,000 mg/l (activa sludge)

- · 12.2 Persistence and degradability
- · Degree of elimination:

· Classification:

80-43-3 bis(a,a-dimethylbenzyl) peroxide

Degradation (Not readily biodegradable) (OECD 301 F)

12.3 Bioaccumulative potential

· Partition coefficient: nOctanol/water: [Log Kow]

80-43-3 bis(a,a-dimethylbenzyl) peroxide

5,6 (25°C)

· Bioconcentration factor (BCF)

80-43-3 bis(a,a-dimethylbenzyl) peroxide

BCF 747

• 12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH, annex XIII.
 vPvB: The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH, annex XIII.

12.6 Endocrine disrupting

propertiesThe product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects No further relevant information available

· Remark: Toxic for fish

· Additional ecological information:

General notes: Toxic for aquatic organisms

Also poisonous for fish and plankton in water bodies.

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation



After diluting with a suitable desentisation agent to 10 %, the solution must be supplied to a special treatment (e. g. thermal utilization) under observance of all official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)



Printing date 11.12.2023 Version: 11 (replaces version 10) Revision: 19.07.2023

Trade name: PEROXAN DC-Paste 50 SI/3

(Contd. of page 6)

· Waste disposal key: Please contact your hazardous waste disposers to assign the right EWC-(European waste catalog)-

number.

Uncleaned packaging:

Recommendation: This material and its container must be disposed of as hazardous waste.

· ADR, IMDG, IATA UN3110 · 14.2 UN proper shipping name UN3110 ORGANIC PEROXIDE TYPE F, SOLID (DICUMYL PEROXIDE), · ADR **ENVIRONMENTALLY HAZARDOUS** ·IMDG ORGANIC PEROXIDE TYPE F, SOLID (DICUMYL PEROXIDE), MARINE **POLLUTANT**

· IATA ORGANIC PEROXIDE TYPE F, SOLID (DICUMYL PEROXIDE)

· 14.3 Transport hazard class(es)

· 14 1 LIN number or ID number

· ADR





· Class 5.2 (P1) Organic peroxides. Label 5.2

· IMDG





· Class 5.2 Organic peroxides. · Label

· IATA



5.2 Organic peroxides. Class · Label

5.2

· 14.4 Packing group

· Marine pollutant:

· ADR, IMDG, IATA

· 14.5 Environmental hazards: Product contains environmentally hazardous substances: DICUMYL

PEROXIDE

Yes

Symbol (fish and tree) Symbol (fish and tree)

· 14.6 Special precautions for user

Warning: Organic peroxides.

Hazard identification number (Kemler code):

· Stowage Category

· Special marking (ADR):

D SW1 Protected from sources of heat.

· Stowage Code · Segregation Code

SG35 Stow "separated from" SGG1-acids SG36 Stow "separated from" SGG18-alkalis.

· 14.7 Maritime transport in bulk according to IMO instruments Not applicable

· Transport/Additional information:

 Limited quantities (LQ) 500 g Excepted quantities (EQ) Code: E0

Not permitted as Excepted Quantity

· Transport category · Tunnel restriction code

· RID / GGVSEB:

like ADR

·IMDG

· Limited quantities (LQ) 500 g

(Contd. on page 8)



Printing date 11.12.2023 Version: 11 (replaces version 10) Revision: 19.07.2023

Trade name: PEROXAN DC-Paste 50 SI/3

(Contd. of page 7)

· Excepted quantities (EQ) Code: E0

Not permitted as Excepted Quantity

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t Qualifying quantity (tonnes) for the application of upper-tier
- requirements

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex

None of the ingredients is listed.

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations:
- · Other regulations, limitations and prohibitive regulations

· Please note: Take care of the respective local regulations.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H242 Heating may cause a fire. H315

Causes skin irritation. H319

Causes serious eye irritation. H360D May damage the unborn child.

H411 Toxic to aquatic life with long lasting effects.

Department issuing SDS: Environment protection / Security of labour

Contact: Tel: +49 2871 9902-0

E-mail: mail@pergan.com

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the · Abbreviations and acronyms:

International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (ÚK REACH)

LC50: Lethal concentration, 50 percent

(Contd. on page 9)

Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31



Printing date 11.12.2023 Version: 11 (replaces version 10) Revision: 19.07.2023

Trade name: PEROXAN DC-Paste 50 SI/3

(Contd. of page 8)

LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Org. Perox. F: Organic peroxides – Type E/F
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Repr. 1B: Reproductive toxicity – Category 1B
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

· * Data compared to the previous version altered.