

Printing date 04.04.2024 Version: 12 (replaces version 11) Revision: 14.12.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

PEROXAN DC · Trade name:

· CAS Number: 80-43-3 201-279-3 · EC number: · Index number: 617-006-00-X · Registration number: 01-2119541688-27

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance /

the mixture Reaction initiator

For industrial use

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: PERGAN GmbH

Hilfsstoffe für industrielle Prozesse

Schlavenhorst 71 D-46395 Bocholt Tel: +49 2871 9902-0 Fax: +49 2871 9902-50

· Further information obtainable

from: Environment protection / Security of labour

Qualified person: E-mail: msds@pergan.com

· 1.4 Emergency telephone

number: - Tel: +49 2871 9902-0

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Org. Perox. F H242 Heating may cause a fire. Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to

Regulation (EC) No 1272/2008

· Hazard pictograms

The substance is classified and labelled according to the GB CLP regulation.



P234





GHS02 GHS07 GHS09

· Signal word Warning

· Hazard-determining

components of labelling:

bis(a,a-dimethylbenzyl) peroxide Hazard statements H242 Heating may cause a fire.

H315 Causes skin irritation. H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P220 Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavy metal compounds and amines).

Keep only in original packaging.

P264 Wash thoroughly after handling. P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing

P410 Protect from sunlight.

P411+P235 Store at temperatures not exceeding +30°C. Keep cool.

P420 Store separately.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

 Additional information: Restricted to professional users.

2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: This substance does not meet the PBT/vPvB criteria of UK REACH, Annex XIII.

(Contd. on page 2)



Printing date 04.04.2024 Version: 12 (replaces version 11) Revision: 14.12.2023

Trade name: PEROXAN DC

(Contd. of page 1)

· vPvB: This substance does not meet the PBT/vPvB criteria of UK REACH, Annex XIII.

SECTION 3: Composition/information on ingredients

3.1 Substances

· CAS No. Description 80-43-3 bis(a,a-dimethylbenzyl) peroxide

· Identification number(s)

EC number: 201-279-3 · Index number: 617-006-00-X

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information:

Take care of personal protection for the first aider.

After inhalation: In case of unconsciousness place patient stably in side position for transportation.

Take affected persons into fresh air and keep quiet.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

Immediately remove contaminated clothing.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After eye contact: After swallowing:

If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special

treatment needed

No further relevant information available.

No further relevant information available

SECTION 5: Firefighting measures

5.1 Extinguishing media

· Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from

the substance or mixture

Under certain fire conditions, traces of other toxic gases cannot be excluded.

Hydrocarbons, carbondioxide and -monoxid.

· 5.3 Advice for firefighters

· Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray.

Self-protection first!

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources

In case of further temperature should be cooled with waterspray from a safe distance.

Wear breathing apparatus with filter A during decomposition of materials.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.



Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Large quantities should be diluted with suitable desensitation agent to a concentration below 10 % before

disposal.

Pick up mechanically, collect in a suitable receptacle and dispose in accordance with government

regulations.

6.4 Reference to other sections In case of large spillage the environmental authority should be informed.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling Keep receptacles tightly sealed.

(Contd. on page 3)



Printing date 04.04.2024 Version: 12 (replaces version 11) Revision: 14.12.2023

Trade name: PEROXAN DC

(Contd. of page 2)

Store in cool, dry place in tightly closed receptacles.

Keep away from heat and direct sunlight.

Open and handle receptacle with care.

Prevent formation of dust.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.

Do not refill residue into storage receptacles.

Restrict the quantity stored at the work place.

Before break and at the end of work hands should be thoroughly washed.

Only use tools made of suitable materials (e. g. polyethylene or stainless steel).

Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavy-

metal compounds and amines). While using do not eat, drink or smoke.

Do not generate flames or sparks.

Keep product and emptied container away from heat and sources of ignition.

Avoid shock and friction.

Take precautionary measures against static discharges.



Do not smoke.

· Information about fire - and explosion protection:

Protect from heat.

Protect against electrostatic charges.

Prevent impact and friction.

Use explosion-proof apparatus / fittings and spark-proof tools.

Dust can combine with air to form an explosive mixture.

Substance/product is oxidising when dry.

Product is not explosive. However, formation of explosive air/dust mixtures are possible.



Avoid open flames, sparks, direct sunlight and other sources of ignition.

Keep ignition sources away - Do not smoke.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage: Requirements to be met by Pay attention to the special requirements of your local autorithies for storing dangerous goods.

storerooms and receptacles:

Store in a cool location.

Store only in the original receptacle. Prevent any seepage into the ground.

Use only receptacles specifically permitted for this substance/product.

· Information about storage in

one common storage facility:

Do not store or park organic peroxide together with heavy metal compounds and amines.

Store away from foodstuffs, drinks and feeding stuffs.

· Further information about

storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Protect from contamination.

Store in a cool place.

Recommended storage temperature (To maintain

quality): max.: +30°C

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the

workplace: Not required.

·DNELs			
80-43-3 bis(a,a-dimethylbenzyl) peroxide			
Oral	DNEL Longterm System	0.4 mg/kg bw/day (General population)	
Dermal	DNEL Longterm System	0.8 mg/kg bw/day (Worker)	
		0.4 mg/kg bw/day (General population)	
Inhalative	DNEL Longterm System	5.6 mg/m3 (Worker)	
		1.4 mg/m3 (General population)	
		· · · · · · · · · · · · · · · · · · ·	

(Contd. on page 4)



Printing date 04.04.2024 Version: 12 (replaces version 11) Revision: 14.12.2023

Trade name: PEROXAN DC

(Contd. of page 3)

• PNECs

80-43-3 bis(a,a-dimethylbenzyl) peroxide

PNEC Freshwater
PNEC Freshwater sed
PNEC Soil
PNEC STP

0.00234 mg/l (AF 50)
2.24 mg/kg sed dw (-)
0.447 mg/kg soil dw (-)
100 mg/l (AF 10)

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls · Appropriate engineering

controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and

hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing

Immediately remove all solled and contaminated clothin

Wash hands before breaks and at the end of work. Store protective clothing separately.

Avoid close or long term contact with the skin.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection.

Be sure to clean skin thoroughly after work and before breaks.

· Respiratory protection: Not necessary if room is well-ventilated.

Use suitable respiratory device when it exceed exposure limit and when insufficiently ventilated.



Filter P2

• Hand protection Only use chemical-protective gloves with CE-labelling of category III.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Protective gloves

• Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of

quality and varies from manufacturer to manufacturer.

Butyl rubber, BR

Fluorocarbon rubber (Viton)

Nitrile rubber, NBR Neoprene

· Penetration time of glove

material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be

bserved.

· Eye/face protection

Tightly sealed goggles

· Body protection:

Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

· Colour: · Odour:

· Melting point/freezing point:

· Boiling point or initial boiling point and boiling range · Flammability

· Flash point: · Decomposition temperature:

· Solubility · water:

Partition coefficient n-octanol/water (log value)

· Density and/or relative density

Density at 20 °C:

White

Weak, characteristic

35 - 45 °C Not applicable. May cause fire. Not applicable.

+80 °C (SADT)

Insoluble. not determined

1.10 g/cm³

(Contd. on page 5)



Printing date 04.04.2024 Version: 12 (replaces version 11) Revision: 14.12.2023

Trade name: PEROXAN DC

(Contd. of page 4)

	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
• 9.2 Other information • Appearance:	
· Form:	Crystalline
· Important information on protection of health and environment,	
and on safety.	
Explosive properties:	Product is not explosive. However, formation of explosive air/dust
	mixtures are possible.
Information with regard to physical hazard classes	·
Explosives	Void
Flammable gases	Void
· Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
	Void
Pyrophoric liquids	
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in	
contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Heating may cause a fire.
· Corrosive to metals	Void
· Desensitised explosives	Void
Other safety characteristics	
Active oxygen	> 5.8 %

SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.

· 10.2 Chemical stability

Thermal decomposition /

conditions to be avoided: SADT (Self Accelerating Decomposition Temperature) is the lowest temperature at which self accelerating

decomposition may occur with substance in the packaging as used in transport. A dangerous self-accelerating decomposition reaction and, under certain circumstances, explosion or fire can be cause decomposition at and above the temperature. Contact with incompatible substances can cause

decomposition at or below the SADT.

No decomposition if used and stored according to specifications.

To avoid thermal decomposition do not overheat.

· 10.3 Possibility of hazardous

reactions

Self-accelerating decomposition at SADT. No further relevant information available.

· 10.4 Conditions to avoid · 10.5 Incompatible materials:

· Additional information:

Rapid decomposition by dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g.

heavy-metal compounds and amines).

· 10.6 Hazardous decomposition

products:

Hydrocarbons, carbondioxide and -monoxid.

No hazardous decomposition products if used and stored according to specifications.

Emergency procedures will vary depending on conditions. The customer should have an emergency

response plane in place.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

80-43-3 bis(a,a-dimethylbenzyl) peroxide

Oral LD50 >2,000 mg/kg (rattus) Dermal LD50 >2,000 mg/kg (rattus)

· Skin corrosion/irritation · Serious eye damage/irritation

Irritanting effect.
Irritanting effect.

Respiratory or skin

sensitisation
Based on available data, the classification criteria are not met.
Germ cell mutagenicity
Based on available data, the classification criteria are not met.

(Contd. on page 6)



(Contd. of page 5)

Printing date 04.04.2024 Version: 12 (replaces version 11) Revision: 14.12.2023

Trade name: PEROXAN DC

Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met.

· STOT-single exposure Based on available data, the classification criteria are not met.

· STOT-repeated exposure Based on available data, the classification criteria are not met. · Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

· Endocrine disrupting properties

Substance is not listed

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

80-43-3 bis(a,a-dimethylbenzyl) peroxide

EC50 / 72h | >20 mg/l (algae)

EC50 >1,000 mg/l (activa sludge)

12.2 Persistence and degradability

· Degree of elimination:

· Classification:

80-43-3 bis(a,a-dimethylbenzyl) peroxide

Degradation (Not readily biodegradable) (OECD 301 F)

12.3 Bioaccumulative potential

Partition coefficient: nOctanol/water: [Log Kow]

5,6 (25°C)

· Bioconcentration factor (BCF)

80-43-3 bis(a,a-dimethylbenzyl) peroxide

BCF 747

12.4 Mobility in soil No further relevant information available

12.5 Results of PBT and vPvB assessment

· PBT: This substance does not meet the PBT/vPvB criteria of UK REACH, Annex XIII. · vPvB: This substance does not meet the PBT/vPvB criteria of UK REACH, Annex XIII.

· 12.6 Endocrine disrupting properties

12.7 Other adverse effects

· Remark:

Toxic for fish · Additional ecological information:

General notes: Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Water hazard class 3 (German Regulation) (Assessment by list): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

The product does not contain substances with endocrine disrupting properties.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation



After diluting with a suitable inert solid material to 10 %, the product must be supplied to a special treatment (e. g. thermal utilization) under observance of all official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Waste disposal key: Please contact your hazardous waste disposers to assign the right EWC-(European waste catalog)-

number

Uncleaned packaging:

· Recommendation: This material and its container must be disposed of as hazardous waste.

SECTION 14: Transport information

14.1 UN number or ID number

 ADR, IMDG, IATA UN3110

(Contd. on page 7)



(Contd. of page 6)

Printing date 04.04.2024 Version: 12 (replaces version 11) Revision: 14.12.2023

Trade name: PEROXAN DC

· 14.2 UN proper shipping name

· ADR UN3110 ORGANIC PEROXIDE TYPE F, SOLID (DICUMYL PEROXIDE), **ENVIRONMENTALLY HAZARDOUS**

· IMDG ORGANIC PEROXIDE TYPE F, SOLID (DICUMYL PEROXIDE), MARINE

POLLUTANT

·IATA ORGANIC PEROXIDE TYPE F, SOLID (DICUMYL PEROXIDE)

· 14.3 Transport hazard class(es)

· ADR



· Class 5.2 (P1) Organic peroxides. · Label 5.2

· IMDG





· Class 5.2 Organic peroxides. · Label 52

· IATA



Class 5.2 Organic peroxides.

· Label 5.2

· 14.4 Packing group · ADR, IMDG, IATA Void

· 14.5 Environmental hazards: Product contains environmentally hazardous substances: DICUMYL

PEROXIDE · Marine pollutant:

Yes

Symbol (fish and tree) · Special marking (ADR): Symbol (fish and tree)

· 14.6 Special precautions for user Warning: Organic peroxides.

Hazard identification number (Kemler code): 539 · Stowage Category D

SW1 Protected from sources of heat. · Stowage Code · Segregation Code SG35 Stow "separated from" SGG1-acids SG36 Stow "separated from" SGG18-alkalis.

· 14.7 Maritime transport in bulk according to IMO instruments Not applicable.

· Transport/Additional information:

· ADR

500 g · Limited quantities (LQ) Code: E0 Excepted quantities (EQ)

Not permitted as Excepted Quantity Transport category 2

Tunnel restriction code D

· RID / GGVSEB: like ADR

· Limited quantities (LQ) 500 g Excepted quantities (EQ) Code: E0

Not permitted as Excepted Quantity

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Poisons Act

· Regulated explosives precursors

Substance is not listed.

(Contd. on page 8)



Printing date 04.04.2024 Version: 12 (replaces version 11) Revision: 14.12.2023

Trade name: PEROXAN DC

(Contd. of page 7)

· Regulated poisons

Substance is not listed.

Reportable explosives precursors

Substance is not listed.

Reportable poisons

Substance is not listed.

Directive 2012/18/EU

· Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t

Qualifying quantity (tonnes) for the application of upper-tier

requirements

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex Ш

Substance is not listed.

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

Substance is not listed

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

Substance is not listed.

Regulation (EC) No 273/2004 on drug precursors

Substance is not listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

Substance is not listed.

· National regulations:

· Other regulations, limitations and prohibitive regulations

· Please note: Take care of the respective local regulations.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection / Security of labour

Contact: Tel: +49 2871 9902-0

E-mail: mail@pergan.com

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

PB1: Persistent, Bioaccumulative and I oxic
vPvB: very Persistent and very Bioaccumulative
Org. Perox. F: Organic peroxides – Type E/F
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

* Data compared to the previous version altered.

GB -