

Printing date 03.04.2024 Version: 7 (replaces version 6) Revision: 16.02.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

PEROXAN EPC S · Trade name:

· CAS Number: 16111-62-9 240-282-4 · EC number: Registration number: 01-2119964452-35

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance /

the mixture Reaction initiator

For industrial use

· 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: PERGAN GmbH

Hilfsstoffe für industrielle Prozesse

Schlavenhorst 71 D-46395 Bocholt Tel: +49 2871 9902-0 Fax: +49 2871 9902-50

· Further information obtainable

Environment protection / Security of labour

Qualified person: E-mail: msds@pergan.com

1.4 Emergency telephone

number: - Tel: +49 2871 9902-0

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Org. Perox. C H242 Heating may cause a fire. Skin Irrit. 2 H315 Causes skin irritation. Eye Dam. 1 H318 Causes serious eye damage. Skin Sens. 1 H317 May cause an allergic skin reaction.

· 2.2 Label elements

Labelling according to

Regulation (EC) No 1272/2008

The substance is classified and labelled according to the GB CLP regulation.

Hazard pictograms



Danger

· Signal word

· Hazard-determining

components of labelling:

Hazard statements

bis(2-ethylhexyl) peroxydicarbonate H242 Heating may cause a fire. H315 Causes skin irritation. H318 Causes serious eye damage. H317 May cause an allergic skin reaction.

· Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No P210

smoking.

P220 Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavy metal compounds and amines).

P234 Keep only in original packaging. P264 Wash thoroughly after handling. P273 Avoid release to the environment

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing

P310 Immediately call a POISON CENTER/doctor.

P410 Protect from sunlight.

P411+P235 Store at temperatures not exceeding -20°C. Keep cool.

P420 Store separately.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: This substance does not meet the PBT/vPvB criteria of UK REACH, Annex XIII.

This substance does not meet the PBT/vPvB criteria of UK REACH, Annex XIII. · vPvB:

GB



Printing date 03.04.2024 Version: 7 (replaces version 6) Revision: 16.02.2023

Trade name: PEROXAN EPC S

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.1 Substances

· CAS No. Description

16111-62-9 bis(2-ethylhexyl) peroxydicarbonate

Identification number(s)

• **EC number**: 240-282-4

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information:

+

Take care of personal protection for the first aider.

• After inhalation: Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Take affected persons into fresh air and keep quiet.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

Immediately remove contaminated clothing.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and

delayed 4.3 Indication of any immediate

medical attention and special treatment needed

No further relevant information available.

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from

the substance or mixture Under certain fire conditions, traces of other toxic gases cannot be excluded.

Hydrocarbons, carbondioxide and -monoxid.

5.3 Advice for firefighters

Protective equipment:
 Additional information
 Do not inhale explosion gases or combustion gases.
 Cool endangered receptacles with water spray.

Self-protection first!

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources.

In case of further temperature should be cooled with waterspray from a safe distance.

Wear breathing apparatus with filter A during decomposition of materials.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:



Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Large quantities should be diluted with suitable desensitation agent to a concentration below 10 % before

disposal.

Soak up with absorbant material (e. g. Vermiculit) and dispose of in accordance with government

regulations.

• 6.4 Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

In case of large spillage the environmental authority should be informed.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling Keep receptacles tightly sealed

Store in cool, dry place in tightly closed receptacles.

(Contd. on page 3)



Printing date 03.04.2024 Version: 7 (replaces version 6) Revision: 16.02.2023

Trade name: PEROXAN EPC S

(Contd. of page 2)

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.

Do not refill residue into storage receptacles.

Restrict the quantity stored at the work place.

Use only in well ventilated areas.

Before break and at the end of work hands should be thoroughly washed.

Only use tools made of suitable materials (e. g. polyethylene or stainless steel).

Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavy-

metal compounds and amines). Avoid contact with skin and eyes. While using do not eat, drink or smoke.

Do not generate flames or sparks.

Keep product and emptied container away from heat and sources of ignition.

Avoid shock and friction.

Take precautionary measures against static discharges.



Do not smoke.

· Information about fire - and explosion protection:

Protect from heat.

Protect against electrostatic charges.

Prevent impact and friction.

Use explosion-proof apparatus / fittings and spark-proof tools.

Fumes can combine with air to form an explosive mixture.



Wear shoes with conductive soles.

Formation of flammable or explosive gas/air-mixtures is possible.



Avoid open flames, sparks, direct sunlight and other sources of ignition.

Keep ignition sources away - Do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

· Storage:

Pay attention to the special requirements of your local autorithies for storing dangerous goods.

· Requirements to be met by storerooms and receptacles:

Store in a cool location.

Store only in the original receptacle. Prevent any seepage into the ground.

Use only receptacles specifically permitted for this substance/product.

· Information about storage in

one common storage facility:

Do not store or park organic peroxide together with heavy metal compounds and amines.

Store away from foodstuffs, drinks and feeding stuffs.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Protect from contamination.

Store in a cool place.

 Recommended storage temperature (To maintain

quality):

-30 -20 °C

-20 °C Control temperature: **Emergency temperature:** -10 °C Storage class: 5.2

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the

workplace: Not required.

·DNELs

16111-62-9 bis(2-ethylhexyl) peroxydicarbonate

DNEL Longterm System 6.67 mg/kg bw/day (Worker)

(Contd. on page 4)



Printing date 03.04.2024 Version: 7 (replaces version 6) Revision: 16.02.2023

Trade name: PEROXAN EPC S

(Contd. of page 3)

Inhalative | DNEL Longterm System | 11.75 mg/m3 (Worker)

· PNECs

16111-62-9 bis(2-ethylhexyl) peroxydicarbonate

 PNEC Marinewater sed
 0.0228 mg/kg sed dw (-)

 PNEC Freshwater
 0.032 mg/l (AF 50)

 PNEC Freshwater sed
 0.228 mg/kg sed dw (-)

 PNEC Soil
 0.0269 mg/kg soil dw (-)

 PNEC STP
 1.5 mg/l (AF 10)

 PNEC Marinewater
 0.0032 mg/l (AF 500)

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering

controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and

hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Store protective clothing separately. Avoid close or long term contact with the skin. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection.

Be sure to clean skin thoroughly after work and before breaks.

Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer

exposure use self-contained respiratory protective device.

Use suitable respiratory device when it exceed exposure limit and when insufficiently ventilated.

Filter A2

· Hand protection Only use chemical-protective gloves with CE-labelling of category III.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Protective gloves

• Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of

quality and varies from manufacturer to manufacturer.

Butyl rubber, BR

Fluorocarbon rubber (Viton) Nitrile rubber, NBR

Neoprene

Penetration time of glove

material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be

observed.

· Eye/face protection

Tightly sealed goggles

· Body protection:



Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

· Odour: · Odour threshold:

Melting point/freezing point:

· Boiling point or initial boiling point and boiling range

· Flammability

Flash point:

· Colour:

Lower and upper explosion limit

· Lower:

Colourless
Characteristic
Not determined.
Not applicable.

Not applicable. Not applicable.

Not determined. Not determined. Not determined.

(Contd. on page 5)



(Contd. of page 4)

Printing date 03.04.2024 Version: 7 (replaces version 6) Revision: 16.02.2023

Trade name: PEROXAN EPC S

· Decomposition temperature: 0 °C (SADT)

· pH Not determined.

Viscosity:

· Kinematic viscosity Not determined · Dynamic: Not determined.

· Solubility

· water: Undetermined · Partition coefficient n-octanol/water (log value) not determined Vapour pressure: Not determined.

Density and/or relative density

0.995 g/cm³ · Density at 20 °C: Relative density Not determined. · Vapour density Not determined

9.2 Other information

· Appearance:

Fluid Form:

· Important information on protection of health and environment,

and on safety.

Ignition temperature: Not determined.

 Explosive properties: Product is not explosive. However, formation of explosive air/vapour

mixtures are possible.

· Change in condition · Evaporation rate Not determined.

· Information with regard to physical hazard classes

· Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void

· Gases under pressure Void Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void

· Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void

Substances and mixtures, which emit flammable gases in Void contact with water · Oxidising liquids Void Oxidising solids Void

· Organic peroxides Heating may cause a fire.

Corrosive to metals Void Desensitised explosives Void

SECTION 10: Stability and reactivity

No further relevant information available. 10.1 Reactivity

· 10.2 Chemical stability Thermal decomposition / conditions to be avoided:

SADT (Self Accelerating Decomposition Temperature) is the lowest temperature at which self accelerating

decomposition may occur with substance in the packaging as used in transport. A dangerous selfaccelerating decomposition reaction and, under certain circumstances, explosion or fire can be cause decomposition at and above the temperature. Contact with incompatible substances can cause decomposition at or below the SADT.

No decomposition if used and stored according to specifications.

To avoid thermal decomposition do not overheat.

· 10.3 Possibility of hazardous reactions

Self-accelerating decomposition at SADT. · 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: Rapid decomposition by dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g.

heavy-metal compounds and amines).

· 10.6 Hazardous decomposition

products:

Hydrocarbons, carbondioxide and -monoxid.

No hazardous decomposition products if used and stored according to specifications.

(Contd. on page 6)



Printing date 03.04.2024 Version: 7 (replaces version 6) Revision: 16.02.2023

Trade name: PEROXAN EPC S

(Contd. of page 5)

· Additional information: Emergency procedures will vary depending on conditions. The customer should have an emergency

response plane in place.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

16111-62-9 bis(2-ethylhexyl) peroxydicarbonate

LD50 >2,000 mg/kg (rattus) Dermal LD50 >2,000 mg/kg (rattus)

· Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Causes serious eye damage.

· Respiratory or skin

sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met. · Carcinogenicity Based on available data, the classification criteria are not met. · Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. · STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

· Endocrine disrupting properties

Substance is not listed.

SECTION 12: Ecological information

· 12.1 Toxicity

Aquatic toxicity: No further relevant information available

12.2 Persistence and degradability

· Degree of elimination:

· Classification:

16111-62-9 bis(2-ethylhexyl) peroxydicarbonate

Degradation (Readily biodegradable) (OECD 301 B)

12.3 Bioaccumulative potential

· Partition coefficient: nOctanol/water: [Log Kow]

2,73

· 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

· PBT: This substance does not meet the PBT/vPvB criteria of UK REACH, Annex XIII. This substance does not meet the PBT/vPvB criteria of UK REACH, Annex XIII. · vPvB: · 12.6 Endocrine disrupting

properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water · General notes:

Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation



After diluting with a suitable desentisation agent to 10 %, the solution must be supplied to a special treatment (e. g. thermal utilization) under observance of all official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage

· Waste disposal key: Please contact your hazardous waste disposers to assign the right EWC-(European waste catalog)-

number.

(Contd. on page 7)



Printing date 03.04.2024 Version: 7 (replaces version 6) Revision: 16.02.2023

Trade name: PEROXAN EPC S

(Contd. of page 6)

 Uncleaned packaging:
--

Recommendation:

This material and its container must be disposed of as hazardous waste.

SECTION 14: Transport information	
14.1 UN number or ID number ADR, IMDG	UN3113
· 14.2 UN proper shipping name · ADR	UN3113 ORGANIC PEROXIDE TYPE C, LIQUID, TEMPERATURE CONTROLLED (DI-(2-ETHYLHEXYL)-PEROXYDICARBONATE)
· IMDG	ORGANIC PEROXIDE TYPE C, LIQUID, TEMPERATURE CONTROLLED (DI-(2-ETHYLHEXYL)-PEROXYDICARBONATE)
· 14.3 Transport hazard class(es)	
· ADR	
· Class · Label	5.2 (P2) Organic peroxides. 5.2
· IMDG	0.2
· Class · Label	5.2 Organic peroxides.5.2
·IATA	
· Class · Label	X X
14.4 Packing group	
· ADR, IMDG	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
14.6 Special precautions for user	Warning: Organic peroxides.
 Hazard identification number (Kemler code): Stowage Category 	- D
Stowage Code	SW1 Protected from sources of heat.
· Segregation Code	SW3 Shall be transported under temperature control. SG35 Stow "separated from" SGG1-acids SG36 Stow "separated from" SGG18-alkalis.
· 14.7 Maritime transport in bulk according to IMO instruments Not applicable.	
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ) · Excepted quantities (EQ)	0 Code: E0
Excepted quantities (EQ)	Not permitted as Excepted Quantity
· Transport category · Tunnel restriction code	1 D
· RID / GGVSEB:	no admission
· IMDG	110 441111331011
Limited quantities (LQ)	0
Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
· IATA	The politica do Excepted admitty
· Remarks:	no admission
· Control temperature:	-20 °C
· Emergency temperature:	-10 °C



Printing date 03.04.2024 Version: 7 (replaces version 6) Revision: 16.02.2023

Trade name: PEROXAN EPC S

(Contd. of page 7)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act

Regulated explosives precursors

Substance is not listed.

· Regulated poisons

Substance is not listed.

· Reportable explosives precursors

Substance is not listed.

· Reportable poisons

Substance is not listed.

- Directive 2012/18/EU
- Named dangerous substances

- ANNEX I Substance is not listed.

Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t Qualifying quantity (tonnes) for the application of upper-tier

requirements 200 t

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex

Substance is not listed

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

Substance is not listed

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

Substance is not listed

· Regulation (EC) No 273/2004 on drug precursors

Substance is not listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

Substance is not listed

· National regulations:

Other regulations, limitations and prohibitive regulations

· Please note: Take care of the respective local regulations.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: Environment protection / Security of labour

· Contact: Tel: +49 2871 9902-0 E-mail: mail@pergan.com

· Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

INDICAL INTERNATIONAL WATER CODE IN DAILS GOODS INTERNATIONAL AIR TRANSPORT ASSOCIATION GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

VPWB: very Persistent and very Bioaccumulative
Org. Perox. C: Organic peroxides – Type C/D
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1

* * Data compared to the previous version altered.

GB -