

Printing date 15.12.2023 Version: 8 (replaces version 7) Revision: 16.02.2023

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

PEROXAN PIN · Trade name:

· CAS Number: 13122-18-4 236-050-7 · EC number: Registration number: 01-2119498308-25

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance /

the mixture Reaction initiator For industrial use

· 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: PERGAN GmbH

Hilfsstoffe für industrielle Prozesse

Schlavenhorst 71 D-46395 Bocholt Tel: +49 2871 9902-0 Fax: +49 2871 9902-50

· Further information obtainable

Environment protection / Security of labour

Qualified person: E-mail: msds@pergan.com

1.4 Emergency telephone

number: - Tel: +49 2871 9902-0

#### **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Org. Perox. D H242 Heating may cause a fire.

Skin Sens. 1 H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life. Aquatic Acute 1

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

· 2.2 Label elements

Labelling according to

Regulation (EC) No 1272/2008

The substance is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



· Signal word Danger

· Hazard-determining

components of labelling:

**Hazard statements** 

H242 Heating may cause a fire.

H317 May cause an allergic skin reaction. H410 Very toxic to aquatic life with long lasting effects.

tert-Butylperoxy-3,5,5-trimethylhexanoate

· Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

P220 Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators

(e. g. heavy metal compounds and amines).

P234 Keep only in original packaging. P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.

Protect from sunlight. P410

P411+P235 Store at temperatures not exceeding +30°C. Keep cool.

P420 Store separately.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: This substance does not meet the PBT/vPvB criteria of UK REACH, Annex XIII. · vPvB: This substance does not meet the PBT/vPvB criteria of UK REACH, Annex XIII.

## **SECTION 3: Composition/information on ingredients**

· 3.1 Substances

· CAS No. Description 13122-18-4 tert-Butylperoxy-3,5,5-trimethylhexanoate

(Contd. on page 2)



Printing date 15.12.2023 Version: 8 (replaces version 7) Revision: 16.02.2023

# Trade name: PEROXAN PIN

(Contd. of page 1)

· Identification number(s)

· EC number: 236-050-7

## **SECTION 4: First aid measures**

4.1 Description of first aid measures

· General information:

Take care of personal protection for the first aider.

· After inhalation: Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Take affected persons into fresh air and keep quiet.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

Immediately remove contaminated clothing.

· After eye contact: Rinse opened eye for several minutes under running water.

 After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate

medical attention and special treatment needed

No further relevant information available

No further relevant information available

#### **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from

the substance or mixture Under certain fire conditions, traces of other toxic gases cannot be excluded.

Hydrocarbons, carbondioxide and -monoxid.

5.3 Advice for firefighters

Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray.

Self-protection first!

#### **SECTION 6: Accidental release measures**

 6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources.

In case of further temperature should be cooled with waterspray from a safe distance.

Wear breathing apparatus with filter A during decomposition of materials.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Large quantities should be diluted with suitable desensitation agent to a concentration below 10 % before

disposal.

Soak up with absorbant material (e. g. Vermiculit) and dispose of in accordance with government

regulations

6.4 Reference to other sections In case of large spillage the environmental authority should be informed.

## **SECTION 7: Handling and storage**

· 7.1 Precautions for safe

handling Keep receptacles tightly sealed.

Store in cool, dry place in tightly closed receptacles.

Keep away from heat and direct sunlight. Open and handle receptacle with care. Prevent formation of aerosols.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.

Do not refill residue into storage receptacles. Restrict the quantity stored at the work place.

Before break and at the end of work hands should be thoroughly washed.

(Contd. on page 3)



Printing date 15.12.2023 Version: 8 (replaces version 7) Revision: 16.02.2023

Trade name: PEROXAN PIN

(Contd. of page 2)

Only use tools made of suitable materials (e. g. polyethylene or stainless steel).

Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavy-metal compounds and amines).

While using do not eat, drink or smoke.

Do not generate flames or sparks.

Keep product and emptied container away from heat and sources of ignition.

Avoid shock and friction.

Take precautionary measures against static discharges.



Do not smoke.

Information about fire - and explosion protection:

Protect from heat.

Protect against electrostatic charges.

Prevent impact and friction.

Use explosion-proof apparatus / fittings and spark-proof tools. Fumes can combine with air to form an explosive mixture.



Wear shoes with conductive soles.

Formation of flammable or explosive gas/air-mixtures is possible.



Avoid open flames, sparks, direct sunlight and other sources of ignition.

Keep ignition sources away - Do not smoke.

 $\cdot$  7.2 Conditions for safe storage, including any incompatibilities

• Storage: Pay attention to the special requirements of your local autorithies for storing dangerous goods.

Requirements to be met by

storerooms and receptacles: Store in a cool location.

Store only in the original receptacle. Prevent any seepage into the ground.

Use only receptacles specifically permitted for this substance/product.

 Information about storage in one common storage facility:

Do not store or park organic peroxide together with heavy metal compounds and amines.

Store away from foodstuffs, drinks and feeding stuffs.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Protect from contamination. Store in a cool place.

Storage in a collecting room is required.

Recommended storage temperature (To maintain

quality):

max.: +30°C

· 7.3 Specific end use(s) No further relevant information available

#### **SECTION 8: Exposure controls/personal protection**

8.1 Control parameters

 Ingredients with limit values that require monitoring at the

workplace: Not required.

· DNELs

#### 13122-18-4 tert-Butylperoxy-3,5,5-trimethylhexanoate

Dermal DNEL Longterm System 3.2 mg/kg bw/day (Worker)
Inhalative DNEL Longterm System 5.6 mg/m3 (Worker)

·PNECs

## 13122-18-4 tert-Butylperoxy-3,5,5-trimethylhexanoate

PNEC Marinewater sed 0.05 mg/kg sed dw (-)
PNEC Freshwater 0.003 mg/l (AF 50)
PNEC Freshwater sed 0.497 mg/kg sed dw (-)
PNEC Soil 0.098 mg/kg soil dw (-)
PNEC STP 2.6 mg/l (AF 10)
PNEC Marinewater 0 mg/l (AF 500)

• Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)



Printing date 15.12.2023 Version: 8 (replaces version 7) Revision: 16.02.2023

Trade name: PEROXAN PIN

(Contd. of page 3)

 8.2 Exposure controls Appropriate engineering

controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

General protective and

hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid close or long term contact with the skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection.

Be sure to clean skin thoroughly after work and before breaks.

· Respiratory protection: Not necessary if room is well-ventilated.

Use suitable respiratory device when it exceed exposure limit and when insufficiently ventilated.



Filter A2

· Hand protection Only use chemical-protective gloves with CE-labelling of category III.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Protective gloves

· Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of

quality and varies from manufacturer to manufacturer.

Butyl rubber, BR

Fluorocarbon rubber (Viton) Nitrile rubber, NBR

Neoprene

Penetration time of glove

material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be

observed.

· Eye/face protection

Tightly sealed goggles

· Body protection:



Protective work clothing

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

· General Information

· Colour: · Odour:

Melting point/freezing point: Boiling point or initial boiling point and boiling range

· Flash point: Decomposition temperature:

· Viscosity:

· Dynamic at 20 °C:

Solubility

· water: · Partition coefficient n-octanol/water (log value)

· Density and/or relative density

Density at 20 °C:

Colourless Characteristic

Not applicable. Not applicable.

+60 °C (SADT)

<10 mPas

Undetermined not determined

0.89 g/cm<sup>3</sup>

9.2 Other information

· Appearance:

Form: · Important information on protection of health and environment,

and on safety.

**Explosive properties:** 

Fluid

Void

Void

Product is not explosive. However, formation of explosive air/vapour

mixtures are possible.

· Information with regard to physical hazard classes

 Explosives Flammable gases

(Contd. on page 5)



Printing date 15.12.2023 Version: 8 (replaces version 7) Revision: 16.02.2023

Trade name: PEROXAN PIN

(Contd. of page 4)

		`	,
· Aerosols	Void		
· Oxidising gases	Void		
Gases under pressure	Void		
Flammable liquids	Void		
Flammable solids	Void		
· Self-reactive substances and mixtures	Void		
· Pyrophoric liquids	Void		
Pyrophoric solids	Void		
Self-heating substances and mixtures	Void		
Substances and mixtures, which emit flammable gases in			
contact with water	Void		
Oxidising liquids	Void		
Oxidising solids	Void		
· Organic peroxides	Heating may cause a fire.		
Corrosive to metals	Void		
Desensitised explosives	Void		
Other safety characteristics			
· Active oxygen	> 6.8 %		

#### **SECTION 10: Stability and reactivity**

No further relevant information available. · 10.1 Reactivity

10.2 Chemical stability

 Thermal decomposition / conditions to be avoided:

SADT (Self Accelerating Decomposition Temperature) is the lowest temperature at which self accelerating

decomposition may occur with substance in the packaging as used in transport. A dangerous selfaccelerating decomposition reaction and, under certain circumstances, explosion or fire can be cause decomposition at and above the temperature. Contact with incompatible substances can cause

decomposition at or below the SADT.

No decomposition if used and stored according to specifications.

To avoid thermal decomposition do not overheat.

· 10.3 Possibility of hazardous

Self-accelerating decomposition at SADT.

· 10.4 Conditions to avoid

No further relevant information available.

· 10.5 Incompatible materials:

Rapid decomposition by dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g.

heavy-metal compounds and amines). · 10.6 Hazardous decomposition

products:

Hydrocarbons, carbondioxide and -monoxid.

No hazardous decomposition products if used and stored according to specifications.

· Additional information: Emergency procedures will vary depending on conditions. The customer should have an emergency

response plane in place.

#### **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

 Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

## 13122-18-4 tert-Butylperoxy-3,5,5-trimethylhexanoate

Oral LD50 >5,000 mg/kg (rattus) Dermal LD50 >2,000 mg/kg (rattus) Inhalative LC50 / 4h > 0.8 mg/l (rattus)

Skin corrosion/irritation Based on available data, the classification criteria are not met. · Serious eye damage/irritation Based on available data, the classification criteria are not met.

· Respiratory or skin

sensitisation May cause an allergic skin reaction.

Based on available data, the classification criteria are not met. Germ cell mutagenicity · Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. STOT-single exposure · STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)



Printing date 15.12.2023 Version: 8 (replaces version 7) Revision: 16.02.2023

Trade name: PEROXAN PIN

(Contd. of page 5)

· 11.2 Information on other hazards

· Endocrine disrupting properties

Substance is not listed.

#### **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity:

13122-18-4 tert-Butylperoxy-3,5,5-trimethylhexanoate

EC50 / 72h | 0.33 mg/l (alga)

LC50 / 96h 7 mg/l (oncorhynchus mykiss)

EC50 / 48h >100 mg/l (daphnia)

- 12.2 Persistence and degradability
- · Degree of elimination:
- · Classification:

#### 13122-18-4 tert-Butylperoxy-3,5,5-trimethylhexanoate

Degradation (Readily biodegradable) (OECD 301 D)

12.3 Bioaccumulative potential

· Partition coefficient: nOctanol/water: [Log Kow]

4,4 (25°C)

· 12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

· PBT: This substance does not meet the PBT/vPvB criteria of UK REACH, Annex XIII. · vPvB: This substance does not meet the PBT/vPvB criteria of UK REACH, Annex XIII.

· 12.6 Endocrine disrupting

properties The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects

· Remark: Very toxic for fish

· Additional ecological information:

· General notes: Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

## **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

Recommendation



After diluting with a suitable desentisation agent to 10 %, the solution must be supplied to a special treatment (e. g. thermal utilization) under observance of all official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system

· Waste disposal key: Please contact your hazardous waste disposers to assign the right EWC-(European waste catalog)-

number.

Uncleaned packaging:

· Recommendation: This material and its container must be disposed of as hazardous waste.

## **SECTION 14: Transport information**

· 14.1 UN number or ID number · ADR, IMDG, IATA	UN3105			
· 14.2 UN proper shipping name				
· ADR	UN3105 ORGANIC PEROXIDE TYPE D, LIQUID (tert-BUTYL PEROXY-			
	3,5,5-TRIMETHYLHEXANOATE), ENVIRONMENTALLY HAZARDOUS			
· IMDG	ORGANIC PEROXIDE TYPE D, LIQUID (tert-BUTYL PEROXY-3,5,5-			
	TRIMETHYLHEXANOATE), MARINE POLLUTANT			
· IATA	ORGANIC PEROXIDE TYPE D, LIQUID (tert-BUTYL PEROXY-3,5,5-			
	TRIMETHYLHEXANOATE)			

(Contd. on page 7)



Printing date 15.12.2023 Version: 8 (replaces version 7) Revision: 16.02.2023

## Trade name: PEROXAN PIN

(Contd. of page 6)

· 14.3 Transport hazard class(es)

· ADR





Class 5.2 (P1) Organic peroxides. · Label

· IMDG





Class 5.2 Organic peroxides. · Label 5.2

· IATA



Class 5.2 Organic peroxides.

· Label 5.2

· 14.4 Packing group · ADR, IMDG, IATA

Void

· 14.5 Environmental hazards: Product contains environmentally hazardous substances: tert-BUTYL

PEROXY-3,5,5-TRIMETHYLHEXANOATE

· Marine pollutant:

Symbol (fish and tree) Symbol (fish and tree) · Special marking (ADR):

· 14.6 Special precautions for user Warning: Organic peroxides.

Hazard identification number (Kemler code):

· Stowage Category

· Stowage Code SW1 Protected from sources of heat. SG35 Stow "separated from" SGG1-acids SG36 Stow "separated from" SGG18-alkalis. · Segregation Code

SG72 See 7.2.6.3.2.

· 14.7 Maritime transport in bulk according to IMO instruments Not applicable.

· Transport/Additional information:

· ADR

· Limited quantities (LQ) 125 ml Code: E0 Excepted quantities (EQ)

Not permitted as Excepted Quantity

Transport category Tunnel restriction code D

· RID / GGVSEB: like ADR

· IMDG

· Limited quantities (LQ) 125 ml Excepted quantities (EQ) Code: E0

Not permitted as Excepted Quantity

#### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Poisons Act

· Regulated explosives precursors

Substance is not listed.

Regulated poisons

Substance is not listed.

· Reportable explosives precursors

Substance is not listed.

(Contd. on page 8)



Printing date 15.12.2023 Version: 8 (replaces version 7) Revision: 16.02.2023

Trade name: PEROXAN PIN

(Contd. of page 7)

· Reportable poisons

Substance is not listed.

Directive 2012/18/EU

requirements

 Qualifying quantity (tonnes) for the application of lower-tier

50 t

200 t

Qualifying quantity (tonnes) for the application of upper-tier requirements

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

Substance is not listed

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

Substance is not listed

· Regulation (EC) No 273/2004 on drug precursors

Substance is not listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

Substance is not listed.

· National regulations:

· Other regulations, limitations and prohibitive regulations

· Please note: Take care of the respective local regulations.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection / Security of labour

Tel: +49 2871 9902-0 · Contact:

E-mail: mail@pergan.com

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) · Abbreviations and acronyms:

ICAO: International Civil Aviation Organisation
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Org. Perox. D: Organic peroxides – Type C/D Skin Sens. 1: Skin sensitisation – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

\* \* Data compared to the previous version altered.

GB -