

Version: 7 (replaces version 6)

The Peroxide Company

Revision: 16.02.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### · 1.1 Product identifier

· Trade name:	PEROXAN PK234 V		
· 1.2 Relevant identified uses of the	e substance or mixture and uses advised against		
<ul> <li>Application of the substance / the mixture</li> </ul>	No further relevant information available. Reaction initiator For industrial use		
· 1.3 Details of the supplier of the			
· Manufacturer/Supplier:	PERGAN GmbH Hilfsstoffe für industrielle Prozesse Schlavenhorst 71 D-46395 Bocholt Tel: +49 2871 9902-0 Fax: +49 2871 9902-50		
· Further information obtainable			
from:	Environment protection / Security of labour Qualified person: E-mail: msds@pergan.com		
1.4 Emergency telephone			
number:	- Tel: +49 2871 9902-0		
SECTION 2: Hazards identified	cation		

### · 2.1 Classification of the substance or mixture ON No. 4070/0000 - 161 - - 41

Classification acc	cording to Regulation (EC) No 12/2/2008
Flam. Liq. 3	H226 Flammable liquid and vapour.
Org. Perox. C	H242 Heating may cause a fire.
Asp. Tox. 1	H304 May be fatal if swallowed and enters airways.
Aquatic Chronic 4	H413 May cause long lasting harmful effects to aquatic life.

· 2.2 Label elements · Labelling according to

· Hazard pictograms

Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.



	GH302 GH306	
· Signal word	Danger	
<ul> <li>Hazard-determining components of labelling:</li> </ul>		4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated utylidene diperoxide
· Hazard statements	H226 Flammable H242 Heating ma H304 May be fata	liquid and vapour.
· Precautionary statements	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P220	Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavy metal compounds and amines).
	P234	Keep only in original packaging.
	P243	Take action to prevent static discharges.
	P273	Avoid release to the environment
	P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
	P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
	P331	Do NOT induce vomiting.
	P303+P361+P35	3 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
	P405	Store locked up.
	P410	Protect from sunlight.
	P411+P235	Store at temperatures not exceeding +30°C. Keep cool.
	P420	Store separately.
	P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· 2.3 Other hazards		-

· Results of PBT and vPvB assessment

· PBT:	The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH, annex XIII.
· vPvB:	The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH, annex XIII.
	GB —

Printing date 03.04.2024

Version: 7 (replaces version 6)



Revision: 16.02.2023

## Trade name: PEROXAN PK234 V

(Contd. of page 1)

### **SECTION 3: Composition/information on ingredients**

### · 3.2 Mixtures

•==		
<ul> <li>Dangerous components:</li> </ul>		
CAS: 2167-23-9 EINECS: 218-507-2 Reg-No.: 01-2120759172-55	di-tert-butyl sec-butylidene diperoxide Org. Perox. C, H242; Aquatic Chronic 4, H413	40-50%
CAS: 93685-81-5 EINECS: 297-629-8 Reg-No : 01-2119490725-29	Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated Alternative CAS number: 13475-82-6 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 4, H413	40-50%
· Additional information:	For the wording of the listed hazard phrases refer to section 16.	

Take care of personal protection for the first aider.

### **SECTION 4: First aid measures**

• 4.1 Description of first aid measures • General information:

- · After inhalation:
- · After skin contact:
- · After eye contact:
- · After swallowing:

treatment needed

 4.2 Most important symptoms and effects, both acute and delayed
 4.3 Indication of any immediate

medical attention and special

If symptoms persist consult doctor.

Take affected persons into fresh air and keep quiet.

Rinse opened eye for several minutes under running water.

No further relevant information available.

Immediately remove contaminated clothing.

No further relevant information available.

### **SECTION 5: Firefighting measures**

 5.1 Extinguishing media
 Suitable extinguishing agents:
 For safety reasons unsuitable extinguishing agents:
 S.2 Special hazards arising from the substance or mixture
 Under certain fire conditions, traces of other toxic gases cannot be excluded. Hydrocarbons, carbondioxide and -monoxid.
 5.3 Advice for firefighters
 Protective equipment:
 Do not inhale explosion gases or combustion gases.
 Cool endangered receptacles with water spray. Self-protection first!

### SECTION 6: Accidental release measures

<ul> <li>6.1 Personal precautions, protective equipment and</li> </ul>	
emergency procedures	Keep away from ignition sources.
	In case of further temperature should be cooled with waterspray from a safe distance.
	Wear breathing apparatus with filter A during decomposition of materials.
	Wear protective equipment. Keep unprotected persons away.
· 6.2 Environmental precautions:	Inform respective authorities in case of seepage into water course or sewage system.
	Do not allow to enter sewers/ surface or ground water.
· 6.3 Methods and material for	
containment and cleaning up:	Dispose contaminated material as waste according to section 13.
containinent und cleaning up.	Ensure adequate ventilation.
	Large guantities should be diluted with suitable desensitation agent to a concentration below 10 % before
	disposal.
	Soak up with absorbant material (e.g. Vermiculit) and dispose of in accordance with government
	regulations.
<ul> <li>6.4 Reference to other sections</li> </ul>	See Section 7 for information on safe handling.
	See Section 8 for information on personal protection equipment.
	See Section 13 for disposal information.
	(Contd. on page 3)

Printing date 03.04.2024

Version: 7 (replaces version 6)



Revision: 16.02.2023

(Contd. of page 2)

## Trade name: PEROXAN PK234 V

In case of large spillage the environmental authority should be informed. **SECTION 7: Handling and storage** 7.1 Precautions for safe handling Keep away from heat and direct sunlight. Open and handle receptacle with care. Prevent formation of aerosols. Wear suitable respiratory protective device when decanting larger quantities without extractor facilities. Do not refill residue into storage receptacles. Restrict the quantity stored at the work place. Before break and at the end of work hands should be thoroughly washed. Only use tools made of suitable materials (e. g. polyethylene or stainless steel). Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavymetal compounds and amines). While using do not eat, drink or smoke. Do not generate flames or sparks. Keep product and emptied container away from heat and sources of ignition. Avoid shock and friction. Take precautionary measures against static discharges. Do not smoke. · Information about fire - and explosion protection: Protect from heat. Protect against electrostatic charges. Prevent impact and friction Use explosion-proof apparatus / fittings and spark-proof tools. Fumes can combine with air to form an explosive mixture. Wear shoes with conductive soles. Formation of flammable or explosive gas/air-mixtures is possible. Avoid open flames, sparks, direct sunlight and other sources of ignition. Keep ignition sources away - Do not smoke. · 7.2 Conditions for safe storage, including any incompatibilities Storage: Pay attention to the special requirements of your local autorithies for storing dangerous goods. Requirements to be met by storerooms and receptacles: Store only in the original receptacle. Prevent any seepage into the ground. Use only receptacles specifically permitted for this substance/product. Information about storage in one common storage facility: Do not store or park organic peroxide together with heavy metal compounds and amines. Store away from foodstuffs, drinks and feeding stuffs. Further information about storage conditions: Keep container tightly sealed. Protect from heat and direct sunlight. Protect from contamination. · Recommended storage temperature (To maintain quality): max.: +30 °C Storage class: 5.2 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

 8.1 Control parameters
 Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

# · DNELs 2167-23-9 di-tert-butyl sec-butylidene diperoxide Dermal DNEL Longterm System 1.5 mg/kg bw/day (Worker) Inhalative DNEL Longterm System 2.65 mg/m3 (Worker)

(Contd. on page 4)

Printing date 03.04.2024

Version: 7 (replaces version 6)

Revision: 16.02.2023

• )

The Peroxide Company

## Trade name: PEROXAN PK234 V

			(Contd. of page 3)
PNECs			
2167-23-9 di-tert-butyl			
PNEC Marinewater sed	0.097 mg/	kg sed dw (-)	
PNEC Freshwater	0.083 mg/	l (-)	
PNEC Freshwater sed	0.97 mg/k	g sed dw (-)	
PNEC Soil	0.15 mg/k	g soil dw (-)	
PNEC STP	2 mg/l (AF	<sup>-</sup> 10)	
PNEC Marinewater	0.008 mg/	l (AF 10)	
<ul> <li>Additional information</li> </ul>	on:	The lists valid during the ma	aking were used as basis.
8.2 Exposure controls Appropriate engineer controls Individual protection General protective an hygienic measures:	ing measures,	No further data; see section such as personal protective The usual precautionary me Keep away from foodstuffs,	ve equipment
· Respiratory protectio	on:	Immediately remove all soil Wash hands before breaks Store protective clothing se Do not eat, drink, smoke or Use skin protection cream f	ed and contaminated clothing and at the end of work. parately. sniff while working. or skin protection. Ighly after work and before breaks.
		Use suitable respira Filter A2	atory device when it exceed exposure limit and when insufficiently ventilated.
<ul> <li>Hand protection</li> </ul>			e gloves with CE-labelling of category III. ve material on consideration of the penetration times, rates of diffusion and the
• Material of gloves			
· Penetration time of	qlove		
material	5	The exact break trough time observed.	has to be found out by the manufacturer of the protective gloves and has to be
• Eye/face protection		Tightly sealed gogg	les
• Body protection:		Protective work close	thing
SECTION 9: Physica	al and che	mical properties	
General Information Colour: Odour: Odour threshold: Melting point/freezin	g point:	I and chemical properties oint and boiling range	Colourless Characteristic Not determined. Not applicable. Not applicable.
· Flammability	• •		Not applicable.

Not determined.

Not determined. 23 - 60 °C > +70 °C (SADT)

Not determined.

Not determined.

- Lower and upper explosion limit · Lower:
- · Upper:
- · Flash point:
- Decomposition temperature:
- · pH · Viscosity:
- · Kinematic viscosity

Printing date 03.04.2024

Version: 7 (replaces version 6)

The Peroxide Company

• )

Revision: 16.02.2023

# Trade name: PEROXAN PK234 V

	(Contd. of page
· Dynamic:	Not determined.
· Solubility	
· water:	Undetermined.
<ul> <li>Partition coefficient n-octanol/water (log value)</li> </ul>	not determined
Vapour pressure:	Not determined.
<ul> <li>Density and/or relative density</li> </ul>	
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	No further relevant information available.
· Appearance:	
· Form:	Fluid
<ul> <li>Important information on protection of health and envir</li> </ul>	onment,
and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour
	mixtures are possible.
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Flammable liquid and vapour.
· Flammable solids	Void
<ul> <li>Self-reactive substances and mixtures</li> </ul>	Void
· Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases	s in
contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Heating may cause a fire.
Corrosive to metals	Void
· Desensitised explosives	Void
Other safety characteristics	
· Active oxygen	6.8 - 6.9 %

### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity · 10.2 Chemical stability · Thermal decomposition /	No further relevant information available.	
conditions to be avoided:	SADT (Self Accelerating Decomposition Temperature) is the lowest temperature at which self accelerati decomposition may occur with substance in the packaging as used in transport. A dangerous self-accelerating decomposition reaction and, under certain circumstances, explosion or fire can be cause decomposition at and above the temperature. Contact with incompatible substances can cause decomposition at or below the SADT. No decomposition if used and stored according to specifications. To avoid thermal decomposition do not overheat.	ting
· 10.3 Possibility of hazardous		
reactions	Self-accelerating decomposition at SADT.	
<ul> <li>10.4 Conditions to avoid</li> </ul>	No further relevant information available.	
· 10.5 Incompatible materials:	Rapid decomposition by dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e heavy-metal compounds and amines).	e. g.
· 10.6 Hazardous decomposition		
products:	Hydrocarbons, carbondioxide and -monoxid. No hazardous decomposition products if used and stored according to specifications.	
· Additional information:	Emergency procedures will vary depending on conditions. The customer should have an emergency response plane in place.	
		GB —

(Contd. on page 6)

Printing date 03.04.2024

## Version: 7 (replaces version 6)

**PERGAN** The Peroxide Company

Revision: 16.02.2023

(Contd. of page 5)

# Trade name: PEROXAN PK234 V

SECTION	N 11: To	cicological ir	nformation
· Acute to	cicity		es as defined in Regulation (EC) No 1272/2008 Based on available data, the classification criteria are not met.
· LD/LC50	values r	elevant for cla	ssification:
2167-23-9	di-tert-bu	ityl sec-butylio	dene diperoxide
Oral	LD50	>5,000 mg/kg	(rattus)
Dermal	LD50	>2,000 mg/kg	(rattus)
Inhalative	LC0 / 4h	2.42 mg/l (ratt	us)
93685-81-	5 Hydroca	arbons, C4, 1,	3-butadiene-free, polymd., triisobutylene fraction, hydrogenated
Oral	LD50	>5,000 mg/kg	(rattus)
· Skin corr	osion/irri	tation	Based on available data, the classification criteria are not met.
· Serious e	eye dama	ge/irritation	Based on available data, the classification criteria are not met.
<ul> <li>Respirate</li> </ul>		n	
sensitisa	tion		Based on available data, the classification criteria are not met.
· Germ cel	I mutage	nicity	Based on available data, the classification criteria are not met.
<ul> <li>Carcinog</li> </ul>	enicity		Based on available data, the classification criteria are not met.
· Reprodu	ctive toxi	city	Based on available data, the classification criteria are not met.
· STOT-sin	igle expo	sure	Based on available data, the classification criteria are not met.
· STOT-rep	peated ex	posure	Based on available data, the classification criteria are not met.
Aspiration hazard May be fatal if swallowed and enters airways.			
· 11.2 Infor	mation or	n other hazard	ls
· Endocrin	e disrupt	ing properties	
None of th	e ingredie	nts is listed.	

### **SECTION 12: Ecological information**

· Aquatic toxicity:		
2167-23-9 di-tert-butyl sec-b	outylidene diperoxide	
EC50 / 72h 100 mg/l (algae)		
LC50 / 96h >10 mg/l (fish)		
EC50 / 48h 150 mg/l (daphni	a)	
93685-81-5 Hydrocarbons, C	C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated	
EC50 / 48h >0.04 mg/l (daph	inia)	
IC50 / 72h >0.04 mg/l (algae	e)	
· 12.2 Persistence and degrad	dability	
· Degree of elimination:	-	
· Classification:		
2167-23-9 di-tert-butyl sec-b	outylidene diperoxide	
Degradation (Not readily bio	degradable) (OECD 301 B)	
93685-81-5 Hydrocarbons, C	C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated	
Degradation (Not readily bio	degradable)	
12.3 Bioaccumulative poten	itial	
· Partition coefficient: nOcta	anol/water: [Log Kow]	
2167-23-9 di-tert-butyl sec-bu	utylidene diperoxide	5,4 (30°C
12.4 Mobility in soil	No further relevant information available.	
12.5 Results of PBT and vPv	vB assessment	
· PBT:	The substances in the mixture do not meet the PBT/vPvB criteria according to l	
· vPvB:	The substances in the mixture do not meet the PBT/vPvB criteria according to l	JK REACH, annex XIII.
12.6 Endocrine disrupting		
properties	The product does not contain substances with endocrine disrupting properties.	
12.7 Other adverse effects	No further relevant information available.	
Additional ecological inform		
· General notes:	Water hazard class 2 (German Regulation) (Self-assessment): hazardous for w	ater
	Do not allow product to reach ground water, water course or sewage system.	

(Contd. on page 7)

Printing date 03.04.2024

Version: 7 (replaces version 6)

Ξ The Peroxide Company

· 7

Revision: 16.02.2023

# Trade name: PEROXAN PK234 V

(Contd. of page 6)

13.1 Waste treatment methods	
Recommendation	After diluting with a suitable desentisation agent to 10 %, the solution must be supplied to a spectreatment (e. g. thermal utilization) under observance of all official regulations.
	Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Waste disposal key:	Please contact your hazardous waste disposers to assign the right EWC-(European waste catalog)- number.
Uncleaned packaging: · Recommendation:	This material and its container must be disposed of as hazardous waste.
SECTION 14: Transport infor	mation
14.1 UN number or ID number	
ADR, IMDG, IATA	UN3103
14.2 UN proper shipping name ADR	UN3103 ORGANIC PEROXIDE TYPE C, LIQUID (2,2-DI-(tert- BUTYLPEROXY)BUTANE)
IMDG, IATA	ORGANIC PERÓXIDE TYPE C, LIQUID (2,2-DI-(tert-BUTYLPEROXY) BUTANE)
14.3 Transport hazard class(es)	
ADR	
· Class · Label	5.2 (P1) Organic peroxides. 5.2
IMDG, IATA	
· Class · Label	5.2 Organic peroxides. 5.2
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for use	r Warning: Organic peroxides.
Hazard identification number (H	
Stowage Category	D
· Stowage Code	SW1 Protected from sources of heat.
· Segregation Code	SG35 Stow "separated from" SGG1-acids SG36 Stow "separated from" SGG18-alkalis.
14.7 Maritime transport in bulk a	ccording to IMO instruments Not applicable.
Transport/Additional information	n:
· ADR	
· Limited quantities (LQ)	25 ml
Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
Transport category	1
<ul> <li>Tunnel restriction code</li> </ul>	D
· RID / GGVSEB: · IMDG	like ADR

(Contd. on page 8) GB -

Printing date 03.04.2024

Version: 7 (replaces version 6)

**PERGAN** The Peroxide Company

Revision: 16.02.2023

## Trade name: PEROXAN PK234 V

· Excepted quantities (EQ)	Code: E0 (Contd. of page
· · · ·	Not permitted as Excepted Quantity
SECTION 15: Regulatory information	
15.1 Safety, health and environmental regulation • Poisons Act	s/legislation specific for the substance or mixture
· Regulated explosives precursors	
None of the ingredients is listed.	
· Regulated poisons	
None of the ingredients is listed.	
· Reportable explosives precursors	
None of the ingredients is listed.	
· Reportable poisons	
None of the ingredients is listed.	
<ul> <li>Directive 2012/18/EU</li> <li>Named dangerous substances         <ul> <li>ANNEX I</li> <li>Qualifying quantity (tonnes) for the application of lower-tier requirements</li> <li>50 t</li> <li>Qualifying quantity (tonnes) for the application of upper-tier requirements</li> <li>200 t</li> </ul> </li> </ul>	
II	use of certain hazardous substances in electrical and electronic equipment – Anne
None of the ingredients is listed.	
· Annex I - RESTRICTED EXPLOSIVES PRECURS	SORS (Upper limit value for the purpose of licensing under Article 5(3))
None of the ingredients is listed.	
· Annex II - REPORTABLE EXPLOSIVES PRECUP	RSORS
None of the ingredients is listed.	
· Regulation (EC) No 273/2004 on drug precursor	rs
None of the ingredients is listed.	
<ul> <li>Regulation (EC) No 111/2005 laying down rules precursors</li> </ul>	for the monitoring of trade between the Community and third countries in drug
None of the ingredients is listed.	
· National regulations:	
• Other regulations, limitations and prohibitive re	egulations e respective local regulations.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases	H226 Flammable liquid and vapour. H242 Heating may cause a fire. H304 May be fatal if swallowed and enters airways. H413 May cause long lasting harmful effects to aquatic life.
<ul> <li>Department issuing SDS:</li> </ul>	Environment protection / Security of labour
· Contact:	Tel: +49 2871 9902-0
	E-mail: mail@pergan.com
<ul> <li>Abbreviations and acronyms:</li> </ul>	RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDC: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals ELINCS: European List of Notified Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH)

Printing date 03.04.2024

Version: 7 (replaces version 6)

Revision: 16.02.2023

## Trade name: PEROXAN PK234 V

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Org. Perox. C: Organic peroxides – Type C/D Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4

 \* Data compared to the previous version altered.

- GB -

(Contd. of page 8)

