

Printing date 03.04.2024 Version: 12 (replaces version 11) Revision: 16.02.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

PEROXAN PK295 V · Trade name:

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available. · Application of the substance /

the mixture

Reaction initiator For industrial use

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: PERGAN GmbH

Hilfsstoffe für industrielle Prozesse

Schlavenhorst 71 D-46395 Bocholt Tel: +49 2871 9902-0 Fax: +49 2871 9902-50

Further information obtainable

Environment protection / Security of labour

Qualified person: E-mail: msds@pergan.com

1.4 Emergency telephone

number: - Tel: +49 2871 9902-0

#### **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Org. Perox. E H242 Heating may cause a fire.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways. Aquatic Chronic 4 H413 May cause long lasting harmful effects to aquatic life.

2.2 Label elements

Labelling according to

Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



· Signal word Danger

· Hazard-determining

components of labelling:

Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide

· Hazard statements H242 Heating may cause a fire.

H304 May be fatal if swallowed and enters airways.

H413 May cause long lasting harmful effects to aquatic life.

· Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P220 Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators

(e. g. heavy metal compounds and amines).

P234 Keep only in original packaging.

P243 Take action to prevent static discharges.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting P405 Store locked up.

P410 Protect from sunlight.

P411+P235 Store at temperatures not exceeding +30°C. Keep cool. P420

Store separately

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH, annex XIII.

· vPvB The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH, annex XIII.

#### **SECTION 3: Composition/information on ingredients**

3.2 Mixtures

· Dangerous components:		
CAS: 6731-36-8	di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide	50-60%
EINECS: 229-782-3	Org. Perox. B, H241	
Reg-No : 01-2110735604-30		

(Contd. on page 2)



Printing date 03.04.2024 Version: 12 (replaces version 11) Revision: 16.02.2023

Trade name: PEROXAN PK295 V

CAS: 93685-81-5 Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated EINECS: 297-629-8

(Contd. of page 1) 40-50%

Alternative CAS number: 13475-82-6 Reg-No.: 01-2119490725-29 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 4, H413

Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

General information:

Take care of personal protection for the first aider.

· After inhalation: Take affected persons into fresh air and keep quiet.

After skin contact: Immediately remove contaminated clothing

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and

delayed 4.3 Indication of any immediate medical attention and special

treatment needed No further relevant information available

#### **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

· Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents:

5.2 Special hazards arising from

the substance or mixture

Under certain fire conditions, traces of other toxic gases cannot be excluded.

Hydrocarbons, carbondioxide and -monoxid.

No further relevant information available.

5.3 Advice for firefighters

· Protective equipment: Additional information Do not inhale explosion gases or combustion gases. Cool endangered receptacles with water spray.

Self-protection first!

Water with full iet

#### **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources.

In case of further temperature should be cooled with waterspray from a safe distance.

Wear breathing apparatus with filter A during decomposition of materials.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation

Large quantities should be diluted with suitable desensitation agent to a concentration below 10 % before

disposal.

Soak up with absorbant material (e. g. Vermiculit) and dispose of in accordance with government

regulations.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

In case of large spillage the environmental authority should be informed.

#### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe

handling Keep away from heat and direct sunlight.

Open and handle receptacle with care.

Prevent formation of aerosols.

(Contd. on page 3)



Printing date 03.04.2024 Version: 12 (replaces version 11) Revision: 16.02.2023

Trade name: PEROXAN PK295 V

(Contd. of page 2)

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.

Do not refill residue into storage receptacles.

Restrict the quantity stored at the work place.

Before break and at the end of work hands should be thoroughly washed.

Only use tools made of suitable materials (e. g. polyethylene or stainless steel).

Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavymetal compounds and amines).

While using do not eat, drink or smoke.

Do not generate flames or sparks.

Keep product and emptied container away from heat and sources of ignition.

Avoid shock and friction.

Take precautionary measures against static discharges.



Do not smoke.


· Information about fire - and explosion protection:

Protect from heat.

Protect against electrostatic charges.

Prevent impact and friction.

Use explosion-proof apparatus / fittings and spark-proof tools.





Wear shoes with conductive soles.

Formation of flammable or explosive gas/air-mixtures is possible.



Avoid open flames, sparks, direct sunlight and other sources of ignition.

Keep ignition sources away - Do not smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

Pay attention to the special requirements of your local autorithies for storing dangerous goods.

Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Prevent any seepage into the ground.

Use only receptacles specifically permitted for this substance/product.

· Information about storage in

one common storage facility:

Do not store or park organic peroxide together with heavy metal compounds and amines.

Store away from foodstuffs, drinks and feeding stuffs.

· Further information about storage conditions:

Keep container tightly sealed.

Protect from heat and direct sunlight.

Protect from contamination.

Recommended storage temperature (To maintain

quality):

max.: +30 °C

· 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be

monitored at the workplace.

### · DNELs

### 6731-36-8 di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide DNEL Longterm System 2 mg/kg bw/day (Worker)

Inhalative DNEL Longterm System 1.4 mg/m3 (Worker)

#### 6731-36-8 di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide

PNEC Marinewater sed | 0.01 mg/kg sed dw (AF 500) PNEC Freshwater sed 0.102 mg/kg sed dw (AF 50) PNEC Soil 5.29 mg/kg soil dw (AF 10)

PNEC STP 100 mg/l (AF 10) Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)



Printing date 03.04.2024 Version: 12 (replaces version 11) Revision: 16.02.2023

## Trade name: PEROXAN PK295 V

(Contd. of page 3)

· 8.2 Exposure controls · Appropriate engineering

**controls** No further data; see section 7.

· Individual protection measures, such as personal protective equipment

General protective and

hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection.

Be sure to clean skin thoroughly after work and before breaks.

• Respiratory protection: Not necessary if room is well-ventilated.

Use suitable respiratory device when it exceed exposure limit and when insufficiently ventilated.

Filler A

Hand protection
 Only use chemical-protective gloves with CE-labelling of category III.

Z III

Selection of the glove material on consideration of the penetration times, rates of diffusion and the

degradation

Protective gloves

Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of

Colourless

Characteristic

Not determined.

Not determined.

quality and varies from manufacturer to manufacturer.

Butyl rubber, BR

Fluorocarbon rubber (Viton)

Nitrile rubber, NBR

Neoprene

· Penetration time of glove

material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be

observed.

· Eye/face protection

Tightly sealed goggles

· Body protection:



Protective work clothing

#### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour:
· Odour:
· Odour threshold:

Odour threshold:
 Melting point/freezing point:
 Boiling point or initial boiling point and boiling range
 Not determined.
 Not applicable.
 Not applicable.

• Boiling point or initial boiling point and boiling range Not applicable. • Flammability Not applicable.

Lower and upper explosion limit

Lower:
Upper:
Not determined.
Flash point:
SADT

Page residue to represent the second of the second

Decomposition temperature: +60 °C (SADT)
pH Not determined.

· Viscosity:

· Kinematic viscosity

Dynamic:
Solubility
water:

water: Undetermined.
 Partition coefficient n-octanol/water (log value) not determined.
 Vapour pressure: Not determined.

Density and/or relative density

Density at 20 °C:

Relative density

Vapour density

0.850 g/cm³

Not determined.

Not determined.

• 9.2 Other information No further relevant information available.

(Contd. on page 5)



Printing date 03.04.2024 Version: 12 (replaces version 11) Revision: 16.02.2023

# Trade name: PEROXAN PK295 V

(Contd. of page 4)

	(Conta. or page
· Appearance:	Fluid
Important information on protection of health and environment,	
and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapour
	mixtures are possible.
· Change in condition	
· Evaporation rate	Not determined.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in	
contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Heating may cause a fire.
Corrosive to metals	Void
Desensitised explosives	Void
Other safety characteristics	

### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity

Active oxygen

· 10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No further relevant information available.

SADT (Self Accelerating Decomposition Temperature) is the lowest temperature at which self accelerating decomposition may occur with substance in the packaging as used in transport. A dangerous selfaccelerating decomposition reaction and, under certain circumstances, explosion or fire can be cause decomposition at and above the temperature. Contact with incompatible substances can cause

decomposition at or below the SADT.

No decomposition if used and stored according to specifications.

To avoid thermal decomposition do not overheat.

· 10.3 Possibility of hazardous

reactions

Self-accelerating decomposition at SADT.

· 10.4 Conditions to avoid

· Additional information:

No further relevant information available.

· 10.5 Incompatible materials:

Rapid decomposition by dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g.

heavy-metal compounds and amines).

· 10.6 Hazardous decomposition

products:

Hydrocarbons, carbondioxide and -monoxid.

No hazardous decomposition products if used and stored according to specifications.

5.2 - 5.5 %

Emergency procedures will vary depending on conditions. The customer should have an emergency

response plane in place.

#### **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Based on available data, the classification criteria are not met. Acute toxicity

LD/LC50 values relevant for classification:

6731-36-8 di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide

Oral LD50 >2,000 mg/kg (rattus) Dermal LD50 >2,000 mg/kg (rattus)

93685-81-5 Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated

LD50 >5,000 mg/kg (rattus)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

(Contd. on page 6)



Printing date 03.04.2024 Version: 12 (replaces version 11) Revision: 16.02.2023

Trade name: PEROXAN PK295 V

Serious eye damage/irritation Based on available data, the classification criteria are not met.

(Contd. of page 5)

· Respiratory or skin

sensitisation
Germ cell mutagenicity
Carcinogenicity
Reproductive toxicity
STOT-single exposure

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

• **Aspiration hazard** May be fatal if swallowed and enters airways.

11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

#### **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity:

93685-81-5 Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated

EC50 / 48h >0.04 mg/l (daphnia) IC50 / 72h >0.04 mg/l (algae)

12.2 Persistence and degradability

· Degree of elimination:

· Classification:

6731-36-8 di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide

Degradation (Evidence for inherent biodegradability.) (OECD 301 D)

93685-81-5 Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated

Degradation (Not readily biodegradable)

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH, annex XIII.
 vPvB: The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH, annex XIII.

12.6 Endocrine disrupting

properties

The product does not contain substances with endocrine disrupting properties.

**12.7 Other adverse effects** No further relevant information available.

· Remark:

Very toxic for fish

· Additional ecological information:

• General notes: Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

#### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation



After diluting with a suitable desentisation agent to 10 %, the solution must be supplied to a special treatment (e. g. thermal utilization) under observance of all official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage

system.

• Waste disposal key: Please contact your hazardous waste disposers to assign the right EWC-(European waste catalog)-

number.

· Uncleaned packaging:

• Recommendation: This material and its container must be disposed of as hazardous waste

#### **SECTION 14: Transport information**

· 14.1 UN number or ID number

· ADR, IMDG, IATA UN3107

(Contd. on page 7)



(Contd. of page 6)

Printing date 03.04.2024 Version: 12 (replaces version 11) Revision: 16.02.2023

## Trade name: PEROXAN PK295 V

· 14.2 UN proper shipping name · ADR UN3107 ORGANIC PEROXIDE TYPE E, LIQUID (1,1-DI-(tert-

BUTYLPEROXY)-3,3,5-TRIMETHYLCYCLOHEXANE) · IMDG. IATA ORGANIC PEROXIDE TYPE E, LIQUID (1,1-DI-(tert-BUTYLPEROXY)-

3,3,5-TRIMETHYLCYCLOHEXANE)

· 14.3 Transport hazard class(es)

· ADR



Class 5.2 (P1) Organic peroxides.

Label

· IMDG, IATA



Class 5.2 Organic peroxides. 5.2

· Label

· 14.4 Packing group

Void · ADR, IMDG, IATA

· 14.5 Environmental hazards:

· Marine pollutant: Yes

· 14.6 Special precautions for user Warning: Organic peroxides.

Hazard identification number (Kemler code):

Stowage Category

· Stowage Code SW1 Protected from sources of heat. · Segregation Code SG35 Stow "separated from" SGG1-acids SG36 Stow "separated from" SGG18-alkalis.

SG72 See 7.2.6.3.2.

· 14.7 Maritime transport in bulk according to IMO instruments Not applicable.

· Transport/Additional information:

· ADR

· Limited quantities (LQ) 125 ml · Excepted quantities (EQ) Code: E0

Not permitted as Excepted Quantity

· Transport category D · Tunnel restriction code

· RID / GGVSEB: like ADR

· IMDG

· Limited quantities (LQ) Excepted quantities (EQ) Code: F0

Not permitted as Excepted Quantity

### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Poisons Act

Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

(Contd. on page 8)



Printing date 03.04.2024 Version: 12 (replaces version 11) Revision: 16.02.2023

## Trade name: PEROXAN PK295 V

(Contd. of page 7)

Directive 2012/18/EU

Qualifying quantity (tonnes) for the application of lower-tier requirements

50 t

Qualifying quantity (tonnes) for the application of upper-tier

200 t requirements

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex

None of the ingredients is listed.

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

Other regulations, limitations and prohibitive regulations

· Please note: Take care of the respective local regulations.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

H226 Flammable liquid and vapour. · Relevant phrases

H241 Heating may cause a fire or explosion.

H304 May be fatal if swallowed and enters airways.

H413 May cause long lasting harmful effects to aquatic life.

Department issuing SDS: Environment protection / Security of labour

Contact: Tel: +49 2871 9902-0

E-mail: mail@pergan.com

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the

International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ICAO: International Civil Aviation Organisation
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic VPUB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Org. Perox. B: Organic peroxides – Type B Org. Perox. E: Organic peroxides – Type E/F Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4

· \* Data compared to the previous version altered.

GB