

Version: 5 (replaces version 4)

The Peroxide Company

Revision: 16.02.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

PEROXAN PPV-65

| · Trade name: | PEROXAN PPV-65 | |
|---|---|--|
| · 1.2 Relevant identified uses of the | of the substance or mixture and uses advised against No further relevant information available. | |
| Application of the substance / the mixture | Reaction initiator For industrial use | |
| 1.3 Details of the supplier of the Manufacturer/Supplier: | safety data sheet PERGAN GmbH Hilfsstoffe für industrielle Prozesse Schlavenhorst 71 D-46395 Bocholt Tel: +49 2871 9902-0 Fax: +49 2871 9902-50 | |
| Further information obtainable from: 1.4 Emergency telephone number: | Environment protection / Security of labour Qualified person: E-mail: msds@pergan.com - Tel: +49 2871 9902-0 | |
| SECTION 2: Hazards identifie | cation | |

SECTION 2: Hazards identification

• 2.1 Classification of the substance or mixture

| • | Classification according to Regulation (EC) No 1272/2008 | | |
|---|--|---|--|
| | Flam. Liq. 3 | H226 Flammable liquid and vapour. | |
| | Org. Perox. D | H242 Heating may cause a fire. | |
| | Skin Irrit. 2 | H315 Causes skin irritation. | |
| | Skin Sens. 1 | H317 May cause an allergic skin reaction. | |
| | STOT SE 3 | H335 May cause respiratory irritation. | |
| | Asp. Tox. 1 | H304 May be fatal if swallowed and enters airways. | |
| | Aquatic Chronic 2 | H411 Toxic to aquatic life with long lasting effects. | |

2.2 Label elements Labelling according to

· Hazard pictograms

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.



| | 011002 011007 01 | |
|---|---|--|
| · Signal word | Danger | |
| Hazard-determining components of labelling: | tert-butyl peroxypiv Hydrocarbons, C4 | valate , 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated |
| · Hazard statements | H226 Flammable I H242 Heating may H315 Causes skin H317 May cause a H335 May cause r H304 May be fatal | iquid and vapour. v cause a fire. irritation. an allergic skin reaction. espiratory irritation. if swallowed and enters airways. |
| · Precautionary statements | P210 P220 | atic life with long lasting effects. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and |
| | P234 P243 P264 P273 P280 | Accelerators (e. g. heavy metal compounds and amines). Keep only in original packaging. Take action to prevent static discharges. Wash thoroughly after handling. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. |
| | P301+P310 P331 P303+P361+P353 P362+P364 P405 P410 P411+P235 | IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Take off contaminated clothing and wash it before reuse. Store locked up. Protect from sunlight. Store at temperatures not exceeding 0°C. Keep cool. |

Printing date 03.04.2024

Version: 5 (replaces version 4)

Revision: 16.02.2023

The Peroxide Company

Trade name: PEROXAN PPV-65

| | (Contd. of page 1) |
|---|--|
| P420 | Store separately. |
| P501 | Dispose of contents/container in accordance with local/regional/national/international regulations. |
| 2.3 Other hazards Results of PBT and vPvB assessment | |

| · PBT: | The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH, annex XIII. | |
|---------|--|--|
| · vPvB: | The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH, annex XIII. | |

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

| · Dangerous components: | | |
|--|--|--------|
| | tert-butyl peroxypivalate | 60-70% |
| EINECS: 213-147-2 Reg-No.: 01-2119961356-32 | Org. Perox. C, H242; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335 | |
| CAS: 93685-81-5 EINECS: 297-629-8 | Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated Alternative CAS number: 13475-82-6 | 30-40% |
| Reg-No.: 01-2119490725-29 | Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 4, H413 | - |
| · Additional information: | For the wording of the listed hazard phrases refer to section 16. | |

SECTION 4: First aid measures

- 4.1 Description of first aid measures General information:
- · After inhalation:
- · After skin contact:
- · After eye contact:
- After swallowing:
- · 4.2 Most important symptoms and effects, both acute and delayed
- 4.3 Indication of any immediate medical attention and special treatment needed

Take care of personal protection for the first aider. Supply fresh air and to be sure call for a doctor. In case of unconsciousness place patient stably in side position for transportation. Take affected persons into fresh air and keep quiet. Immediately wash with water and soap and rinse thoroughly. Immediately remove contaminated clothing. Rinse opened eye for several minutes under running water. If symptoms persist consult doctor.

No further relevant information available.

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

. -

• Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. · For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Under certain fire conditions, traces of other toxic gases cannot be excluded. Hydrocarbons, carbondioxide and -monoxid. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. Self-protection first!

SECTION 6: Accidental release measures

| 6.1 Personal precautions, protective equipment and | | |
|---|---|-----------------|
| emergency procedures | Keep away from ignition sources. | |
| | In case of further temperature should be cooled with waterspray from a safe distance. | |
| | Wear breathing apparatus with filter A during decomposition of materials. | |
| | Wear protective equipment. Keep unprotected persons away. | |
| · 6.2 Environmental precautions: | Inform respective authorities in case of seepage into water course or sewage system. | |
| | | (Contd. on page |

e 3)

Printing date 03.04.2024

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31 Version: 5 (replaces version 4)



Revision: 16.02.2023

Trade name: PEROXAN PPV-65

| | (Contd. of page 2) |
|---------------------------------|---|
| | Do not allow to enter sewers/ surface or ground water. |
| 6.3 Methods and material for | |
| containment and cleaning up: | Dispose contaminated material as waste according to section 13. |
| | Ensure adequate ventilation. |
| | Large quantities should be diluted with suitable desensitation agent to a concentration below 10 % before disposal. |
| | Soak up with absorbant material (e. g. Vermiculit) and dispose of in accordance with government regulations. |
| 6.4 Reference to other sections | See Section 7 for information on safe handling. |
| | See Section 8 for information on personal protection equipment. |
| | See Section 13 for disposal information. |
| | In case of large spillage the environmental authority should be informed. |

SECTION 7: Handling and storage

| OLOTION 7. Handling and St | oruge | | |
|--|---------------|--|---------------------|
| · 7.1 Precautions for safe | | | |
| handling | Keep awav fr | om heat and direct sunlight. | |
| 5 | | ndle receptacle with care. | |
| | | ation of aerosols. | |
| | | e respiratory protective device when decanting larger quantities without extract | tor facilities |
| | | esidue into storage receptacles. | |
| | | uantity stored at the work place. | |
| | | and at the end of work hands should be thoroughly washed. | |
| | | s made of suitable materials (e. g. polyethylene or stainless steel). | |
| | | om dirt, rust, chemicals in particular concentrated acids, alkalis and accelerat | ors (e. a. heavy- |
| | | unds and amines). | .013 (C. g. 11Cavy- |
| | | lo not eat, drink or smoke. | |
| | | ate flames or sparks. | |
| | | and emptied container away from heat and sources of ignition. | |
| | Avoid shock a | | |
| | | ionary measures against static discharges. | |
| | | ionary measures against static discharges. | |
| | | ot smoke. | |
| | | | |
| Information about fire - and | | | |
| explosion protection: | Protect from | heat | |
| | | st electrostatic charges. | |
| | | ct and friction. | |
| | | n-proof apparatus / fittings and spark-proof tools. | |
| | | ombine with air to form an explosive mixture. | |
| | | | |
| | Wea | r shoes with conductive soles. | |
| | | | |
| | Form | nation of flammable or explosive gas/air-mixtures is possible. | |
| | | Avoid open flames, sparks, direct sunlight and other sources of ignition. | |
| | | | |
| | | Keep ignition sources away - Do not smoke. | |
| 7.2 Conditions for acts stores | including on | incompatibilities | |
| • 7.2 Conditions for safe storage, | | | |
| Storage: | Pay attention | to the special requirements of your local autorithies for storing dangerous go | oas. |
| Requirements to be met by | o | | |
| storerooms and receptacles: | | the original receptacle. | |
| | | seepage into the ground. | |
| | Use only rece | eptacles specifically permitted for this substance/product. | |
| Information about storage in | D | | |
| one common storage facility: | | or park organic peroxide together with heavy metal compounds and amines. | |
| Fourth and indiana the state | Store away fr | om foodstuffs, drinks and feeding stuffs. | |
| Further information about | 1 2 | | |
| storage conditions: | | er tightly sealed. | |
| | | heat and direct sunlight. | |
| | Protect from | contamination. | |
| Recommended storage | | | |
| temperature (To maintain | | | |
| quality): | max.: -5 °C | | |
| Control temperature: | 0°C | | |
| Emergency temperature: | +10 °C | | |
| · Storage class: | 5.2 | | |
| | | | (Contd. on page 4) |
| | | | GB — |

Printing date 03.04.2024

Version: 5 (replaces version 4)



Revision: 16.02.2023

Trade name: PEROXAN PPV-65

| 7.3 Specific end use(s) |) | No further relevant information available. | (Contd. of pag |
|--|-------------|---|--|
| SECTION 8: Exposu | re contro | ols/personal protection | |
| 3.1 Control parameters | 5 | | |
| Ingredients with limit | | | |
| that require monitorin | ig at the | | |
| workplace: | | The product does not contain any relevant quantities of materials with critical values that monitored at the workplace. | have to be |
| DNELs | | | |
| 927-07-1 tert-butyl perc | oxvpivalate | | |
| | | n 1.6 mg/kg bw/day (Worker) | |
| nhalative DNEL Longte | erm System | n 2.8 mg/m3 (Worker) | |
| PNECs | | | |
| 927-07-1 tert-butyl pero | oxypivalate | e | |
| PNEC Marinewater sed | 0.011 mg/ | /kg sed dw (-) | |
| PNEC Freshwater | 0.014 mg/ | /I (AF 100) | |
| PNEC Freshwater sed | - | /kg sed dw (-) | |
| PNEC Soil | - | /kg soil dw | |
| PNEC STP | 10,000 mg | | |
| PNEC Marinewater | 1 | /I (AF 1.000) | |
| Additional informatio | on: | The lists valid during the making were used as basis. | |
| 3.2 Exposure controls | na | | |
| Appropriate engineeri controls | ing | No further data; see section 7. | |
| | measures, | , such as personal protective equipment | |
| General protective ar | nd | | |
| hygienic measures: | | The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. | |
| | | Immediately remove all soiled and contaminated clothing | |
| | | Wash hands before breaks and at the end of work. | |
| | | | |
| | | Store protective clothing separately. | |
| | | Store protective clothing separately. Avoid close or long term contact with the skin. | |
| | | Store protective clothing separately. Avoid close or long term contact with the skin. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. | |
| | | Store protective clothing separately. Avoid close or long term contact with the skin. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection. | |
| Respiratory protectio | n: | Store protective clothing separately. Avoid close or long term contact with the skin. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection. Be sure to clean skin thoroughly after work and before breaks. | e or longer |
| Respiratory protectio | n: | Store protective clothing separately. Avoid close or long term contact with the skin. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection. | e or longer |
| Respiratory protectio | n: | Store protective clothing separately. Avoid close or long term contact with the skin. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection. Be sure to clean skin thoroughly after work and before breaks. In case of brief exposure or low pollution use respiratory filter device. In case of intensive exposure use self-contained respiratory protective device. | - |
| Respiratory protectio | ın: | Store protective clothing separately. Avoid close or long term contact with the skin. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection. Be sure to clean skin thoroughly after work and before breaks. In case of brief exposure or low pollution use respiratory filter device. In case of intensive | - |
| | in: | Store protective clothing separately. Avoid close or long term contact with the skin. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection. Be sure to clean skin thoroughly after work and before breaks. In case of brief exposure or low pollution use respiratory filter device. In case of intensive exposure use self-contained respiratory protective device. Use suitable respiratory device when it exceed exposure limit and when insuffici Filter A2 | - |
| Respiratory protectio | ın: | Store protective clothing separately. Avoid close or long term contact with the skin. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection. Be sure to clean skin thoroughly after work and before breaks. In case of brief exposure or low pollution use respiratory filter device. In case of intensive exposure use self-contained respiratory protective device. Use suitable respiratory device when it exceed exposure limit and when insuffici Filter A2 Only use chemical-protective gloves with CE-labelling of category III. | ently ventilated |
| | n: | Store protective clothing separately. Avoid close or long term contact with the skin. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection. Be sure to clean skin thoroughly after work and before breaks. In case of brief exposure or low pollution use respiratory filter device. In case of intensive exposure use self-contained respiratory protective device. Use suitable respiratory device when it exceed exposure limit and when insuffici Filter A2 | ently ventilated |
| | ın: | Store protective clothing separately. Avoid close or long term contact with the skin. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection. Be sure to clean skin thoroughly after work and before breaks. In case of brief exposure or low pollution use respiratory filter device. In case of intensive exposure use self-contained respiratory protective device. Use suitable respiratory device when it exceed exposure limit and when insufficient Filter A2 Only use chemical-protective gloves with CE-labelling of category III. Selection of the glove material on consideration of the penetration times, rates of degradation | ently ventilated |
| | n: | Store protective clothing separately. Avoid close or long term contact with the skin. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection. Be sure to clean skin thoroughly after work and before breaks. In case of brief exposure or low pollution use respiratory filter device. In case of intensive exposure use self-contained respiratory protective device. Use suitable respiratory device when it exceed exposure limit and when insuffici Filter A2 Only use chemical-protective gloves with CE-labelling of category III. Selection of the glove material on consideration of the penetration times, rates of degradation Protective gloves | ently ventilated |
| Hand protection | n: | Store protective clothing separately. Avoid close or long term contact with the skin. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection. Be sure to clean skin thoroughly after work and before breaks. In case of brief exposure or low pollution use respiratory filter device. In case of intensive exposure use self-contained respiratory protective device. Use suitable respiratory device when it exceed exposure limit and when insuffici Filter A2 Only use chemical-protective gloves with CE-labelling of category III. Selection of the glove material on consideration of the penetration times, rates of degradation Protective gloves The selection of the suitable gloves does not only depend on the material, but also on fur quality and varies from manufacturer to manufacturer. | ently ventilated |
| Hand protection | in: | Store protective clothing separately. Avoid close or long term contact with the skin. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection. Be sure to clean skin thoroughly after work and before breaks. In case of brief exposure or low pollution use respiratory filter device. In case of intensive exposure use self-contained respiratory protective device. Use suitable respiratory device when it exceed exposure limit and when insuffici Filter A2 Only use chemical-protective gloves with CE-labelling of category III. Selection of the glove material on consideration of the penetration times, rates of degradation Protective gloves The selection of the suitable gloves does not only depend on the material, but also on fur quality and varies from manufacturer to manufacturer. Butyl rubber, BR | ently ventilated |
| Hand protection | in: | Store protective clothing separately. Avoid close or long term contact with the skin. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection. Be sure to clean skin thoroughly after work and before breaks. In case of brief exposure or low pollution use respiratory filter device. In case of intensive exposure use self-contained respiratory protective device. Use suitable respiratory device when it exceed exposure limit and when insuffici- Filter A2 Only use chemical-protective gloves with CE-labelling of category III. Selection of the glove material on consideration of the penetration times, rates of degradation Protective gloves The selection of the suitable gloves does not only depend on the material, but also on fur quality and varies from manufacturer to manufacturer. Butyl rubber, BR Fluorocarbon rubber (Viton) | ently ventilated |
| Hand protection Material of gloves | | Store protective clothing separately. Avoid close or long term contact with the skin. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection. Be sure to clean skin thoroughly after work and before breaks. In case of brief exposure or low pollution use respiratory filter device. In case of intensive exposure use self-contained respiratory protective device. Use suitable respiratory device when it exceed exposure limit and when insuffici Filter A2 Only use chemical-protective gloves with CE-labelling of category III. Selection of the glove material on consideration of the penetration times, rates of degradation Protective gloves The selection of the suitable gloves does not only depend on the material, but also on fur quality and varies from manufacturer to manufacturer. Butyl rubber, BR | ently ventilated |
| Hand protection Material of gloves | | Store protective clothing separately. Avoid close or long term contact with the skin. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection. Be sure to clean skin thoroughly after work and before breaks. In case of brief exposure or low pollution use respiratory filter device. In case of intensive exposure use self-contained respiratory protective device. We suitable respiratory device when it exceed exposure limit and when insufficing Filter A2 Only use chemical-protective gloves with CE-labelling of category III. Selection of the glove material on consideration of the penetration times, rates of degradation Protective gloves The selection of the suitable gloves does not only depend on the material, but also on fur quality and varies from manufacturer to manufacturer. Butyl rubber, BR Fluorocarbon rubber (Viton) Nitrile rubber, NBR Neoprene | ently ventilated |
| Hand protection Material of gloves | | Store protective clothing separately. Avoid close or long term contact with the skin. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection. Be sure to clean skin thoroughly after work and before breaks. In case of brief exposure or low pollution use respiratory filter device. In case of intensive exposure use self-contained respiratory protective device. Use suitable respiratory device when it exceed exposure limit and when insuffici- Filter A2 Only use chemical-protective gloves with CE-labelling of category III. Selection of the glove material on consideration of the penetration times, rates of degradation Protective gloves The selection of the suitable gloves does not only depend on the material, but also on fur quality and varies from manufacturer to manufacturer. Butyl rubber, BR Fluorocarbon rubber (Viton) Nitrile rubber, NBR | ently ventilated |
| Hand protection Material of gloves | | Store protective clothing separately. Avoid close or long term contact with the skin. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection. Be sure to clean skin thoroughly after work and before breaks. In case of brief exposure or low pollution use respiratory filter device. In case of intensive exposure use self-contained respiratory protective device. Wile suitable respiratory device when it exceed exposure limit and when insufficient of the gloves with CE-labelling of category III. Selection of the glove material on consideration of the penetration times, rates of degradation Protective gloves The selection of the suitable gloves does not only depend on the material, but also on fur quality and varies from manufacturer to manufacturer. Butyl rubber, BR Fluorocarbon rubber (Viton) Nitrile rubber, NBR Neoprene | ently ventilated |
| Hand protection Material of gloves Penetration time of g material | | Store protective clothing separately. Avoid close or long term contact with the skin. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection. Be sure to clean skin thoroughly after work and before breaks. In case of brief exposure or low pollution use respiratory filter device. In case of intensive exposure use self-contained respiratory protective device. In case of brief exposure or low pollution use respiratory filter device. In case of intensive exposure use self-contained respiratory protective device. Use suitable respiratory device when it exceed exposure limit and when insuffici- Filter A2 Only use chemical-protective gloves with CE-labelling of category III. Selection of the glove material on consideration of the penetration times, rates of degradation Protective gloves The selection of the suitable gloves does not only depend on the material, but also on fur quality and varies from manufacturer to manufacturer. Butyl rubber, BR Fluorocarbon rubber (Viton) Nitrile rubber, NBR Neoprene The exact break trough time has to be found out by the manufacturer of the protective gloves | ently ventilated of diffusion and rther marks of |
| Hand protection Material of gloves Penetration time of g material | | Store protective clothing separately. Avoid close or long term contact with the skin. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection. Be sure to clean skin thoroughly after work and before breaks. In case of brief exposure or low pollution use respiratory filter device. In case of intensive exposure use self-contained respiratory protective device. Wile suitable respiratory device when it exceed exposure limit and when insufficient of the gloves with CE-labelling of category III. Selection of the glove material on consideration of the penetration times, rates of degradation Protective gloves The selection of the suitable gloves does not only depend on the material, but also on fur quality and varies from manufacturer to manufacturer. Butyl rubber, BR Fluorocarbon rubber (Viton) Nitrile rubber, NBR Neoprene | ently ventilated |

Printing date 03.04.2024

Version: 5 (replaces version 4)

PERGAN The Peroxide Company

Revision: 16.02.2023

(Contd. of page 4)

Trade name: PEROXAN PPV-65

| SECTION 9: Physical and chemical properties | |
|---|--|
| • 9.1 Information on basic physical and chemical properties | |
| General Information | |
| · Colour: | Colourless |
| · Odour: | Characteristic |
| · Odour threshold: | Not determined. |
| Melting point/freezing point: | Not applicable. |
| · Boiling point or initial boiling point and boiling range | Not applicable. |
| · Flammability | Not applicable. |
| · Lower and upper explosion limit | Not applicable. |
| · Lower: | Not determined. |
| · Upper: | Not determined. |
| •• | > SADT |
| · Flash point: | |
| Decomposition temperature: | +20 °C (SADT) |
| · pH | Not determined. |
| Viscosity: | N - A d - A - market and |
| Kinematic viscosity | Not determined. |
| Dynamic: | Not determined. |
| Solubility | Line distances in a d |
| · water: | Undetermined. |
| Partition coefficient n-octanol/water (log value) | not determined |
| Vapour pressure: | Not determined. |
| Density and/or relative density | |
| · Density at 0 °C: | 0.86 g/cm ³ |
| · Relative density | Not determined. |
| · Vapour density | Not determined. |
| · 9.2 Other information | No further relevant information available. |
| · Appearance: | |
| · Form: | Fluid |
| · Important information on protection of health and environme | |
| and on safety. | , |
| · Ignition temperature: | Product is not selfigniting. |
| Explosive properties: | Product is not explosive. However, formation of explosive air/vapour |
| | mixtures are possible. |
| · Change in condition | |
| · Evaporation rate | Not determined. |
| | Not determined. |
| Information with regard to physical hazard classes | |
| · Explosives | Void |
| [·] Flammable gases | Void |
| Aerosols | Void |
| · Oxidising gases | Void |
| · Gases under pressure | Void |
| Flammable liquids | Flammable liquid and vapour. |
| Flammable solids | Void |
| Self-reactive substances and mixtures | Void |
| · Pyrophoric liquids | Void |
| Pyrophoric solids | Void |
| Self-heating substances and mixtures | Void |
| Substances and mixtures, which emit flammable gases in | |
| contact with water | Void |
| • Oxidising liquids | Void |
| · Oxidising solids | Void |
| · Organic peroxides | Heating may cause a fire. |
| · Corrosive to metals | Void |
| Desensitised explosives | Void |
| • | volu |
| Other safety characteristics Active oxygen | 5.9 - 6.1 % |
| Active Oxygen | 0.0 - 0.1 /0 |

SECTION 10: Stability and reactivity

10.1 Reactivity
 10.2 Chemical stability

 Thermal decomposition / conditions to be avoided: No further relevant information available.

SADT (Self Accelerating Decomposition Temperature) is the lowest temperature at which self accelerating decomposition may occur with substance in the packaging as used in transport. A dangerous self-accelerating decomposition reaction and, under certain circumstances, explosion or fire can be cause decomposition at and above the temperature. Contact with incompatible substances can cause

```
(Contd. on page 6)
GB
```

Printing date 03.04.2024

Version: 5 (replaces version 4)



Revision: 16.02.2023

Trade name: PEROXAN PPV-65

| | (Contd. of page 5) |
|---|--|
| | decomposition at or below the SADT. |
| | No decomposition if used and stored according to specifications. |
| | To avoid thermal decomposition do not overheat. |
| 10.3 Possibility of hazardous | |
| reactions | Self-accelerating decomposition at SADT. |
| 10.4 Conditions to avoid | No further relevant information available. |
| · 10.5 Incompatible materials: | Rapid decomposition by dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e.g. heavy-metal compounds and amines). |
| · 10.6 Hazardous decomposition | |
| products: | Hydrocarbons, carbondioxide and -monoxid. |
| - | No hazardous decomposition products if used and stored according to specifications. |
| · Additional information: | Emergency procedures will vary depending on conditions. The customer should have an emergency response plane in place. |

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 • Acute toxicity Based on available data, the classification criteria

Based on available data, the classification criteria are not met.

| · LD/LC50 values relevant for classification: | | | | |
|---|---------------------|---|--|--|
| 927-07-1 tert-butyl peroxypivalate | | | | |
| Oral | LD50 | 4,169 mg/kg (rattus) | | |
| Dermal | LD50 | 2,500 mg/kg (rabbit) | | |
| Inhalative | LC50 / 4h | n 7.79 mg/l (rattus) | | |
| 93685-81-5 Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated | | | | |
| Oral | LD50 | >5,000 mg/kg (rattus) | | |
| Skin corr | osion/irrita | tation Causes skin irritation. | | |
| · Serious e | eye damag | ge/irritation Based on available data, the classification criteria are not met. | | |
| • | Respiratory or skin | | | |
| sensitisation | | May cause an allergic skin reaction. | | |
| Germ cell mutagenicity | | nicity Based on available data, the classification criteria are not met. | | |
| · Carcinogenicity | | Based on available data, the classification criteria are not met. | | |
| · Reproduce | ctive toxici | city Based on available data, the classification criteria are not met. | | |
| · STOT-sin | igle exposi | sure May cause respiratory irritation. | | |
| · STOT-rep | eated exp | | | |
| Aspiratio | | May be fatal if swallowed and enters airways. | | |
| · 11.2 Information on other hazards | | | | |
| · Endocrine disrupting properties | | | | |
| None of the ingredients is listed. | | | | |

SECTION 12: Ecological information

| · 12.1 Toxicity | | |
|---|--|---|
| · Aquatic toxicity: | | |
| 927-07-1 tert-butyl peroxypiv | valate | |
| LC50 / 96h 29 mg/l (brachyda | anio rerio) | |
| 93685-81-5 Hydrocarbons, C | C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated | |
| EC50 / 48h >0.04 mg/l (daph | inia) | |
| IC50 / 72h >0.04 mg/l (algae | e) | |
| 12.2 Persistence and degrad | dability | |
| Degree of elimination: | | |
| · Classification: | | |
| 927-07-1 tert-butyl peroxypiv | valate | |
| Degradation (Evidence for in | nherent biodegradability.) (OECD 301 D) | |
| 93685-81-5 Hydrocarbons, C | C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated | |
| Degradation (Not readily biod | degradable) | |
| 12.3 Bioaccumulative poten | itial | |
| · Partition coefficient: nOcta | anol/water: [Log Kow] | |
| 927-07-1 tert-butyl peroxypiva | alate | 3,17 (25°C) |
| | No further relevant information available. | |
| 12.5 Results of PBT and vPv | vB assessment | |
| · PBT: | The substances in the mixture do not meet the PBT/vPvB criteria according to t | UK REACH, annex XIII. (Contd. on page 7) |

Version: 5 (replaces version 4)



Revision: 16.02.2023

Printing date 03.04.2024

| Trade name: | Ρ | ER | O) | KAN | PP | PV-65 | |
|-------------|---|----|----|------------|----|-------|--|
|-------------|---|----|----|------------|----|-------|--|

| vPvB: | (Contd. of page 6) The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH, annex XIII. |
|--|---|
| 12.6 Endocrine disrupting properties 12.7 Other adverse effects | The product does not contain substances with endocrine disrupting properties. No further relevant information available. |
| · Remark: · Additional ecological informa | Harmful to fish |
| · General notes: | Harmful to aquatic organisms Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. |
| | Danger to drinking water if even small quantities leak into the ground. |

SECTION 13: Disposal considerations

13.1 Waste treatment methods
 Recommendation

After diluting with a suitable desentisation agent to 10 %, the solution must be supplied to a special treatment (e. g. thermal utilization) under observance of all official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage

· Waste disposal key:

system. Please contact your hazardous waste disposers to assign the right EWC-(European waste catalog)number.

Uncleaned packaging:
 Recommendation:

This material and its container must be disposed of as hazardous waste.

SECTION 14: Transport information

| · 14.1 UN number or ID number · ADR, IMDG | UN3115 |
|--|---|
| · 14.2 UN proper shipping name · ADR · IMDG | UN3115 ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED (tert-BUTYL PEROXYPIVALATE), ENVIRONMENTALLY HAZARDOUS ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED (tert-BUTYL PEROXYPIVALATE), MARINE POLLUTANT |
| 14.3 Transport hazard class(es) | |
| ADR | |
| · Class · Label | 5.2 (P2) Organic peroxides. 5.2 |
| ·IMDG | |
| | |
| · Class · Label | 5.2 Organic peroxides. 5.2 |
| · IATA | |
| · Class · Label | X X |
| · 14.4 Packing group | |
| · ADR, IMDG · 14.5 Environmental hazards: | Void |
| • Marine pollutant: • Special marking (ADR): | Symbol (fish and tree) Symbol (fish and tree) |
| • 14.6 Special precautions for user • Hazard identification number (Kemler code): • Stowage Category • Stowage Code | Warning: Organic peroxides. - D SW1 Protected from sources of heat. SW3 Shall be transported under temperature control. |
| | (Contd. on page 8) |

Printing date 03.04.2024

Version: 5 (replaces version 4)

PERGAN The Peroxide Company

Revision: 16.02.2023

Trade name: PEROXAN PPV-65

| | (Contd. of page |
|--|--|
| · Segregation Code | SG35 Stow "separated from" SGG1-acids SG36 Stow "separated from" SGG18-alkalis. |
| 14.7 Maritime transport in bulk according to IMC | D instruments Not applicable. |
| · Transport/Additional information: | |
| · ADR | |
| · Limited quantities (LQ) | 0 |
| Excepted quantities (EQ) | Code: E0 |
| | Not permitted as Excepted Quantity |
| · Transport category | 1 |
| Tunnel restriction code | D |
| · RID / GGVSEB: | no admission |
| ·IMDG | |
| · Limited quantities (LQ) | 0 |
| Excepted quantities (EQ) | Code: E0 |
| | Not permitted as Excepted Quantity |
| · IATA | |
| · Remarks: | no admission |
| · Control temperature: | 0°C |
| · Emergency temperature: | +10 °C |

SECTION 15: Regulatory information

| Regulated explosives precurs | lors |
|--|---|
| None of the ingredients is listed. | |
| · Regulated poisons | |
| None of the ingredients is listed. | |
| · Reportable explosives precur | sors |
| None of the ingredients is listed. | |
| · Reportable poisons | |
| None of the ingredients is listed. | |
| Directive 2012/18/EU Qualifying quantity (tonnes) for the application of lower-tier requirements Qualifying quantity (tonnes) for the application of upper-tier requirements | 50 t |
| П | restriction of the use of certain hazardous substances in electrical and electronic equipment – Ann |
| None of the ingredients is listed. | |
| | OSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3)) |
| None of the ingredients is listed. | |
| · Annex II - REPORTABLE EXP | LOSIVES PRECURSORS |
| None of the ingredients is listed. | |
| · Regulation (EC) No 273/2004 | on drug precursors |
| None of the ingredients is listed. | |
| Regulation (EC) No 111/2005 l precursors | aying down rules for the monitoring of trade between the Community and third countries in drug |
| | |

Please note: Take care of the respective local regulations.

Printing date 03.04.2024

Version: 5 (replaces version 4)

Revision: 16.02.2023

•

The Peroxide Company

Trade name: PEROXAN PPV-65

(Contd. of page 8)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

| · Relevant phrases | H226 Flammable liquid and vapour. H242 Heating may cause a fire. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation. H411 Toxic to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life. |
|---|---|
| Department issuing SDS: Contact: | Environment protection / Security of labour Tel: +49 2871 9902-0 E-mail: mail@pergan.com |
| • Abbreviations and acronyms: | RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDC: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic VPVB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Org. Perox. C: Organic peroxides – Type C/D Skin Irrit. 2: Skin corrosion/irritation – Category 2 Skin Sens. 1: Skin sensilisation – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4 |
| • * Data compared to the previous version altered. | GB — |
| | 65 |