

Printing date 03.04.2024

Version: 5 (replaces version 4)

Revision: 20.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

PERGAPROP HX-5 PP

Trade name:
 Trade name:
 1.2 Relevant identified uses of the substance or mixture and uses advised against
 No further relevant information available.
 Application of the substance /
 the mixture
 Reaction initiator

Reaction initiator For industrial use

· 1.3 Details of the supplier of the	safety data sheet
· Manufacturer/Supplier:	PERGAN GmbH Hilfsstoffe für industrielle Prozesse Schlavenhorst 71 D-46395 Bocholt Tel: +49 2871 9902-0 Fax: +49 2871 9902-50
· Further information obtainable	Fax. +49 201 1 9902-30
from: 1.4 Emergency telephone	Qualified person: E-mail: msds@pergan.com
number:	- Tel: +49 2871 9902-0

SECTION 2: Hazards identification

2.1 Classification of the substan Classification according to Regulation (EC) No 1272/2008	The product is not classified, according to the CLP regulation.
 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms Signal word 	Void Void Void
Hazard-determining components of labelling: Hazard statements Additional information: 2.3 Other hazards	2,5-Dimethyl-2,5-di-(tertbutylperoxy)-hexane Void Safety data sheet available on request.
 Results of PBT and vPvB asses PBT: vPvB: Determination of endocrine- disrupting properties 	ssment The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

Dangerous components:			
CAS: 78-63-7 EINECS: 201-128-1 Reg-No.: 01-2119875400-42		Org. Perox. C, H242; Skin Irrit. 2, H315	5-10%
 Additional information: 	For the wording of the listed hazard phrases refer to see	ction 16.	

SECTION 4: First aid measures

• 4.1 Description of first aid measures • General information:

· After inhalation:

- · After skin contact:
- · After eye contact:
- · After swallowing:

• 4.2 Most important symptoms and effects, both acute and delayed



Take care of personal protection for the first aider.

Take affected persons into fresh air and keep quiet. Immediately remove contaminated clothing. Rinse opened eye for several minutes under running water. If symptoms persist consult doctor.

No further relevant information available.

Printing date 03.04.2024

Version: 5 (replaces version 4)



Revision: 20.12.2022

Trade name: PERGAPROP HX-5 PP

· 4.3 Indication of any immediate	(Contd. of page 1
medical attention and special treatment needed	No further relevant information available.
SECTION 5: Firefighting mea	sures
 5.1 Extinguishing media Suitable extinguishing agents: 5.2 Special hazards arising from the substance or mixture 	
S.3 Advice for firefighters Protective equipment: Additional information	Under certain fire conditions, traces of other toxic gases cannot be excluded. Do not inhale explosion gases or combustion gases. Self-protection first!
SECTION 6: Accidental relea	se measures
 6.1 Personal precautions, protective equipment and emergency procedures 6.2 Environmental precautions: 	Wear protective equipment. Keep unprotected persons away.
 6.3 Methods and material for containment and cleaning up: 	Ensure adequate ventilation. Pick up mechanically, collect in a suitable receptacle and dispose in accordance with government regulations.
• 6.4 Reference to other sections	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. In case of large spillage the environmental authority should be informed.
SECTION 7: Handling and sto	orage
7.1 Precautions for safe handling	Open and handle receptacle with care. Prevent formation of dust. Wear suitable respiratory protective device when decanting larger quantities without extractor facilities. Before break and at the end of work hands should be thoroughly washed. While using do not eat, drink or smoke. Avoid shock and friction.
 Information about fire - and explosion protection: 	Prevent impact and friction.
 7.2 Conditions for safe storage, Storage: Requirements to be met by storerooms and receptacles: 	including any incompatibilities Pay attention to the special requirements of your local autorithies for storing dangerous goods. Prevent any seepage into the ground.
 Information about storage in one common storage facility: Further information about 	Use only receptacles specifically permitted for this substance/product. Store away from foodstuffs, drinks and feeding stuffs.

storage conditions: Protect from heat and direct sunlight. Protect from contamination.

 Recommended storage temperature (To maintain quality): +10 +40 °C
 Storage class: 11
 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Printing date 03.04.2024

Version: 5 (replaces version 4)

PERGAN The Peroxide Company

Revision: 20.12.2022

Trade name: PERGAPROP HX-5 PP

·DNELs	(Contd. of page	
-	.,5-di-(tertbutylperoxy)-hexane	
	erm System 15 mg/kg bw/day (Worker)	
	erm System 11 mg/m3 (Worker)	
·PNECs	, , ,	
	2,5-di-(tertbutylperoxy)-hexane	
PNEC Marinewater sed		
PNEC Freshwater	0,00065 mg/l (AF 10)	
PNEC Soil	72,2 mg/kg sed dw (-) 14,4 mg/kg soil dw (-)	
PNEC STP	100 mg/l (AF 10)	
PNEC Marinewater	0,000065 mg/l (AF 100)	
· Additional information		
	ing No further data; see section 7. measures, such as personal protective equipment	
 General protective an hygienic measures: 	nd The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Store protective clothing separately. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection. Be sure to clean skin thoroughly after work and before breaks.	
Respiratory protectio		
· Hand protection	Only use chemical-protective gloves with CE-labelling of category III. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation	
 Material of gloves 	Protective gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Butyl rubber, BR Fluorocarbon rubber (Viton) Nitrile rubber, NBR Neoprene	
· Penetration time of		
material	The exact break trough time has to be found out by the manufacturer of the protective gloves and has to observed.	
· Eye/face protection	Tightly sealed goggles	
· Body protection:	Protective work clothing	

9.1 Information on basic physical and chemical properties	
General Information	
· Physical state	Solid
· Colour:	White
· Odour:	Characteristic
· Odour threshold:	Not determined.
· Melting point/freezing point:	Not applicable.
Boiling point or initial boiling point and boiling range	Not applicable.
Flammability	May cause fire.
	(Contd. on norm 4)

Printing date 03.04.2024

Version: 5 (replaces version 4)

The Peroxide Company

. _

Revision: 20.12.2022

Trade name: PERGAPROP HX-5 PP

	(Contd. of page 3)
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
Flash point:	Not applicable.
Decomposition temperature:	+80 °C (SADT)
pH	Not applicable.
· Viscosity:	
Kinematic viscosity	Not applicable.
Dynamic:	Not applicable.
Solubility	
water:	Undetermined.
Partition coefficient n-octanol/water (log value)	not determined
	Not determined.
· Vapour pressure:	Not applicable.
Density and/or relative density	
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not applicable.
· Particle characteristics	
See section 3.	
· 9.2 Other information	
· Appearance:	
Form:	Granulate
· Important information on protection of health and environment,	
and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Change in condition	
· Evaporation rate	Not applicable.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
[•] Flammable liquids	Void
· Flammable solids	Void
• Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
· Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in	
contact with water	Void
· Oxidising liquids	Void
• Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void
•	

SECTION 10: Stability and reactivity

No further relevant information available. · 10.1 Reactivity · 10.2 Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications. · 10.3 Possibility of hazardous reactions No dangerous reactions known. · 10.4 Conditions to avoid No further relevant information available. · 10.5 Incompatible materials: Rapid decomposition by dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e.g. heavy-metal compounds and amines). · 10.6 Hazardous decomposition No hazardous decomposition products if used and stored according to specifications. products: (Contd. on page 5) IE



Version: 5 (replaces version 4)

PERGAN The Peroxide Company

Revision: 20.12.2022

Trade name: PERGAPROP HX-5 PP

· Additional information:	(Contd. of page 4) Emergency procedures will vary depending on conditions. The customer should have an emergency response plane in place.
SECTION 11: Toxicologica	al information
· 11.1 Information on hazard c	lasses as defined in Regulation (EC) No 1272/2008
 Acute toxicity 	Based on available data, the classification criteria are not met.
· LD/LC50 values relevant for	r classification:
78-63-7 2,5-Dimethyl-2,5-di-(to	ertbutylperoxy)-hexane
Oral LD50 >2.000 mg/kg (r	attus)
Dermal LD50 >2.000 mg/kg (r	abbit)
· Skin corrosion/irritation	Based on available data, the classification criteria are not met.
 Serious eye damage/irritatio 	n Based on available data, the classification criteria are not met.
Respiratory or skin	
sensitisation	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogonicity	Based on available data, the classification criteria are not mot

CarcinogenicityBased on available data, the classification criteria are not met.Reproductive toxicityBased on available data, the classification criteria are not met.STOT-single exposureBased on available data, the classification criteria are not met.STOT-repeated exposureBased on available data, the classification criteria are not met.Aspiration hazardBased on available data, the classification criteria are not met.

11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological	information	
 12.1 Toxicity Aquatic toxicity: 12.2 Persistence and degrad Degree of elimination: 	No further relevant information available. dability	
· Classification:		
78-63-7 2,5-Dimethyl-2,5-di-	(tertbutylperoxy)-hexane	
Degradation (Not readily bio	degradable) (OECD 301 D)	
12.3 Bioaccumulative poten	itial	
· Partition coefficient: nOct	anol/water: [Log Kow]	
78-63-7 2,5-Dimethyl-2,5-di	-(tertbutylperoxy)-hexane	7,34 (20°C)
75-65-0 2-methylpropan-2-c	bl	0,32 (20°C)
110-05-4 di-tert-butyl peroxid	e	3,2 (22°C)
· Bioconcentration factor (B	CF)	
78-63-7 2,5-Dimethyl-2,5-di-	(tertbutylperoxy)-hexane	
BCF 521-839		
12.4 Mobility in soil	No further relevant information available.	
12.5 Results of PBT and vP		
PBT:	The substances in the mixture do not meet the PBT/vPvB criteria according to RE.	
· vPvB:	The substances in the mixture do not meet the PBT/vPvB criteria according to RE	ACH, annex XIII.
 12.6 Endocrine disrupting properties 	The product does not contain substances with endocrine disrupting properties.	
· 12.7 Other adverse effects	The product does not contain substances with endocrine disrupting properties.	
· Additional ecological infor	mation:	
· General notes:	Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous Do not allow undiluted product or large quantities of it to reach ground water, water system.	

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Waste disposal key:

Please contact your hazardous waste disposers to assign the right EWC-(European waste catalog)number.

Printing date 03.04.2024

Version: 5 (replaces version 4)

PERGAN The Peroxide Company

Revision: 20.12.2022

(Contd. of page 5)

Trade name: PERGAPROP HX-5 PP

Uncleaned packaging:
 Recommendation:

This material and its container must be disposed of as hazardous waste.

14.1 UN number or ID number	Void
ADR, IMDG, IATA	Void
14.2 UN proper shipping name ADR, IMDG, IATA	Void
14.3 Transport hazard class(es)	
[·] ADR, IMDG, IATA [·] Class	Void
14.4 Packing group · ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according to IMC	D instruments Not applicable.
· Transport/Additional information:	No dangerous good according the regulation of transport.
· ADR	
· RID / GGVSEB:	like ADR

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- Named dangerous substances
 - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases	H242 Heating may cause a fire.
·	H315 Causes skin irritation.
· Contact:	Tel: +49 2871 9902-0
	E-mail: mail@pergan.com
 Version number of previous 	
version:	4
· Abbreviations and acronyms:	ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International
•	Carriage of Dangerous Goods by Road)
	IMDG: International Maritime Code for Dangerous Goods
	IATA: International Air Transport Association
	GHS: Globally Harmonised System of Classification and Labelling of Chemicals
	EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society)
	DNEL: Derived No-Effect Level (REACH)

Printing date 03.04.2024

Version: 5 (replaces version 4)

PERGAN The Peroxide Company

Revision: 20.12.2022

(Contd. of page 6)

IE —

Trade name: PERGAPROP HX-5 PP

PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Org. Perox. C: Organic peroxides – Type C/D Skin Irrit. 2: Skin corrosion/irritation – Category 2

• * Data compared to the previous version altered.