

Printing date 08.01.2024 Version: 7 (replaces version 6) Revision: 20.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name: PERGAQUICK CP40

1.2 Relevant identified uses of the substance or mixture and uses advised against
No further relevant information available.

· Application of the substance /

the mixture

Accelerator for polymerisation / crosslinking

For industrial use

 \cdot 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: PERGAN GmbH

Hilfsstoffe für industrielle Prozesse

Schlavenhorst 71 D-46395 Bocholt Tel: +49 2871 9902-0 Fax: +49 2871 9902-50

· Further information obtainable

from: Enviro

Environment protection / Security of labour Qualified person: E-mail: msds@pergan.com

1.4 Emergency telephone

number: - Tel: +49 2871 9902-0

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

2.2 Label elements

· Labelling according to

Regulation (EC) No 1272/2008 Hazard pictograms

The product is classified and labelled according to the CLP regulation.

 $\langle \rangle$

GHS07

· Signal word Warning

· Hazard-determining

components of labelling: Cobalt-Polymer

Hazard statements H315 Causes skin irritation.

H319 Causes serious eye irritation.

• **Precautionary statements** P264 Wash thoroughly after handling.

P280 Wear eye protection / face protection.
P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P337+P313 If eye irritation persists: Get medical advice/attention.

2.3 Other hazards

Results of PBT and vPvB assessment

• PBT: The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.
• vPvB: The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

· Determination of endocrine-disrupting properties

128-37-0 Butylated hydroxytoluene List II

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Dangerous components:		
CAS: 107-41-5 EINECS: 203-489-0 Index number: 603-053-00-3 Reg-No.: 01-2119539582-35	Skin Irrit. 2, H315; Eye Irrit. 2, H319	10-20%
CAS: 128-37-0 EINECS: 204-881-4 Reg-No.: 01-2119555270-46 01-2119565113-46	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0,1-1%

• Additional information: For the wording of the listed hazard phrases refer to section 16.



Printing date 08.01.2024 Version: 7 (replaces version 6) Revision: 20.12.2022

Trade name: PERGAQUICK CP40

(Contd. of page 1)

Components:

Cobalt-Polymer

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information:

Take care of personal protection for the first aider.

After inhalation: In case of unconsciousness place patient stably in side position for transportation.

Take affected persons into fresh air and keep quiet. · After skin contact:

Immediately wash with water and soap and rinse thoroughly. Immediately remove contaminated clothing.

· After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

 After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate

medical attention and special treatment needed

No further relevant information available.

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from

the substance or mixture

Under certain fire conditions, traces of other toxic gases cannot be excluded.

5.3 Advice for firefighters · Protective equipment:

Do not inhale explosion gases or combustion gases.

· Additional information Self-protection first!

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.2 Environmental precautions:

Wear protective equipment. Keep unprotected persons away.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Soak up with absorbant material (e. g. Vermiculit) and dispose of in accordance with government

regulations.

· 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

In case of large spillage the environmental authority should be informed.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling

Prevent formation of aerosols.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.

Before break and at the end of work hands should be thoroughly washed.

While using do not eat, drink or smoke.

· Information about fire - and explosion protection:

No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Pay attention to the special requirements of your local autorithies for storing dangerous goods.

Requirements to be met by storerooms and receptacles:

Prevent any seepage into the ground.

Use only receptacles specifically permitted for this substance/product.

· Information about storage in one common storage facility:

Store away from peroxide.

(Contd. on page 3)



Printing date 08.01.2024 Version: 7 (replaces version 6) Revision: 20.12.2022

Trade name: PERGAQUICK CP40

Store away from foodstuffs, drinks and feeding stuffs.

(Contd. of page 2)

· Further information about

storage conditions:

Keep container tightly sealed.

· Storage class: 10-

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· 8.1 Control parameters			
Ingredients with limit values that require monitoring at the workplace:			
107-41-5 2-methylpentane-2,4-diol			
OEL (Ireland)	Short-term value: 125 mg/m³, 25 ppm		
	Short-term value: 123 mg/m³, 25 ppm Long-term value: 123 mg/m³, 25 ppm		
128-37-0 Butylated hydroxytoluene			
OEL (Ireland)	Long-term value: 2 mg/m³		
WEL (Great Britain) Long-term value: 10 mg/m³			
DNELs			
107-41-5 2-methylpentane-2,4-diol			
Dermal DNEL Lor	gterm System 42 mg/kg bw/day (Worker)		
Inhalative DNEL Longterm System 44,4 mg/m3 (Worker)			
128-37-0 Butylated hydroxytoluene			
Dermal DNEL Lor	gterm System 0,5 mg/kg bw/day (Worker)		
Inhalative DNEL Longterm System 1,76 mg/m3 (Worker)			
PNECs			
107-41-5 2-methylpentane-2,4-diol			
PNEC Marinewater s	ed 0,159 mg/kg sed dw (-)		
PNEC Freshwater	0,429 mg/l (AF 1.000)		
PNEC Freshwater se	d 1,59 mg/kg sed dw (-)		

PNEC Marinewater 0,043 mg/l (AF 10.000) 128-37-0 Butylated hydroxytoluene

PNEC Soil

PNEC STP

PNEC Marinewater sed | 0,046 mg/kg sed dw (-) |
PNEC Freshwater | 0,000199 mg/l (AF 1.000) |
PNEC Seawater | 0,00002 mg/l (AF 10.000) |
PNEC Freshwater sed | 0,458 mg/kg sed dw (-) |
PNEC Soil | 0,054 mg/kg soil dw (-) |
PNEC STP | 0,017 mg/l (AF 100)

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering

controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

0,066 mg/kg soil dw (-)

20 mg/l (AF 10)

General protective and

hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid close or long term contact with the skin. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection.

Be sure to clean skin thoroughly after work and before breaks.

· Respiratory protection: Not necessary if room is well-ventilated.

Use suitable respiratory device when it exceed exposure limit and when insufficiently ventilated.



· Hand protection Only use chemical-protective gloves with CE-labelling of category III.

(Contd. on page 4)



Printing date 08.01.2024 Version: 7 (replaces version 6) Revision: 20.12.2022

Trade name: PERGAQUICK CP40

(Contd. of page 3)



Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Protective gloves

Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of

quality and varies from manufacturer to manufacturer.

Butyl rubber, BR

Fluorocarbon rubber (Viton)

Nitrile rubber, NBR

Neoprene

Penetration time of glove

material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Not determined.

Not determined.

Undetermined.

not determined

Not determined.

Not determined.

· Eye/face protection

Tightly sealed goggles

· Body protection:



Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information	on basic	physical and	chemical	properties

General Information

· Colour:

Violet · Odour:

Characteristic · Odour threshold: Not determined.

· Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and boiling range Not applicable. Not applicable.

· Flammability

Lower and upper explosion limit

· Lower:

· Upper: Not determined.

>100 °C · Flash point:

Decomposition temperature: Not determined.

Not determined. · pH

· Viscosity:

· Kinematic viscosity

Dynamic: Not determined.

· Solubility · water:

· Partition coefficient n-octanol/water (log value)

· Vapour pressure:

· Density and/or relative density

Density at 20 °C: 0,98 g/cm3 Relative density Not determined.

· Vapour density

· 9.2 Other information

· Appearance: Fluid Form:

· Important information on protection of health and environment,

and on safety.

· Ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

· Solvent content:

VOC (EC) 186,2 g/l · Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard classes

· Explosives Void · Flammable gases Void · Aerosols Void

· Oxidising gases Void · Gases under pressure Void

· Flammable liquids Void Flammable solids Void

· Self-reactive substances and mixtures Void

(Contd. on page 5)



Printing date 08.01.2024 Version: 7 (replaces version 6) Revision: 20.12.2022

Trade name: PERGAQUICK CP40

(Contd. of page 4)

		(Oorita: or page -
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flammable of	ases in	
contact with water	Void	
· Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

No further relevant information available. · 10.1 Reactivity

· 10.3 Possibility of hazardous

reactions

· 10.4 Conditions to avoid · 10.5 Incompatible materials:

10.6 Hazardous decomposition products:

No hazardous decomposition products if used and stored according to specifications.

Additional information: Emergency procedures will vary depending on conditions. The customer should have an emergency

response plane in place.

No dangerous reactions known.

No further relevant information available

No further relevant information available.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

107-41-5 2-methylpentane-2,4-diol

LD50 >2.000 mg/kg (rattus) Oral Dermal LD50 >2.000 mg/kg (cuniculosus)

128-37-0 Butylated hydroxytoluene

|LD50|>2.000 mg/kg (rattus) Dermal LD50 >2.000 mg/kg (cuniculosus)

Skin corrosion/irritation Causes skin irritation. · Serious eye damage/irritation Causes serious eye irritation.

· Respiratory or skin

Based on available data, the classification criteria are not met. sensitisation · Germ cell mutagenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Carcinogenicity · Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. · Aspiration hazard Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

· Endocrine disrupting properties 128-37-0 Butylated hydroxytoluene

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

107-41-5 2-methylpentane-2,4-diol

LC50 / 96h 8.510 mg/l (gambusia affinis)

128-37-0 Butylated hydroxytoluene

LC0 /96h >0.57 mg/l (piscis)

EC50 / 48h 0,61 mg/l (daphnia magna)

IC50 / 72h >0,4 mg/l (alga)

(Contd. on page 6)

List II



Printing date 08.01.2024 Version: 7 (replaces version 6) Revision: 20.12.2022

Trade name: PERGAQUICK CP40

(Contd. of page 5)

· 12.2 Persistence and degradability

· Degree of elimination:

· Classification:

107-41-5 2-methylpentane-2,4-diol

Degradation (Readily biodegradable) (OECD 301 F)

128-37-0 Butylated hydroxytoluene

Degradation (Not readily biodegradable)

12.3 Bioaccumulative potential

Partition coefficient: nOctanol/water: [Log Kow]

107-41-5 2-methylpentane-2,4-diol < 1 128-37-0 Butylated hydroxytoluene 5,1

· Bioconcentration factor (BCF)

128-37-0 Butylated hydroxytoluene

BCF 1.277

12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. · vPvB: The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

· 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects

· Additional ecological information:

General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage

system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage

· Waste disposal key:

Please contact your hazardous waste disposers to assign the right EWC-(European waste catalog)number

· Uncleaned packaging:

· Recommendation:

This material and its container must be disposed of as hazardous waste.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according to IMC	D instruments Not applicable.
· Transport/Additional information:	No dangerous good according the regulation of transport.
· ADR	
· RID / GGVSEB:	like ADR

ΙE



Printing date 08.01.2024 Version: 7 (replaces version 6) Revision: 20.12.2022

Trade name: PERGAQUICK CP40

(Contd. of page 6)

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances
- ANNEX I None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex Ш

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

H315 Causes skin irritation. · Relevant phrases

H319 Causes serious eye irritation. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

· Department issuing SDS: Environment protection / Security of labour

Tel: +49 2871 9902-0 · Contact: E-mail: mail@pergan.com

· Version number of previous

version:

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

VPUB: very Persistent and very Bioaccumulative
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

* Data compared to the previous version altered.

IF -