

Printing date 04.04.2024 Version: 10 Revision: 20.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

PERGASLOW BK-10 X · Trade name:

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance /

the mixture

Inhibitor

For industrial use

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: PERGAN GmbH

Hilfsstoffe für industrielle Prozesse

Schlavenhorst 71 D-46395 Bocholt Tel: +49 2871 9902-0 Fax: +49 2871 9902-50

· Further information obtainable

Environment protection / Security of labour from:

Qualified person: E-mail: msds@pergan.com

1.4 Emergency telephone

- Tel: +49 2871 9902-0 number:

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage. Skin Sens. 1 H317 May cause an allergic skin reaction. Repr. 2 H361d Suspected of damaging the unborn child. Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to

Regulation (EC) No 1272/2008

Hazard pictograms

The product is classified and labelled according to the CLP regulation.



· Signal word Danger

· Hazard-determining

components of labelling:

1-isopropyl-2,2-dimethyltrimethylene diisobutyrate 4-tert-butylpyrocatechol

· Hazard statements H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction. H361d Suspected of damaging the unborn child. H412 Harmful to aquatic life with long lasting effects.

Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 İF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower]

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor. P310

P405 Store locked up

P501 Dispose of contents/container in accordance with local/regional/national/international

2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

Determination of endocrine-

disrupting properties The product does not contain substances with endocrine disrupting properties.

ΙE



Printing date 04.04.2024 Version: 10 Revision: 20.12.2022

Trade name: PERGASLOW BK-10 X

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Dangerous components:		
CAS: 6846-50-0	1-isopropyl-2,2-dimethyltrimethylene diisobutyrate	80-90%
EINECS: 229-934-9	Repr. 2, H361d; Aquatic Chronic 3, H412	
Reg-No.: 01-2119451093-47		
CAS: 98-29-3	4-tert-butylpyrocatechol	10-20%
EINECS: 202-653-9	Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Acute Tox. 4,	
Reg-No.: 01-2119548368-28		

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

Take care of personal protection for the first aider.

· After inhalation: In case of unconsciousness place patient stably in side position for transportation.

Take affected persons into fresh air and keep quiet.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

Immediately remove contaminated clothing.

· After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor. Drink plenty of water and provide fresh air. Call for a doctor immediately.

After swallowing:

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special

treatment needed

No further relevant information available.

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from

the substance or mixture

Under certain fire conditions, traces of other toxic gases cannot be excluded.

5.3 Advice for firefighters · Protective equipment:

Do not inhale explosion gases or combustion gases.

Additional information Self-protection first!

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

6.2 Environmental precautions:

Wear protective equipment. Keep unprotected persons away.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Soak up with absorbant material (e. g. Vermiculit) and dispose of in accordance with government

regulations.

· 6.4 Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

In case of large spillage the environmental authority should be informed.

IF



Printing date 04.04.2024 Version: 10 Revision: 20.12.2022

Trade name: PERGASLOW BK-10 X

(Contd. of page 2)

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling

Prevent formation of aerosols.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.

Before break and at the end of work hands should be thoroughly washed.

While using do not eat, drink or smoke.

· Information about fire - and

explosion protection:

No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

Pay attention to the special requirements of your local autorithies for storing dangerous goods.

Requirements to be met by

storerooms and receptacles:

Prevent any seepage into the ground.

Use only receptacles specifically permitted for this substance/product.

· Information about storage in

one common storage facility: **Further information about**

Store away from foodstuffs, drinks and feeding stuffs.

storage conditions:

Keep container tightly sealed.

Store under lock and key and out of the reach of children.

Storage in a collecting room is required.

· Recommended storage temperature (To maintain

quality):

+5 +30 °C

Storage class: 8 B

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the

workplace:

The product does not contain any relevant quantities of materials with critical values that have to be

monitored at the workplace.

DNF	I s

6846-50-0	1-isopropyl-2,2-dimethyltrimethylene diisobutyrate
Dermal	DNEL Longterm System 5 mg/kg bw/day (Worker)

Inhalative DNEL Longterm System 17,62 mg/m3 (Worker)

98-29-3 4-tert-butylpyrocatechol

Inhalative DNEL Longterm System 1,6 mg/m3 (Worker)

· PNECs

6846-50-0 1-isopropyl-2,2-dimethyltrimethylene diisobutyrate

PNEC Marinewater sed | 0,529 mg/kg sed dw (-) 0,014 mg/l (AF 50) PNFC Freshwater PNEC Freshwater sed 5,29 mg/kg sed dw PNEC Soil 1,05 mg/kg soil dw PNEC STP 3 mg/l (AF 10) 0,001 mg/l (AF 500) **PNEC Marinewater**

98-29-3 4-tert-butylpyrocatechol

PNEC Marinewater sed 0,00069 mg/kg sed dw (-) **PNEC Freshwater** 0,0012 mg/l (AF 100) PNEC Freshwater sed 0,0069 mg/kg sed dw (-) PNEC STP 0,16 mg/I (AF 100) **PNEC Marinewater** 0,00012 mg/l (AF 1.000)

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering

controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

General protective and

hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

(Contd. on page 4)



(Contd. of page 3)

Printing date 04.04.2024 Version: 10 Revision: 20.12.2022

Trade name: PERGASLOW BK-10 X

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection.

Be sure to clean skin thoroughly after work and before breaks.

· Respiratory protection: Not necessary if room is well-ventilated.

Use suitable respiratory device when it exceed exposure limit and when insufficiently ventilated.

Only use chemical-protective gloves with CE-labelling of category III.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the

degradation

Protective gloves · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of

quality and varies from manufacturer to manufacturer.

Butvl rubber, BR

Fluorocarbon rubber (Viton) Nitrile rubber, NBR

Neoprene

Penetration time of glove

material

· Hand protection

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be

Eye/face protection

Tightly sealed goggles

· Body protection:



Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour:

· Odour threshold:

· Melting point/freezing point:

· Boiling point or initial boiling point and boiling range

· Flammability

· Odour:

Lower and upper explosion limit · Lower:

· Upper: · Flash point:

· Decomposition temperature:

pH at 20 °C

· Viscosity:

· Kinematic viscosity

· Dynamic:

· Solubility · water:

· Partition coefficient n-octanol/water (log value) · Vapour pressure:

· Density and/or relative density

Density at 20 °C: Relative density · Vapour density

Undetermined. not determined Not determined.

Colourless

Characteristic

Not determined.

Undetermined.

Not applicable.

Not applicable.

Not determined

Not determined.

Not determined.

Not determined.

Not determined

Not determined.

4,4

0,96 g/cm3

Not determined. Not determined.

No further relevant information available.

Product does not present an explosion hazard.

· 9.2 Other information

Appearance:

Form:

Fluid

· Important information on protection of health and environment,

and on safety.

· Ignition temperature:

· Explosive properties:

· Change in condition Evaporation rate

Not determined.

Product is not selfigniting.

· Information with regard to physical hazard classes

· Explosives

Void

(Contd. on page 5)



Printing date 04.04.2024 Version: 10 Revision: 20.12.2022

Trade name: PERGASLOW BK-10 X

(Contd. of page 4) · Flammable gases Void · Aerosols Void Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void Pyrophoric solids Void Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Void · Oxidising liquids Void · Oxidising solids Void Organic peroxides Void Corrosive to metals Void

Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.3 Possibility of hazardous

· Desensitised explosives

reactions

No dangerous reactions known. · 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition

products: No hazardous decomposition products if used and stored according to specifications.

Additional information: Emergency procedures will vary depending on conditions. The customer should have an emergency

response plane in place.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 v	values	relevant	tor	ciassification:

6846-50-0 1-isopropyl-2,2-dimethyltrimethylene diisobutyrate

LD50 3.200 mg/kg (rattus) Dermal LD50 18.900 mg/kg (caviinae) 98-29-3 4-tert-butylpyrocatechol

LD50 815 mg/kg (rattus) Dermal LD50 1.331 mg/kg (rattus)

Skin corrosion/irritation Causes severe skin burns and eye damage.

· Serious eye damage/irritation Causes serious eye damage.

· Respiratory or skin

sensitisation May cause an allergic skin reaction.

Based on available data, the classification criteria are not met. Germ cell mutagenicity Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Suspected of damaging the unborn child.

· STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. · Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

98-29-3 4-tert-butylpyrocatechol

LC50 / 96h | 0,12 mg/l (brachydanio rerio)

EC50 / 48h 0,48 mg/l (daphnia)

(Contd. on page 6)



Printing date 04.04.2024 Version: 10 Revision: 20.12.2022

Trade name: PERGASLOW BK-10 X

(Contd. of page 5)

· 12.2 Persistence and degradability

· Degree of elimination:

· Classification:

6846-50-0 1-isopropyl-2,2-dimethyltrimethylene diisobutyrate

Degradation (Readily biodegradable, failing 10-d wind) (OECD 301 B)

98-29-3 4-tert-butylpyrocatechol

Degradation (Evidence for inherent biodegradability.)

12.3 Bioaccumulative potential

· Partition coefficient: nOctanol/water: [Log Kow]

98-29-3 4-tert-butylpyrocatechol

1,98 (25°C)

· Bioconcentration factor (BCF)

6846-50-0 1-isopropyl-2,2-dimethyltrimethylene diisobutyrate

BCF 183-194 (fish)

12.4 Mobility in soil No further relevant information available

· 12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. · PBT: · vPvB: The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

· 12.6 Endocrine disrupting

The product does not contain substances with endocrine disrupting properties. properties

12.7 Other adverse effects No further relevant information available.

· Remark: Harmful to fish

Additional ecological information:

Harmful to aquatic organisms · General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised. Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage

· Waste disposal key: Please contact your hazardous waste disposers to assign the right EWC-(European waste catalog)-

number.

· Uncleaned packaging:

Recommendation: This material and its container must be disposed of as hazardous waste.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, IMDG, IATA

UN3265

· 14.2 UN proper shipping name

· ADR

UN3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (4-tert-**BUTYLPYROCATECHOL)**

· IMDG, IATA CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (4-tert-

BUTYLPYROCATECHOL)

· 14.3 Transport hazard class(es)

· ADR



· Class 8 (C3) Corrosive substances.

· Label

· IMDG, IATA



· Class 8 Corrosive substances

(Contd. on page 7)



Printing date 04.04.2024 Version: 10 Revision: 20.12.2022

Trade name: PERGASLOW BK-10 X

	(Contd. of page 6		
· Label	8		
· 14.4 Packing group · ADR, IMDG, IATA	III		
· 14.5 Environmental hazards: · Marine pollutant:	No		
· 14.6 Special precautions for user · Stowage Category · Stowage Code	Warning: Corrosive substances. A SW2 Clear of living quarters.		
· 14.7 Maritime transport in bulk according to IM	O instruments Not applicable.		
· Transport/Additional information:			
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml		
Transport category Tunnel restriction code	3 E		
· RID / GGVSEB:	like ADR		
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml		

* SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances
- ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No
- 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II
- None of the ingredients is listed.
- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H361d Suspected of damaging the unborn child.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

• **Department issuing SDS:** Environment protection / Security of labour

(Contd. on page 8)



(Contd. of page 7)

Printing date 04.04.2024 Version: 10 Revision: 20.12.2022

Trade name: PERGASLOW BK-10 X

· Contact: Tel: +49 2871 9902-0 E-mail: mail@pergan.com

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the

International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)

PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
Repr. 2: Reproductive toxicity – Category 2
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

·* Data compared to the previous version altered.

IE -