

Printing date 04.04.2024 Version: 8 Revision: 20.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name: PERGASLOW HD-100

 • CAS Number:
 123-31-9

 • EC number:
 204-617-8

 • Index number:
 604-005-00-4

 • Registration number:
 01-2119524016-51

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance /

the mixture Inhibitor

For industrial use

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: PERGAN GmbH

Hilfsstoffe für industrielle Prozesse Schlavenhorst 71

D-46395 Bocholt Tel: +49 2871 9902-0 Fax: +49 2871 9902-50

· Further information obtainable

from: Environment protection / Security of labour

Qualified person: E-mail: msds@pergan.com

· 1.4 Emergency telephone

number: - Tel: +49 2871 9902-0

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H302 Harmful if swallowed.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Muta. 2 H341 Suspected of causing genetic defects.

Carc. 2 H351 Suspected of causing cancer.

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to

Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word Danger

Hazard-determining

components of labelling: Hazard statements

1,4-dihydroxybenzene H302 Harmful if swallowed.

H318 Causes serious eye damage.
H317 May cause an allergic skin reaction.
H341 Suspected of causing genetic defects.
H351 Suspected of causing cancer.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P310 Immediately call a POISON CENTER/0

P391 Collect spillage. P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

· vPvB: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

(Contd. on page 2)



Printing date 04.04.2024 Version: 8 Revision: 20.12.2022

Trade name: PERGASLOW HD-100

(Contd. of page 1)

Determination of endocrinedisrupting properties

The product does not contain substances with endocrine disrupting properties

SECTION 3: Composition/information on ingredients

· 3.1 Substances

· CAS No. Description

123-31-9 1,4-dihydroxybenzene

· Identification number(s)

· EC number: 204-617-8 · Index number: 604-005-00-4 Aquatic Acute: 10 M-factor Aquatic Chronic: 1

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information: Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48

hours after the accident.

Take care of personal protection for the first aider.

· After inhalation: Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Take affected persons into fresh air and keep quiet.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

Immediately remove contaminated clothing.

· After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and

delayed

4.3 Indication of any immediate medical attention and special

treatment needed

No further relevant information available.

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

· Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from

the substance or mixture

Under certain fire conditions, traces of other toxic gases cannot be excluded.

5.3 Advice for firefighters · Protective equipment:

Do not inhale explosion gases or combustion gases.

 Additional information Self-protection first!

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.



Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Pick up mechanically, collect in a suitable receptacle and dispose in accordance with government regulations.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

In case of large spillage the environmental authority should be informed.

IF



Printing date 04.04.2024 Version: 8 Revision: 20.12.2022

Trade name: PERGASLOW HD-100

(Contd. of page 2)

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling

Prevent formation of dust.

Provide suction extractors if dust is formed.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.

Before break and at the end of work hands should be thoroughly washed.

While using do not eat, drink or smoke.

· Information about fire - and

explosion protection:

No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

Storage:

Pay attention to the special requirements of your local autorithies for storing dangerous goods.

Requirements to be met by

storerooms and receptacles:

Prevent any seepage into the ground.

Use only receptacles specifically permitted for this substance/product.

· Information about storage in one common storage facility:

Further information about

Store away from foodstuffs, drinks and feeding stuffs.

storage conditions: · Recommended storage

temperature (To maintain

Storage in a collecting room is required.

quality):

Storage class: 11

· 7.3 Specific end use(s) No further relevant information available

0 +30 °C

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workpla
--

123-31-9 1,4-dihydroxybenzene

OEL (Ireland) Long-term value: 0,5 mg/m³

Sens

WEL (Great Britain) Long-term value: 0,5 mg/m³

DNELs

123-31-9 1,4-dihydroxybenzene

DNEL Longterm System 3,33 mg/kg bw/day (Worker) Dermal Inhalative DNEL Longterm System 2,1 mg/m3 (Worker)

· PNECs

123-31-9 1,4-dihydroxybenzene

PNEC Marinewater sed | 0,00049 mg/kg sed dw (-) 0,00057 mg/l (AF 10) PNEC Freshwater 0,0049 mg/kg sed dw (-) PNEC Freshwater sed PNEC Soil 0,00064 mg/kg soil dw (-) PNEC STP 0,71 mg/I (AF 100) **PNEC Marinewater** 0,000057 mg/l (AF 100)

· Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering

controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and

hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid close or long term contact with the skin. Avoid contact with the eyes.

Do not eat, drink, smoke or sniff while working

Use skin protection cream for skin protection.

Be sure to clean skin thoroughly after work and before breaks.

· Respiratory protection: Not necessary if room is well-ventilated.

(Contd. on page 4)



(Contd. of page 3)

Printing date 04.04.2024 Version: 8 Revision: 20.12.2022

Trade name: PERGASLOW HD-100

Use suitable respiratory device when it exceed exposure limit and when insufficiently ventilated.



Filter P2

· Hand protection Only use chemical-protective gloves with CE-labelling of category III.

Protective gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the

degradation

· Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of

quality and varies from manufacturer to manufacturer.

Butyl rubber, BR

Fluorocarbon rubber (Viton) Nitrile rubber, NBR

Neoprene

· Penetration time of glove

material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be

observed.

· Eye/face protection



Tightly sealed goggles

· Body protection:



Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

· General Information

· Colour:

Odour: · Odour threshold:

· Melting point/freezing point:

Boiling point or initial boiling point and boiling range

· Flammability

· Lower and upper explosion limit

· Lower: · Upper:

Flash point: Decomposition temperature:

· pH at 20 °C

Viscosity:

· Kinematic viscosity

· Dynamic: Solubility

water:

· Partition coefficient n-octanol/water (log value)

Vapour pressure:

Density and/or relative density

· Density at 20 °C: Relative density Vapour density

· Particle characteristics

Not determined.

Characteristic Not determined. Undetermined.

287 °C Not applicable.

Product is not flammable.

Not determined.

Not determined. 165 °C

Not determined.

3,8

Not applicable. Not applicable.

Undetermined.

not determined Not applicable.

1,358 g/cm³ Not determined. Not applicable.

See section 3.

9.2 Other information

No further relevant information available.

· Appearance:

Form:

Solid · Important information on protection of health and environment,

and on safety.

· Ignition temperature:

Explosive properties:

· Evaporation rate

Change in condition

Not applicable.

Not determined. Product does not present an explosion hazard.

(Contd. on page 5)



Printing date 04.04.2024 Version: 8 Revision: 20.12.2022

Trade name: PERGASLOW HD-100

(Contd. of page 4)

Information with regard to physical hazard classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
· Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flammable gases in		
contact with water	Void	
· Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	
-		

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.3 Possibility of hazardous

reactions

· 10.4 Conditions to avoid No further relevant information available. · 10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition

products:

No hazardous decomposition products if used and stored according to specifications.

Additional information: Emergency procedures will vary depending on conditions. The customer should have an emergency

response plane in place.

No dangerous reactions known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

 Acute toxicity Harmful if swallowed.

· LD/LC50 values relevant for classification:

123-31-9 1,4-dihydroxybenzene

Oral LD50 302 mg/kg (rattus) LDLo 29 mg/kg (homo)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Causes serious eye damage.

· Respiratory or skin

May cause an allergic skin reaction. sensitisation Germ cell mutagenicity Suspected of causing genetic defects. Carcinogenicity Suspected of causing cancer.

· Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. STOT-repeated exposure · Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

· Endocrine disrupting properties

Substance is not listed.

SECTION 12: Ecological information

12.1 Toxicity

· Aquatic toxicity:

123-31-9 1,4-dihydroxybenzene

LC50 / 96h 0,044 mg/l (pimephales promelas)

EC50 / 48h 0,29 mg/l (daphnia)

IC50 / 72h 0,335 mg/l (selenastrum capricornutum)

(Contd. on page 6)



Printing date 04.04.2024 Version: 8 Revision: 20.12.2022

Trade name: PERGASLOW HD-100

· 12.2 Persistence and degradability

(Contd. of page 5)

· Degree of elimination:

· Classification:

123-31-9 1,4-dihydroxybenzene

Degradation (Readily biodegradable) (OECD 301 C)

12.3 Bioaccumulative potential

· Partition coefficient: nOctanol/water: [Log Kow]

0,59 (20°C)

· 12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

· PBT: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. · vPvB: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

· 12.6 Endocrine disrupting

properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects No further relevant information available. · Remark: Very toxic for fish

· Additional ecological information:

Also poisonous for fish and plankton in water bodies. General notes:

Very toxic for aquatic organisms

Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water

Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system

· Waste disposal key:

Please contact your hazardous waste disposers to assign the right EWC-(European waste catalog)number.

· Uncleaned packaging:

· Recommendation:

This material and its container must be disposed of as hazardous waste.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, IMDG, IATA UN3077

· 14.2 UN proper shipping name

UN3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, · ADR

N.O.S. (HYDROQUINONE)

·IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(HYDROQUINONE), MARINE POLLUTANT · IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(HYDROQUINONE)

· 14.3 Transport hazard class(es)

· ADR



· Class 9 (M7) Miscellaneous dangerous substances and articles.

· Label

· IMDG, IATA



Class 9 Miscellaneous dangerous substances and articles

Label

(Contd. on page 7)



Printing date 04.04.2024 Version: 8 Revision: 20.12.2022

Trade name: PERGASLOW HD-100

	(Contd. of page
· 14.4 Packing group	
ADR, IMDG, IATA	III
· 14.5 Environmental hazards:	Product contains environmentally hazardous substances: HYDROQUINONE
· Marine pollutant:	Yes
manno ponatanti	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
· Special marking (IATA):	Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
Hazard identification number (Kemler code):	90
EMS Number:	F-A,S-F
· Stowage Category	A
Stowage Code	SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9
· 14.7 Maritime transport in bulk according to IMO instr	ruments Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5 kg
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 1000 g
Transport category	3
· Tunnel restriction code	E
· RID / GGVSEB:	like ADR
·IMDG	
· Limited quantities (LQ)	5 kg
Excepted quantities (EQ)	Code: E1
,	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 1000 g

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances
- ANNEX I Substance is not listed.
- · Seveso category E1 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements

100 t Qualifying quantity (tonnes) for the application of upper-tier

requirements 200 t

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex

Substance is not listed.

- REGULATION (EU) 2019/1148
- · Regulation (EC) No 273/2004 on drug precursors

Substance is not listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

Substance is not listed.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Environment protection / Security of labour Department issuing SDS:

Contact: Tel: +49 2871 9902-0 E-mail: mail@pergan.com

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) · Abbreviations and acronyms:

(Contd. on page 8)



Printing date 04.04.2024 Version: 8 Revision: 20.12.2022

Trade name: PERGASLOW HD-100

(Contd. of page 7)

ICAO: International Civil Aviation Organisation
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association

Classification and Labelling of Chemicals

IAI A: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)

PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
Muto 3: Carp cell putpersistint. Cetterny 1

Muta. 2: Germ cell mutagenicity — Category 2
Carc. 2: Carcinogenicity — Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard — Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard — Category 1

* * Data compared to the previous version altered.

IE —