

Printing date 04.04.2024 Version: 9 (replaces version 8) Revision: 14.02.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name: PEROXAN AEC

• CAS Number: 70833-40-8
• EC number: 274-919-2
• Registration number: 01-2119965140-45

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance /

the mixture Reaction initiator
For industrial use

• 1.3 Details of the supplier of the safety data sheet
• Manufacturer/Supplier: PERGAN GmbH

Hilfsstoffe für industrielle Prozesse

Schlavenhorst 71 D-46395 Bocholt Tel: +49 2871 9902-0 Fax: +49 2871 9902-50

· Further information obtainable

from: Environment protection / Security of labour

Qualified person: E-mail: msds@pergan.com

· 1.4 Emergency telephone

number: - Tel: +49 2871 9902-0

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Org. Perox. D H242 Heating may cause a fire.

Skin Sens. 1 H317 May cause an allergic skin reaction.

· 2.2 Label elements

· Labelling according to

Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

· Hazard pictograms

GHS02 GHS07

· Signal word Danger

· Hazard-determining

components of labelling: O-(2-ethylhexyl) O,O-tert-pentyl peroxycarbonate

Hazard statements H242 Heating may cause a fire.

H317 May cause an allergic skin reaction.

• Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P220 Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators

(e. g. heavy metal compounds and amines).

P234 Keep only in original packaging.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P363 Wash contaminated clothing before reuse.

P410 Protect from sunlight.

P411+P235 Store at temperatures not exceeding +25°C. Keep cool.

P420 Store separately.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

Results of PBT and vPvB assessment

PBT: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
 vPvB: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

· Determination of endocrine-

disrupting propertiesThe product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

· 3.1 Substances

• CAS No. Description 70833-40-8 O-(2-ethylhexyl) O,O-tert-pentyl peroxycarbonate

(Contd. on page 2)



Printing date 04.04.2024 Version: 9 (replaces version 8) Revision: 14.02.2023

Trade name: PEROXAN AEC

(Contd. of page 1)

· Identification number(s)

· EC number: 274-919-2

SECTION 4: First aid measures

4.1 Description of first aid measures

· General information:

Take care of personal protection for the first aider.

· After inhalation: Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Take affected persons into fresh air and keep quiet.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

Immediately remove contaminated clothing.

· After eye contact: Rinse opened eye for several minutes under running water.

 After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate

medical attention and special treatment needed

No further relevant information available

No further relevant information available

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from

the substance or mixture Under certain fire conditions, traces of other toxic gases cannot be excluded.

Hydrocarbons, carbondioxide and -monoxid.

5.3 Advice for firefighters

Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray.

Self-protection first!

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources.

In case of further temperature should be cooled with waterspray from a safe distance.

Wear breathing apparatus with filter A during decomposition of materials.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:



Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Large quantities should be diluted with suitable desensitation agent to a concentration below 10 % before

disposal.

Soak up with absorbant material (e. g. Vermiculit) and dispose of in accordance with government

regulations

· 6.4 Reference to other sections In case of large spillage the environmental authority should be informed.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling

Keep receptacles tightly sealed.

Store in cool, dry place in tightly closed receptacles.

Keep away from heat and direct sunlight. Open and handle receptacle with care.

Prevent formation of aerosols.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.

Do not refill residue into storage receptacles. Restrict the quantity stored at the work place.

Before break and at the end of work hands should be thoroughly washed.

(Contd. on page 3)



Printing date 04.04.2024 Version: 9 (replaces version 8) Revision: 14.02.2023

Trade name: PEROXAN AEC

(Contd. of page 2)

Only use tools made of suitable materials (e. g. polyethylene or stainless steel).

Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavy-metal compounds and amines).

While using do not eat, drink or smoke.

Do not generate flames or sparks.

Keep product and emptied container away from heat and sources of ignition.

Avoid shock and friction.

Take precautionary measures against static discharges.



Do not smoke.

Information about fire - and explosion protection:

Protect from heat.

Protect against electrostatic charges.

Prevent impact and friction.

Use explosion-proof apparatus / fittings and spark-proof tools. Fumes can combine with air to form an explosive mixture.



Wear shoes with conductive soles.

Formation of flammable or explosive gas/air-mixtures is possible.



Avoid open flames, sparks, direct sunlight and other sources of ignition.

Keep ignition sources away - Do not smoke.

 \cdot 7.2 Conditions for safe storage, including any incompatibilities

• **Storage:** Pay attention to the special requirements of your local autorithies for storing dangerous goods.

Requirements to be met by

storerooms and receptacles: Store in a cool location.

Store only in the original receptacle. Prevent any seepage into the ground.

Use only receptacles specifically permitted for this substance/product.

 Information about storage in one common storage facility:

Do not store or park organic peroxide together with heavy metal compounds and amines.

Store away from foodstuffs, drinks and feeding stuffs.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Protect from contamination. Store in a cool place.

Storage in a collecting room is required.

Recommended storage temperature (To maintain

quality): m Storage class: 5.

max.: +25°C

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the

workplace: Not required.

· DNELs

70833-40-8 O-(2-ethylhexyl) O,O-tert-pentyl peroxycarbonate

Dermal DNEL Longterm System 13,33 mg/kg bw/day (Worker)

Inhalative DNEL Longterm System 11,75 mg/m3 (Worker)

·PNECs

70833-40-8 O-(2-ethylhexyl) O,O-tert-pentyl peroxycarbonate

PNEC Marinewater sed | 0,017 mg/kg sed dw (-)

PNEC Freshwater
PNEC Freshwater sed
PNEC Soil
PNEC STP
PNEC Marinewater

0,002 mg/l (-)
1,7 mg/kg sed dw (-)
0,34 mg/kg soil dw (-)
12,8 mg/l (AF 100)
0 mg/l (AF 10)

(Contd. on page 4)



Printing date 04.04.2024 Version: 9 (replaces version 8) Revision: 14.02.2023

Trade name: PEROXAN AEC

· Additional information: The lists valid during the making were used as basis. (Contd. of page 3)

· 8.2 Exposure controls

Appropriate engineering

controls

No further data: see section 7.

· Individual protection measures, such as personal protective equipment

General protective and

hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed

Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid close or long term contact with the skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection.

Be sure to clean skin thoroughly after work and before breaks.

· Respiratory protection: Not necessary if room is well-ventilated.

Use suitable respiratory device when it exceed exposure limit and when insufficiently ventilated.

Filter A2

· Hand protection Only use chemical-protective gloves with CE-labelling of category III.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Protective gloves

· Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of

quality and varies from manufacturer to manufacturer.

Butyl rubber, BR

Fluorocarbon rubber (Viton)

Nitrile rubber, NBR

Neoprene

· Penetration time of glove

material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be

observed

· Eye/face protection

Tightly sealed goggles

· Body protection:



Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

· General Information · Colour:

Colourless Odour: Characteristic · Melting point/freezing point: Boiling point or initial boiling point and boiling range

Flash point:

· Decomposition temperature: · Solubility

water: · Partition coefficient n-octanol/water (log value)

· Density and/or relative density

Not applicable. Not applicable. Not determined.

+55 °C (SADT)

Not miscible or difficult to mix.

not determined

0,925 g/cm³

Density at 20 °C: 9.2 Other information

Appearance:

Form: Fluid · Important information on protection of health and environment,

and on safety.

· Explosive properties: Product is not explosive. However, formation of explosive air/vapour mixtures are possible

· Information with regard to physical hazard classes

· Explosives Void · Flammable gases Void · Aerosols Void

(Contd. on page 5)



Printing date 04.04.2024 Version: 9 (replaces version 8) Revision: 14.02.2023

Trade name: PEROXAN AEC

(Contd. of page 4)

		Conta. or page 4)
· Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flammable gases	in	
contact with water	Void	
· Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Heating may cause a fire.	
Corrosive to metals	Void	
Desensitised explosives	Void	
Other safety characteristics		
Active oxygen	> 5,8 %	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability · Thermal decomposition /

conditions to be avoided: SADT (Self Accelerating Decomposition Temperature) is the lowest temperature at which self accelerating

decomposition may occur with substance in the packaging as used in transport. A dangerous selfaccelerating decomposition reaction and, under certain circumstances, explosion or fire can be cause decomposition at and above the temperature. Contact with incompatible substances can cause

decomposition at or below the SADT.

No decomposition if used and stored according to specifications.

To avoid thermal decomposition do not overheat.

· 10.3 Possibility of hazardous

reactions

10.4 Conditions to avoid

No further relevant information available. · 10.5 Incompatible materials:

Rapid decomposition by dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavy-metal compounds and amines).

· 10.6 Hazardous decomposition

products:

Hydrocarbons, carbondioxide and -monoxid.

Self-accelerating decomposition at SADT.

No hazardous decomposition products if used and stored according to specifications.

· Additional information: Emergency procedures will vary depending on conditions. The customer should have an emergency

response plane in place.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

 Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

70833-40-8 O-(2-ethylhexyl) O,O-tert-pentyl peroxycarbonate

Oral LD50 >5.000 mg/kg (rattus)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Low irritant effect

Respiratory or skin

May cause an allergic skin reaction.

sensitisation Germ cell mutagenicity Based on available data, the classification criteria are not met. · Carcinogenicity Based on available data, the classification criteria are not met · Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Substance is not listed.

(Contd. on page 6)

ΙE



Printing date 04.04.2024 Version: 9 (replaces version 8) Revision: 14.02.2023

Trade name: PEROXAN AEC

(Contd. of page 5)

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability
- Degree of elimination:
- · Classification:

70833-40-8 O-(2-ethylhexyl) O,O-tert-pentyl peroxycarbonate

Degradation (Readily biodegradable) (OECD 301 D)

12.3 Bioaccumulative potential

· Partition coefficient: nOctanol/water: [Log Kow]

5,8 (20°C)

· 12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

· PBT: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. · vPvB: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

· 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

· Additional ecological information:

· General notes: Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation



After diluting with a suitable desentisation agent to 10 %, the solution must be supplied to a special treatment (e. g. thermal utilization) under observance of all official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage

system.

· Waste disposal key: Please contact your hazardous waste disposers to assign the right EWC-(European waste catalog)-

number.

· Uncleaned packaging:

· Recommendation: This material and its container must be disposed of as hazardous waste.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, IMDG, IATA UN3105

· 14.2 UN proper shipping name

· ADR UN3105 ORGANIC PEROXIDE TYPE D, LIQUID (tert-AMYL PEROXY-2-

ETHYLHEXYL CARBONATE)

ORGANIC PEROXIDE TYPE D, LIQUID (tert-AMYL PEROXY-2-· IMDG, IATA

ETHYLHEXYL CARBONATE)

· 14.3 Transport hazard class(es)

· ADR



5.2 (P1) Organic peroxides.

· Label

· IMDG. IATA



Class 5.2 Organic peroxides.

· Label 5.2

(Contd. on page 7)



Printing date 04.04.2024 Version: 9 (replaces version 8) Revision: 14.02.2023

Trade name: PEROXAN AEC

(Contd. of page 6)

No

· 14.4 Packing group
· ADR, IMDG, IATA Void

· 14.5 Environmental hazards:
· Marine pollutant:

• 14.6 Special precautions for user Warning: Organic peroxides.

· Hazard identification number (Kemler code): - Stowage Category D

Stowage Code
SW1 Protected from sources of heat.
Segregation Code
SG35 Stow "separated from" SGG1-acids
SG36 Stow "separated from" SGG18-alkalis.

SG72 See 7.2.6.3.2.

· 14.7 Maritime transport in bulk according to IMO instruments Not applicable.

· Transport/Additional information:

· ADR

Limited quantities (LQ) 125 ml Excepted quantities (EQ) Code: E0

Not permitted as Excepted Quantity

· Transport category 2
· Tunnel restriction code

· RID / GGVSEB: like ADR

·IMDG

· Limited quantities (LQ) 125 ml · Excepted quantities (EQ) Code: E0

Not permitted as Excepted Quantity

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

· Named dangerous substances

- ANNEX I Substance is not listed.

• Seveso category P6b SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES

Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

REGULATION (EC) No

1907/2006 ANNEX XVII Conditions of restriction: 3

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

Substance is not listed.

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

Substance is not listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

Substance is not listed.

· Regulation (EC) No 273/2004 on drug precursors

Substance is not listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

Substance is not listed.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing SDS: Environment protection / Security of labour

(Contd. on page 8)



(Contd. of page 7)

Printing date 04.04.2024 Version: 9 (replaces version 8) Revision: 14.02.2023

Trade name: PEROXAN AEC

· Contact: Tel: +49 2871 9902-0 E-mail: mail@pergan.com

· Version number of previous version:

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International
Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Org. Perox. D: Organic peroxides – Type C/D Skin Sens. 1: Skin sensitisation – Category 1

·* Data compared to the previous version altered.

IE -