

Printing date 04.04.2024 Version: 11 (replaces version 10) Revision: 06.04.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

PEROXAN APO · Trade name:

· CAS Number: 686-31-7 211-687-3 · EC number: Registration number: 01-2119970626-28

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance /

the mixture Reaction initiator For industrial use

· 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier:

PERGAN GmbH Hilfsstoffe für industrielle Prozesse

Schlavenhorst 71 D-46395 Bocholt Tel: +49 2871 9902-0 Fax: +49 2871 9902-50

· Further information obtainable

Environment protection / Security of labour

Qualified person: E-mail: msds@pergan.com

1.4 Emergency telephone

number: - Tel: +49 2871 9902-0

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Org. Perox. D H242 Heating may cause a fire.

Skin Sens. 1 H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life. Aquatic Acute 1

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

· 2.2 Label elements

Labelling according to

Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word Danger

· Hazard-determining

components of labelling:

tert-pentyl 2-ethylperoxyhexanoate **Hazard statements** H242 Heating may cause a fire.

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

· Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

P220 Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators

(e. g. heavy metal compounds and amines).

P234 Keep only in original packaging.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P391 Collect spillage P410 Protect from sunlight.

P411+P235 Store at temperatures not exceeding +20°C. Keep cool.

P420 Store separately.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. · vPvR This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

Determination of endocrine-

disrupting properties The product does not contain substances with endocrine disrupting properties.

IF.



Printing date 04.04.2024 Version: 11 (replaces version 10) Revision: 06.04.2023

Trade name: PEROXAN APO

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.1 Substances

686-31-7 tert-pentyl 2-ethylperoxyhexanoate CAS No. Description

· Identification number(s)

· EC number: 211-687-3

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information:

Take care of personal protection for the first aider.

· After inhalation: Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Take affected persons into fresh air and keep quiet.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

Immediately remove contaminated clothing.

Rinse opened eye for several minutes under running water. After eye contact: After swallowing: If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects, both acute and

delaved 4.3 Indication of any immediate

medical attention and special treatment needed

No further relevant information available.

No further relevant information available

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from

Under certain fire conditions, traces of other toxic gases cannot be excluded. the substance or mixture

Hydrocarbons, carbondioxide and -monoxid.

5.3 Advice for firefighters

· Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray.

Self-protection first!

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources.

After exceeding the emergency temperature must be diluted with a suitable desentisation agent to < 10 %.

In case of further temperature should be cooled with waterspray from a safe distance.

Wear breathing apparatus with filter A during decomposition of materials.

Wear protective equipment. Keep unprotected persons away

6.2 Environmental precautions:



Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Large quantities should be diluted with suitable desensitation agent to a concentration below 10 % before

disposal.

Soak up with absorbant material (e. g. Vermiculit) and dispose of in accordance with government

regulations.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

In case of large spillage the environmental authority should be informed.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling Keep receptacles tightly sealed.

(Contd. on page 3)



Printing date 04.04.2024 Version: 11 (replaces version 10) Revision: 06.04.2023

Trade name: PEROXAN APO

(Contd. of page 2)

Keep away from heat and direct sunlight.

Open and handle receptacle with care.

Prevent formation of aerosols.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.

Do not refill residue into storage receptacles.

Restrict the quantity stored at the work place.

Before break and at the end of work hands should be thoroughly washed.

Only use tools made of suitable materials (e. g. polyethylene or stainless steel).

The product must be preserved, stored and transported continously cool.

Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavy-

metal compounds and amines).

Oxidizing because of releasing oxygene. Avoid contact with skin and eyes.

While using do not eat, drink or smoke.

Do not generate flames or sparks.

Keep product and emptied container away from heat and sources of ignition.

Avoid shock and friction.

Take precautionary measures against static discharges.



Do not smoke.

Information about fire - and explosion protection:

Protect from heat.

Protect against electrostatic charges.

Prevent impact and friction.

Use explosion-proof apparatus / fittings and spark-proof tools.

Fumes can combine with air to form an explosive mixture.



Wear shoes with conductive soles.

Formation of flammable or explosive gas/air-mixtures is possible.



Avoid open flames, sparks, direct sunlight and other sources of ignition.

Keep ignition sources away - Do not smoke.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

Pay attention to the special requirements of your local autorithies for storing dangerous goods.

 Requirements to be met by storerooms and receptacles:

Store only in the original receptacle. Prevent any seepage into the ground.

Use only receptacles specifically permitted for this substance/product.

· Information about storage in

one common storage facility:

Do not store or park organic peroxide together with heavy metal compounds and amines.

Store away from foodstuffs, drinks and feeding stuffs.

Further information about

storage conditions:

Keep container tightly sealed.

Protect from heat and direct sunlight.

Protect from contamination.

Storage in a collecting room is required.

Recommended storage

temperature (To maintain quality):

max.: +5°C

Storage class: 5.2

· 7.3 Specific end use(s) No further relevant information available

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the

workplace: Not required.

· DNELs

686-31-7 tert-pentyl 2-ethylperoxyhexanoate

Dermal DNEL Longterm System 1,88 mg/kg bw/day (Worker) Inhalative DNEL Longterm System 3,17 mg/m3 (Worker)

· PNECs

686-31-7 tert-pentyl 2-ethylperoxyhexanoate

PNEC Marinewater sed | 0,00816 mg/kg sed dw

(Contd. on page 4)



(Contd. of page 3)

Printing date 04.04.2024 Version: 11 (replaces version 10) Revision: 06.04.2023

Trade name: PEROXAN APO

PNEC Freshwater 0,00046 mg/l (AF 50) PNFC Freshwater sed 0,0816 mg/kg sed dw PNEC Soil 0,016 mg/kg soil dw PNEC STP 10 mg/l (AF 100) **PNEC Marinewater** 0,000046 mg/l (AF 500)

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering

controls No further data: see section 7.

· Individual protection measures, such as personal protective equipment

General protective and

hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals.

> Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid close or long term contact with the skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection.

Be sure to clean skin thoroughly after work and before breaks.

· Respiratory protection: Not necessary if room is well-ventilated.

Use suitable respiratory device when it exceed exposure limit and when insufficiently ventilated.

Filter A2

· Hand protection Only use chemical-protective gloves with CE-labelling of category III.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Protective gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of · Material of gloves

quality and varies from manufacturer to manufacturer. Butyl rubber, Recommended material thickness: ≥ 0,47 mm Nitrile rubber, Recommended material thickness: ≥ 0,4 mm

· Penetration time of glove

material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be

observed.

Butvl rubber, breakthrough time: 480 min. Nitrile rubber, breakthrough time: 480 min.

· Eye/face protection

Tightly sealed goggles

· Body protection:

Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

· General Information

· Colour: Colourless Odour: Characteristic · Melting point/freezing point: Not applicable. · Boiling point or initial boiling point and boiling range Not applicable.

Lower and upper explosion limit

Not determined · Lower: · Upper: Not determined. Flash point: > SADT +35 °C (SADT) Decomposition temperature: · pH Not determined.

Viscosity:

· Kinematic viscosity Not determined · Dynamic at 20 °C: 4 mPas

· Solubility

Undetermined. not determined

· Partition coefficient n-octanol/water (log value) · Vapour pressure: Not determined.

(Contd. on page 5)



(Contd. of page 4)

Printing date 04.04.2024 Version: 11 (replaces version 10) Revision: 06.04.2023

Trade name: PEROXAN APO

· Density and/or relative density Density at 20 °C: 0,898 g/cm³

No further relevant information available. · 9.2 Other information

· Appearance:

Form:

· Important information on protection of health and environment, and on safety.

Ignition temperature: Not determined.

· Explosive properties: Product is not explosive. However, formation of explosive air/vapour

Void

Void

mixtures are possible.

· Information with regard to physical hazard classes

· Explosives Void Flammable gases Void **Aerosols** Void Oxidising gases Void · Gases under pressure Void Flammable liquids Void Flammable solids Void

· Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in

contact with water Void · Oxidising liquids Void Oxidising solids Void

· Organic peroxides Heating may cause a fire.

Corrosive to metals · Desensitised explosives Other safety characteristics

>6,6 % Active oxygen

SECTION 10: Stability and reactivity

No further relevant information available. · 10.1 Reactivity

10.2 Chemical stability · Thermal decomposition / conditions to be avoided:

SADT (Self Accelerating Decomposition Temperature) is the lowest temperature at which self accelerating

decomposition may occur with substance in the packaging as used in transport. A dangerous selfaccelerating decomposition reaction and, under certain circumstances, explosion or fire can be cause decomposition at and above the temperature. Contact with incompatible substances can cause

decomposition at or below the SADT.

No decomposition if used and stored according to specifications. To avoid thermal decomposition do not overheat.

· 10.3 Possibility of hazardous

reactions

Self-accelerating decomposition at SADT. 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: Rapid decomposition by dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g.

heavy-metal compounds and amines).

· 10.6 Hazardous decomposition

products:

Hydrocarbons, carbondioxide and -monoxid.

No hazardous decomposition products if used and stored according to specifications.

· Additional information: Emergency procedures will vary depending on conditions. The customer should have an emergency

response plane in place.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met. Skin corrosion/irritation Based on available data, the classification criteria are not met. · Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin

sensitisation May cause an allergic skin reaction.

 Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)



(Contd. of page 5)

Printing date 04.04.2024 Version: 11 (replaces version 10) Revision: 06.04.2023

Trade name: PEROXAN APO

Based on available data, the classification criteria are not met. · STOT-single exposure STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

· Endocrine disrupting properties

Substance is not listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

686-31-7 tert-pentyl 2-ethylperoxyhexanoate

EC50 / 72h | 0,28 mg/l (pseudokirchneriella subcapitata)

EC50 / 48h 3,7 mg/l (daphnia)

12.2 Persistence and degradability

· Degree of elimination:

· Classification:

686-31-7 tert-pentyl 2-ethylperoxyhexanoate

Degradation (Readily biodegradable) (OECD 301 D)

12.3 Bioaccumulative potential

· Partition coefficient: nOctanol/water: [Log Kow]

4,56 (25°C)

· 12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. · PBT: · vPvB: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

· 12.6 Endocrine disrupting

properties

The product does not contain substances with endocrine disrupting properties.

 12.7 Other adverse effects No further relevant information available.

· Additional ecological information:

General notes: Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water

Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation



After diluting with a suitable desentisation agent to 10 %, the solution must be supplied to a special treatment (e. g. thermal utilization) under observance of all official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage

· Waste disposal key: Please contact your hazardous waste disposers to assign the right EWC-(European waste catalog)-

number.

· Uncleaned packaging:

· Recommendation: This material and its container must be disposed of as hazardous waste.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, IMDG UN3115

· 14.2 UN proper shipping name

UN3115 ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE · ADR

CONTROLLED (tert-AMYLPEROXY-2-ETHYLHEXANOATE),

ENVIRONMENTALLY HAZARDOUS

·IMDG ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED

(tert-AMYLPEROXY-2-ETHYLHEXANOATE), MARINE POLLUTANT

(Contd. on page 7)



Printing date 04.04.2024 Version: 11 (replaces version 10) Revision: 06.04.2023

Trade name: PEROXAN APO

(Contd. of page 6)

٠	14.3	Transport	t hazard	С	lass	(es))
---	------	-----------	----------	---	------	------	---

· ADR





Class 5.2 (P2) Organic peroxides. · Label

· IMDG





Class 5.2 Organic peroxides. · Label 5.2 · IATA

· Class Χ · Label Χ

· 14.4 Packing group · ADR, IMDG Void

· 14.5 Environmental hazards: Product contains environmentally hazardous substances: tert-

AMYLPEROXY-2-ETHYLHEXANOATE

· Marine pollutant: Symbol (fish and tree) · Special marking (ADR): Symbol (fish and tree)

· 14.6 Special precautions for user Warning: Organic peroxides. Hazard identification number (Kemler code):

Stowage Category

· Stowage Code SW1 Protected from sources of heat.

SW3 Shall be transported under temperature control. · Segregation Code

SG35 Stow "separated from" SGG1-acids SG36 Stow "separated from" SGG18-alkalis.

· 14.7 Maritime transport in bulk according to IMO instruments Not applicable.

· Transport/Additional information:

· ADR

· Limited quantities (LQ)

Excepted quantities (EQ) Code: E0

Not permitted as Excepted Quantity

 Transport category Tunnel restriction code D

· RID / GGVSEB: no admission

· IMDG

· Limited quantities (LQ)

Excepted quantities (EQ) Code: F0

Not permitted as Excepted Quantity

· IATA

Remarks: no admission

+20°C Control temperature:

+25°C · Emergency temperature:

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances

- ANNEX I Substance is not listed.

· Seveso category P6b SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES

E1 Hazardous to the Aquatic Environment

· Qualifying quantity (tonnes) for the application of lower-tier requirements

50 t

(Contd. on page 8)



Printing date 04.04.2024 Version: 11 (replaces version 10) Revision: 06.04.2023

Trade name: PEROXAN APO

(Contd. of page 7)

Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

REGULATION (EC) No

1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex ш

Substance is not listed.

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

Substance is not listed

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

Substance is not listed.

· Regulation (EC) No 273/2004 on drug precursors

Substance is not listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

Substance is not listed.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection / Security of labour

· Contact: Tel: +49 2871 9902-0 E-mail: mail@pergan.com

· Version number of previous

version:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the Abbreviations and acronyms:

International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)
PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Org. Perox. D: Organic peroxides – Type C/D

Skin Sens. 1: Skin sensitisation – Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aguatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

* Data compared to the previous version altered.

IF -