

Printing date 02.04.2024 Version: 12 (replaces version 11) Revision: 20.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

PEROXAN BP-Pulver 30 W · Trade name:

1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

· Application of the substance /

the mixture

Reaction initiator For industrial use

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: PERGAN GmbH

Hilfsstoffe für industrielle Prozesse

Schlavenhorst 71 D-46395 Bocholt Tel: +49 2871 9902-0 Fax: +49 2871 9902-50

· Further information obtainable

Environment protection / Security of labour from:

Qualified person: E-mail: msds@pergan.com

1.4 Emergency telephone

- Tel: +49 2871 9902-0 number:

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Org. Perox. G

Eye Irrit. 2 H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Repr. 1B H360D May damage the unborn child. Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to

Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms







GHS07 GHS08 GHS09

· Signal word Danger

· Hazard-determining

components of labelling:

dicyclohexyl phthalate

dibenzoyl peroxide · Hazard statements H319

Causes serious eye irritation. H317 May cause an allergic skin reaction. H360D May damage the unborn child.

H410 Very toxic to aquatic life with long lasting effects.

· Precautionary statements P261 Avoid breathing dust.

P264 Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing

P308+P313 IF exposed or concerned: Get medical advice/attention.

P391 Collect spillage. P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations. Restricted to professional users.

· Additional information: 2.3 Other hazards

· Results of PBT and vPvB assessment · PBT:

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. · vPvB:

· Determination of endocrine-disrupting properties

84-61-7 dicyclohexyl phthalate List I; II

ΙE



Printing date 02.04.2024 Version: 12 (replaces version 11) Revision: 20.12.2022

Trade name: PEROXAN BP-Pulver 30 W

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Dangerous components:		
CAS: 84-61-7 EINECS: 201-545-9 Index number: 607-719-00-4 Reg-No.: 01-2119978223-34		25-30%
CAS: 94-36-0 EINECS: 202-327-6 Index number: 617-008-00-0 Reg-No.: 01-2119511472-50		25-30%
· SVHC		
84-61-7 dicyclohexyl phthala	te	
Additional information:	For the wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

4.1 Description of first aid measures

· General information:

Take care of personal protection for the first aider.

· After inhalation: Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Take affected persons into fresh air and keep quiet.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

Immediately remove contaminated clothing.

· After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects, both acute and delaved

4.3 Indication of any immediate medical attention and special

treatment needed

No further relevant information available.

No further relevant information available

SECTION 5: Firefighting measures

5.1 Extinguishing media

• Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from

the substance or mixture 5.3 Advice for firefighters Under certain fire conditions, traces of other toxic gases cannot be excluded.

· Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray.

Self-protection first!

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

In case of further temperature should be cooled with waterspray from a safe distance.

Wear breathing apparatus with filter A during decomposition of materials.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Pick up mechanically, collect in a suitable receptacle and dispose in accordance with government

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)



Version: 12 (replaces version 11) Printing date 02.04.2024 Revision: 20.12.2022

Trade name: PEROXAN BP-Pulver 30 W

(Contd. of page 2)

In case of large spillage the environmental authority should be informed.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling

Open and handle receptacle with care.

Prevent formation of dust.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.

Before break and at the end of work hands should be thoroughly washed.

Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavy-

metal compounds and amines). While using do not eat, drink or smoke.

Avoid shock and friction.

· Information about fire - and explosion protection:

Protect from heat.

Prevent impact and friction.

Dust can combine with air to form an explosive mixture.

Substance/product is oxidising when dry.



Avoid open flames, sparks, direct sunlight and other sources of ignition.

· 7.2 Conditions for safe storage, including any incompatibilities

Storage:

Pay attention to the special requirements of your local autorithies for storing dangerous goods.

· Requirements to be met by

storerooms and receptacles:

Store only in the original receptacle.

Prevent any seepage into the ground.

Use only receptacles specifically permitted for this substance/product.

· Information about storage in one common storage facility:

Further information about storage conditions:

Store away from foodstuffs, drinks and feeding stuffs.

Keep container tightly sealed. Protect from heat and direct sunlight.

Protect from contamination.

Storage in a collecting room is required.

· Recommended storage temperature (To maintain

quality):

max.: +30 °C

· Storage class: 5.2

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

9.4 Cantral navameters

8.1 Contro	ol parameters			
· Ingredients with limit values that require monitoring at the workplace:				
84-61-7 dicyclohexyl phthalate				
OEL (Irela	ind) Long-term va	Long-term value: 5 mg/m³		
WEL (Gre	WEL (Great Britain) Long-term value: 5 mg/m³			
94-36-0 dibenzoyl peroxide				
OEL (Irela	nd) Long-term va Sens	llue: 5 mg/m³		
WEL (Gre	WEL (Great Britain) Long-term value: 5 mg/m³			
DNELs				
84-61-7 dicyclohexyl phthalate				
Dermal	DNEL Longterm Syste	m 0,5 mg/kg bw/day (Worker)		
Inhalative	DNEL Longterm Syste	m 35,2 mg/m3 (Worker)		
94-36-0 dibenzoyl peroxide				
Oral	DNEL Longterm Syste	m 2 mg/kg bw/day (General population)		
Dermal	DNEL Longterm Syste	m 13,3 mg/kg bw/day (Worker)		
Inhalative	DNEL Longterm Syste	m 39 mg/m3 (Worker)		

·PNECs

84-61-7 dicyclohexyl phthalate

PNEC Marinewater sed | 0,106 mg/kg sed dw **PNEC Freshwater** 0,004 mg/l (AF 50)

(Contd. on page 4)



Printing date 02.04.2024 Version: 12 (replaces version 11) Revision: 20.12.2022

Trade name: PEROXAN BP-Pulver 30 W

(Contd. of page 3)

PNEC Freshwater sed | 1,06 mg/kg sed dw PNEC Soil 0,21 mg/kg soil dw PNEC STP 10 mg/l (AF 10) **PNEC Marinewater** 0 mg/l (AF 500)

94-36-0 dibenzoyl peroxide

PNEC Marinewater sed 0,001 mg/kg sed dw **PNEC Freshwater** 0,00002 mg/l (AF 50) PNEC Freshwater sed 0,013 mg/kg sed dw PNFC STP 0,35 mg/l

PNEC Marinewater

0,000002 mg/l (AF 500)

· Additional information: The lists valid during the making were used as basis.

 8.2 Exposure controls Appropriate engineering

controls No further data: see section 7

· Individual protection measures, such as personal protective equipment

General protective and

hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid close or long term contact with the skin.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection.

Be sure to clean skin thoroughly after work and before breaks.

· Respiratory protection: Not necessary if room is well-ventilated.



Use suitable respiratory device when it exceed exposure limit and when insufficiently ventilated.



Filter P2

· Hand protection Only use chemical-protective gloves with CE-labelling of category III.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Protective gloves

· Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of

quality and varies from manufacturer to manufacturer.

Butyl rubber, BR Fluorocarbon rubber (Viton) Nitrile rubber, NBR

Neoprene

Penetration time of glove

material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be

observed.

· Eye/face protection

Tightly sealed goggles

· Body protection:

Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

· General Information

· Colour: · Odour:

· Odour threshold:

· Melting point/freezing point:

· Boiling point or initial boiling point and boiling range

· Flammability

Lower and upper explosion limit · Lower:

Whitish

Characteristic Not determined. Not applicable.

Not applicable. May cause fire.

Not determined.

(Contd. on page 5)



Printing date 02.04.2024 Version: 12 (replaces version 11) Revision: 20.12.2022

Trade name: PEROXAN BP-Pulver 30 W

(Contd. of page 4)

	(Conta. or page 4)
· Upper:	Not determined.
· Flash point:	Not applicable.
Decomposition temperature:	+60 °C (SADT)
· pH	Not applicable.
· Viscosity:	
· Kinematic viscosity	Not applicable.
· Dynamic:	Not applicable.
· Solubility	''
· water:	Undetermined.
Partition coefficient n-octanol/water (log value)	not determined
· Vapour pressure:	Not applicable.
Density and/or relative density	''
Density:	Not determined.
· Relative density	Not determined.
· Bulk density at 20 °C:	780 kg/m³
· Vapour density	Not applicable.
· Particle characteristics	Tiot applicable.
See section 3.	
·	N. Carlo and S. Ca
9.2 Other information	No further relevant information available.
· Appearance:	Davidan
Form:	Powder
Important information on protection of health and environme	nı,
and on safety. · Ignition temperature:	Due de cat le met e al finnsition
Explosive properties:	Product is not selfigniting. Not determined.
Change in condition	Not determined.
· Evaporation rate	Not applicable.
•	пот аррисаме.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in	Wetal
contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity

No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

· Desensitised explosives

SADT (Self Accelerating Decomposition Temperature) is the lowest temperature at which self accelerating decomposition may occur with substance in the packaging as used in transport. A dangerous self-accelerating decomposition reaction and, under certain circumstances, explosion or fire can be cause decomposition at and above the temperature. Contact with incompatible substances can cause

decomposition at or below the SADT.

No decomposition if used and stored according to specifications.

Void

· 10.3 Possibility of hazardous

reactions

Self-accelerating decomposition at SADT.

10.4 Conditions to avoid

No further relevant information available.

· 10.5 Incompatible materials:

Rapid decomposition by dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g.

heavy-metal compounds and amines).

· 10.6 Hazardous decomposition

products:

Hydrocarbons, carbondioxide and -monoxid.

No hazardous decomposition products if used and stored according to specifications.

(Contd. on page 6)



Printing date 02.04.2024 Version: 12 (replaces version 11) Revision: 20.12.2022

Trade name: PEROXAN BP-Pulver 30 W

(Contd. of page 5)

List I; II

· Additional information: Emergency procedures will vary depending on conditions. The customer should have an emergency

response plane in place.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

84-61-7 dicyclohexyl phthalate

Oral LD50 >2.000 mg/kg (rattus)

94-36-0 dibenzoyl peroxide

Oral LD50 >5.000 mg/kg (rattus)

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Causes serious eye irritation.

· Respiratory or skin

sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met. · Carcinogenicity Based on available data, the classification criteria are not met. · Reproductive toxicity May damage the unborn child.

STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

· Endocrine disrupting properties

84-61-7 dicyclohexyl phthalate

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

94-36-0 dibenzoyl peroxide

EC50 / 72h | 0,0711 mg/l (pseudokirchneriella subcapitata)

LC50 / 96h 0,0602 mg/l (oncorhynchus mykiss)

EC50 / 48h 110 mg/l (daphnia)

12.2 Persistence and degradability

· Degree of elimination:

· Classification:

84-61-7 dicyclohexyl phthalate

Degradation (Readily biodegradable)

94-36-0 dibenzoyl peroxide

Degradation (Readily biodegradable) (OECD 301 D)

12.3 Bioaccumulative potential

· Partition coefficient: nOctanol/water: [Log Kow]

4,82 (25 °C) 84-61-7 dicyclohexyl phthalate

94-36-0 dibenzoyl peroxide

3,2 (20 °C)

· Bioconcentration factor (BCF)

84-61-7 dicyclohexyl phthalate

BCF 85

12.4 Mobility in soil No further relevant information available

· 12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. · PRT· · vPvB: The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

· 12.6 Endocrine disrupting

For information on endocrine disrupting properties see section 11. properties

12.7 Other adverse effects No further relevant information available

Very toxic for fish · Remark: Additional ecological information:

General notes: Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 7)



Printing date 02.04.2024 Version: 12 (replaces version 11) Revision: 20.12.2022

Trade name: PEROXAN BP-Pulver 30 W

Danger to drinking water if even small quantities leak into the ground.

(Contd. of page 6)

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

> Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g

· Waste disposal key: Please contact your hazardous waste disposers to assign the right EWC-(European waste catalog)-

number.

Uncleaned packaging:

· Transport category · Tunnel restriction code

This material and its container must be disposed of as bezordous wests

· Recommendation: Th	his material and its container must be disposed of as hazardous waste.
SECTION 14: Transport informa	ation
· 14.1 UN number or ID number · ADR, IMDG, IATA	UN3077
· 14.2 UN proper shipping name · ADR	UN3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (DIBENZOYL PEROXIDE)
· IMDG	ENVIRÒNMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (DIBENZOYL PEROXIDE), MARINE POLLUTANT
· IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (DIBENZOYL PEROXIDE)
· 14.3 Transport hazard class(es)	
ADR	
· Class · Label	9 (M7) Miscellaneous dangerous substances and articles. 9
· IMDG, IATA · Class · Label	9 Miscellaneous dangerous substances and articles. 9
· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards:	Product contains environmentally hazardous substances: DIBENZOYL PEROXIDE
Marine pollutant:	Yes Symbol (fish and tree)
· Special marking (ADR): · Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)
· 14.6 Special precautions for user · Hazard identification number (Ker · EMS Number:	F-A,S-F
· Stowage Category · Stowage Code	A SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.
•	ording to IMO instruments Not applicable.
Transport/Additional information:	
ADR Limited quantities (LQ) Excepted quantities (EQ)	5 kg Code: E1

3 E

(Contd. on page 8)



Printing date 02.04.2024 Version: 12 (replaces version 11) Revision: 20.12.2022

Trade name: PEROXAN BP-Pulver 30 W

(Contd. of page 7)

· Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1

> Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances

- ANNEX I None of the ingredients is listed.

· Seveso category E1 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier

requirements 100 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

REGULATION (EC) No

1907/2006 ANNEX XVII Conditions of restriction: 30

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· Substances of very high concern (SVHC) according to REACH, Article 57

dicyclohexyl phthalate

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

 Relevant phrases H241 Heating may cause a fire or explosion.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H360D May damage the unborn child. H400 Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects. H410 H412 Harmful to aquatic life with long lasting effects.

· Department issuing SDS: Environment protection / Security of labour

Tel: +49 2871 9902-0 · Contact: E-mail: mail@pergan.com

· Version number of previous

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the Abbreviations and acronyms:

International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)

(Contd. on page 9)

Page 9/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31



Printing date 02.04.2024 Version: 12 (replaces version 11) Revision: 20.12.2022

Trade name: PEROXAN BP-Pulver 30 W

(Contd. of page 8)

LC50: Lethal concentration, 50 percent

LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Org. Perox. B: Organic peroxides – Type B
Org. Perox. G: Organic peroxides – Type G
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
Repr. 1B: Reproductive toxicity – Category 1B
Aquatic Acute 1: Hazardous to the aquatic environment – acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment – long-term aquatic hazard – Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment – long-term aquatic hazard – Category 3

·* Data compared to the previous version altered.

IE —