Printing date 03.04.2024

Version: 7 (replaces version 6)

The Peroxide Company

Revision: 16.02.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### · 1.1 Product identifier

DEDUXAN EDC-65

· Trade name:	PERUXAN EPU-65		
· 1.2 Relevant identified uses of the	the substance or mixture and uses advised against No further relevant information available.		
<ul> <li>Application of the substance / the mixture</li> </ul>	Reaction initiator For industrial use		
1.3 Details of the supplier of the safety data sheet			
Manufacturer/Supplier:	PERGAN GmbH Hilfsstoffe für industrielle Prozesse Schlavenhorst 71 D-46395 Bocholt Tel: +49 2871 9902-0 Fax: +49 2871 9902-50		
<ul> <li>Further information obtainable from:</li> </ul>	Environment protection / Security of labour		
· 1.4 Emergency telephone	Qualified person: E-mail: msds@pergan.com		
number:	- Tel: +49 2871 9902-0		
SECTION 2: Hazards identifie	cation		

#### CTION 2: Hazards identification

SECTION 2: Hazards identifie	cation
Skin Irrit. 2H315 CausesEye Dam. 1H318 CausesSkin Sens. 1H317 May cauAsp. Tox. 1H304 May be	may cause a fire.
<ul> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008</li> <li>Hazard pictograms</li> </ul>	The product is classified and labelled according to the CLP regulation.
· Signal word	Danger
<ul> <li>Hazard-determining components of labelling:</li> <li>Hazard statements</li> </ul>	bis(2-ethylhexyl) peroxydicarbonate Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated H242 Heating may cause a fire.
Brocautionary atatamanta	<ul> <li>H315 Causes skin irritation.</li> <li>H318 Causes serious eye damage.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H304 May be fatal if swallowed and enters airways.</li> <li>H413 May cause long lasting harmful effects to aquatic life.</li> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No</li> </ul>
<ul> <li>Precautionary statements</li> </ul>	P210       Reep away from fleat, not suffaces, sparks, open names and other ignition sources. No smoking.         P220       Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavy metal compounds and amines).         P234       Keep only in original packaging.         P264       Wash thoroughly after handling.         P280       Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.         P301+P310       IF SWALLOWED: Immediately call a POISON CENTER/ doctor.         P331       Do NOT induce vomiting.         P305+P351+P338       IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.         P362+P364       Take off contaminated clothing and wash it before reuse.         P410       Protect from sunlight.         P411+P235       Store locked up.         P420       Store separately.         P501       Dispose of contents/container in accordance with local/regional/national/international regulations.
2.3 Other hazards	

· Results of PBT and vPvB assessment

· PBT:

Printing date 03.04.2024

Version: 7 (replaces version 6)



Revision: 16.02.2023

(Contd of page 1)

## Trade name: PEROXAN EPC-65

<ul> <li>Determination of endocrine- disrupting properties</li> </ul>	The product does not contain substances with endocrine disrupting properties.	
· vPvB:	The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.	,

#### **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

<ul> <li>Dangerous components:</li> </ul>		
CAS: 16111-62-9 EINECS: 240-282-4	bis(2-ethylhexyl) peroxydicarbonate Org. Perox. C, H242; Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317	60-70%
Reg-No.: 01-2119964452-3	5	00.40%
CAS: 93685-81-5 EINECS: 297-629-8	Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated Alternative CAS number: 13475-82-6	30-40%
	9 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 4, H413	
<ul> <li>Additional information:</li> </ul>	For the wording of the listed hazard phrases refer to section 16.	

#### **SECTION 4: First aid measures**

4.1 Description of first aid measures

General information:

Take care of personal protection for the first aider. · After inhalation: Supply fresh air and to be sure call for a doctor. In case of unconsciousness place patient stably in side position for transportation. Take affected persons into fresh air and keep quiet. · After skin contact: Immediately wash with water and soap and rinse thoroughly. Immediately remove contaminated clothing. · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing: If symptoms persist consult doctor. 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. 4.3 Indication of any immediate medical attention and special No further relevant information available. treatment needed

SECTION 5: Firefighting mea	sures
5.1 Extinguishing media • Suitable extinguishing agents: 5.2 Special hazards arising from	CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
the substance or mixture	Under certain fire conditions, traces of other toxic gases cannot be excluded. Hydrocarbons, carbondioxide and -monoxid.
5.3 Advice for firefighters	
· Protective equipment:	Do not inhale explosion gases or combustion gases.
Additional information	Cool endangered receptacles with water spray. Self-protection first!

#### **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures Keep away from ignition sources. In case of further temperature should be cooled with waterspray from a safe distance. Wear breathing apparatus with filter A during decomposition of materials. Wear protective equipment. Keep unprotected persons away. Inform respective authorities in case of seepage into water course or sewage system.

· 6.2 Environmental precautions:



Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Large quantities should be diluted with suitable desensitation agent to a concentration below 10 % before disposal. Soak up with absorbant material (e. g. Vermiculit) and dispose of in accordance with government regulations.

Printing date 03.04.2024

Version: 7 (replaces version 6)

Revision: 16.02.2023

י 🖌 ר

The Peroxide Company

# Trade name: PEROXAN EPC-65

6.4 Reference to other sections	<ul> <li>See Section 7 for information on safe handling.</li> <li>See Section 8 for information on personal protection equipment.</li> <li>See Section 13 for disposal information.</li> <li>In case of large spillage the environmental authority should be informed.</li> </ul>	
SECTION 7: Handling and st	orage	
7.1 Precautions for safe		
handling	Keep away from heat and direct sunlight. Open and handle receptacle with care. Prevent formation of aerosols. Wear suitable respiratory protective device when decanting larger quantities without extractor facilities. Do not refill residue into storage receptacles. Restrict the quantity stored at the work place. Before break and at the end of work hands should be thoroughly washed. Only use tools made of suitable materials (e. g. polyethylene or stainless steel). Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heav metal compounds and amines). While using do not eat, drink or smoke.	
	Do not generate flames or sparks. Keep product and emptied container away from heat and sources of ignition. Avoid shock and friction.	
	Take precautionary measures against static discharges.	
	Do not smoke.	
Information about fire - and	•	
explosion protection:	Protect from heat. Protect against electrostatic charges. Prevent impact and friction. Use explosion-proof apparatus / fittings and spark-proof tools. Fumes can combine with air to form an explosive mixture.	
	Wear shoes with conductive soles.	
	Formation of flammable or explosive gas/air-mixtures is possible.	
	Avoid open flames, sparks, direct sunlight and other sources of ignition.	
	Keep ignition sources away - Do not smoke.	
7.2 Conditions for safe storage,	including any incompatibilities	
Storage:	Pay attention to the special requirements of your local autorithies for storing dangerous goods.	
Requirements to be met by		
storerooms and receptacles:	Store only in the original receptacle. Prevent any seepage into the ground.	
	Use only receptacles specifically permitted for this substance/product.	
· Information about storage in		
one common storage facility:	Do not store or park organic peroxide together with heavy metal compounds and amines. Store away from foodstuffs, drinks and feeding stuffs.	
<ul> <li>Further information about</li> </ul>		
storage conditions:	Keep container tightly sealed. Protect from heat and direct sunlight. Protect from contamination. Storage in a collecting room is required.	
<ul> <li>Recommended storage temperature (To maintain</li> </ul>		
quality):	-2515 °C	
· Storage class:	5.2	
7.3 Specific end use(s)	No further relevant information available.	

#### **SECTION 8: Exposure controls/personal protection**

 8.1 Control parameters
 Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Printing date 03.04.2024

Version: 7 (replaces version 6)



Revision: 16.02.2023

# Trade name: PEROXAN EPC-65

		(Contd. of page 3)	
·DNELs			
16111-62-9 bis(2-ethylhexyl) peroxydicarbonate			
Dermal DNEL Longterm System 6,67 mg/kg bw/day (Worker)			
Inhalative DNEL Longterm System 11,75 mg/m3 (Worker)			
PNECs			
16111-62-9 bis(2-ethyll	hexyl) peroxydicarbonate		
	0,0228 mg/kg sed dw (-)		
PNEC Freshwater	0,032 mg/l (AF 50)		
PNEC Freshwater sed	0,228 mg/kg sed dw (-)		
PNEC Soil	0,0269 mg/kg soil dw (-)		
PNEC STP	1,5 mg/l (AF 10)		
PNEC Marinewater	0,0032 mg/l (AF 500)		
· Additional information	n: The lists valid during the ma	aking were used as basis.	
• 8.2 Exposure controls • Appropriate engineer	ing	_	
controls	No further data; see section		
· General protective ar	measures, such as personal protectived	ve equipment	
hygienic measures:		easures are to be adhered to when handling chemicals.	
,,	Keep away from foodstuffs,	beverages and feed.	
		ed and contaminated clothing	
	Wash hands before breaks Store protective clothing ser		
	Avoid close or long term cor		
	Avoid contact with the eyes		
	Do not eat, drink, smoke or		
	Use skin protection cream fo		
· Respiratory protectio		Be sure to clean skin thoroughly after work and before breaks. Not necessary if room is well-ventilated.	
		Use suitable respiratory device when it exceed exposure limit and when insufficiently ventilated.	
		atory device when it exceed exposure limit and when insumclenity ventilated.	
· Hand protection	Filter A2	e gloves with CE-labelling of category III.	
	Selection of the glo degradation	we material on consideration of the penetration times, rates of diffusion and the	
	Protective gloves		
<ul> <li>Material of gloves</li> </ul>	quality and varies from man Butyl rubber, BR		
	Fluorocarbon rubber (Viton)		
	Nitrile rubber, NBR Neoprene		
· Penetration time of	•		
material	The exact break trough time	e has to be found out by the manufacturer of the protective gloves and has to be	
· Eye/face protection	observed.		
Lyenace protection	Tightly sealed gogg	gles	
· Body protection:			
	Protective work clot	thing	
-	al and chemical properties		
	sic physical and chemical properties		
<ul> <li>General Information</li> <li>Colour:</li> </ul>		Colourless	
		Solvent-like	
Odour threshold:		Not determined.	
<ul> <li>Melting point/freezing</li> </ul>		Not applicable.	
	al boiling point and boiling range	Not applicable.	
· Flammability		Not applicable.	

Printing date 03.04.2024

Version: 7 (replaces version 6)

Revision: 16.02.2023

• )

The Peroxide Company

## Trade name: PEROXAN EPC-65

	(Contd. of page
<ul> <li>Lower and upper explosion limit</li> </ul>	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not determined.
Decomposition temperature:	+5 °C (SADT)
· pH	Not determined.
· Viscosity:	
Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
· water:	Undetermined.
Partition coefficient n-octanol/water (log value)	not determined
Vapour pressure:	Not determined.
Density and/or relative density	
· Density at 20 °C:	0,91 g/cm³
· Relative density	Not determined.
· Vapour density	Not determined.
9.2 Other information	No further relevant information available.
· Appearance:	
· Form:	Fluid
<ul> <li>Important information on protection of health and environm</li> </ul>	ent,
and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour
	mixtures are possible.
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
	Void
Oxidising gases	
Gases under pressure	Void
· Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which smit flammable access in	
Substances and mixtures, which emit flammable gases in	
contact with water	Void
contact with water Oxidising liquids	Void
contact with water Oxidising liquids Oxidising solids	Void Void
contact with water Oxidising liquids Oxidising solids Organic peroxides	Void Void Heating may cause a fire.
contact with water Oxidising liquids Oxidising solids	Void Void
contact with water Oxidising liquids Oxidising solids Organic peroxides	Void Void Heating may cause a fire.
contact with water Oxidising liquids Oxidising solids Organic peroxides Corrosive to metals	Void Void Heating may cause a fire. Void

### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity · 10.2 Chemical stability · Thermal decomposition /	No further relevant information available.
conditions to be avoided:	SADT (Self Accelerating Decomposition Temperature) is the lowest temperature at which self accelerating decomposition may occur with substance in the packaging as used in transport. A dangerous self-accelerating decomposition reaction and, under certain circumstances, explosion or fire can be cause decomposition at and above the temperature. Contact with incompatible substances can cause decomposition at or below the SADT. No decomposition if used and stored according to specifications. To avoid thermal decomposition do not overheat.
<ul> <li>10.3 Possibility of hazardous</li> </ul>	
reactions	Self-accelerating decomposition at SADT.
<ul> <li>10.4 Conditions to avoid</li> <li>10.5 Incompatible materials:</li> </ul>	No further relevant information available. Rapid decomposition by dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavy-metal compounds and amines).

Printing date 03.04.2024

Version: 7 (replaces version 6)

Revision: 16.02.2023

The Peroxide Company

## Trade name: PEROXAN EPC-65

	(Contd. of page 5
<ul> <li>10.6 Hazardous decomposition</li> </ul>	
products:	Hydrocarbons, carbondioxide and -monoxid.
•	No hazardous decomposition products if used and stored according to specifications.
· Additional information:	Emergency procedures will vary depending on conditions. The customer should have an emergency response plane in place.

### **SECTION 11: Toxicological information**

#### $\cdot$ 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

16111-62-9 bis(2-ethylhexyl) peroxydicarbonate			
Oral LD50 >2.000 mg/kg (rattu	Oral LD50 >2.000 mg/kg (rattus)		
Dermal LD50 >2.000 mg/kg (rattu	s)		
93685-81-5 Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated			
Oral  LD50 >5.000 mg/kg (rattus)			
Skin corrosion/irritation	Causes skin irritation.		
· Serious eye damage/irritation	Causes serious eye damage.		
Respiratory or skin			
sensitisation	May cause an allergic skin reaction.		
· Germ cell mutagenicity	Based on available data, the classification criteria are not met.		
Carcinogenicity	Based on available data, the classification criteria are not met.		
<ul> <li>Reproductive toxicity</li> </ul>	Based on available data, the classification criteria are not met.		
<ul> <li>STOT-single exposure</li> </ul>	Based on available data, the classification criteria are not met.		
<ul> <li>STOT-repeated exposure</li> </ul>	Based on available data, the classification criteria are not met.		
<ul> <li>Aspiration hazard</li> </ul>	May be fatal if swallowed and enters airways.		
<ul> <li>11.2 Information on other hazard</li> </ul>	S		

· Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**

• 12.1 Toxicity • Aquatic toxicity:		
• •	4. 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated	
EC50 / 48h >0.04 mg/l (daphn		
, , , ,		
IC50 / 72h >0,04 mg/l (algae)		
<ul> <li>12.2 Persistence and degrada</li> <li>Degree of elimination:</li> </ul>	ability	
· Classification:		
16111-62-9 bis(2-ethylhexyl) p	peroxydicarbonate	
Degradation (Readily biodegra	adable) (OECD 301 B)	
93685-81-5 Hydrocarbons, C4	4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated	
Degradation (Not readily biode	egradable)	
12.3 Bioaccumulative potenti	al	
· Partition coefficient: nOcta	nol/water: [Log Kow]	
16111-62-9 bis(2-ethylhexyl) p	eroxydicarbonate	2,73
12.4 Mobility in soil	No further relevant information available.	
12.5 Results of PBT and vPvI	3 assessment	
· PBT:	The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII	
· vPvB:	The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII	
12.6 Endocrine disrupting		
properties	The product does not contain substances with endocrine disrupting properties.	
12.7 Other adverse effects	No further relevant information available.	
Remark:	Toxic for fish	
Additional ecological inform		
· General notes:	Toxic for aquatic organisms	
	Also poisonous for fish and plankton in water bodies.	
	Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water	
	Do not allow product to reach ground water, water course or sewage system.	on page 7
		on page i

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.04.2024


Version: 7 (replaces version 6)



Revision: 16.02.2023

# Trade name: PEROXAN EPC-65

	Danger to drinking water if even small quantities leak into the ground.		
SECTION 13: Disposal consid	derations		
• 13.1 Waste treatment methods • Recommendation	After diluting with a suitable desentisation agent to 10 %, the solution must be supplied to a special treatment (e. g. thermal utilization) under observance of all official regulations. Must not be disposed together with household garbage. Do not allow product to reach sewage		
· Waste disposal key:	system. Please contact your hazardous waste disposers to assign the right EWC-(European waste catalog)- number.		
<ul> <li>Uncleaned packaging:</li> <li>Recommendation:</li> </ul>	This material and its container must be disposed of as hazardous waste.		
SECTION 14: Transport infor	mation		
· 14.1 UN number or ID number · ADR, IMDG	UN3115		
• 14.2 UN proper shipping name • ADR • IMDG	UN3115 ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED (DI-(2-ETHYLHEXYL)-PEROXYDICARBONATE) ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED (DI-(2-ETHYLHEXYL)-PEROXYDICARBONATE)		
• 14.3 Transport hazard class(es) • ADR	5.2 (P2) Organic peroxides.		
· Label · IMDG · Class	5.2 S.2 Organic peroxides.		
· Label · IATA	5.2 Organic peroxides. 5.2		
· Class · Label	X X		
• 14.4 Packing group • ADR, IMDG	Void		
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No		
<ul> <li>14.6 Special precautions for use</li> <li>Hazard identification number (I</li> <li>Stowage Category</li> <li>Stowage Code</li> </ul>	r Warning: Organic peroxides. Kemler code): - D SW1 Protected from sources of heat. SW3 Shall be transported under temperature control.		
· Segregation Code	SG35 Stow "separated from" SGG1-acids SG36 Stow "separated from" SGG18-alkalis.		
•	ccording to IMO instruments Not applicable.		
· Transport/Additional informatio	n:		
• ADR • Limited quantities (LQ) • Excepted quantities (EQ)	0 Code: E0 Not permitted as Excepted Quantity		
<ul> <li>Transport category</li> <li>Tunnel restriction code</li> </ul>	1 D (Contd. on page 6		



Version: 7 (replaces version 6)



Revision: 16.02.2023

## Trade name: PEROXAN EPC-65

	(Contd. of page
· RID / GGVSEB:	no admission
·IMDG	
· Limited quantities (LQ)	0
Excepted quantities (EQ)	Code: E0
,	Not permitted as Excepted Quantity
· Remarks:	no admission
· Control temperature:	-15 °C
· Emergency temperature:	-5 °C

### SECTION 15: Regulatory information

<sup>•</sup> 15.1 Safety, health and environr	nental regulations/legislation specific for the substance or mixture
Directive 2012/18/EU	
• Named dangerous substances	
- ANNEX I	None of the ingredients is listed.
Seveso category	P6b SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES
Qualifying quantity (tonnes) fo	r
the application of lower-tier requirements	50 t
· Qualifying quantity (tonnes) fo	** *
the application of upper-tier	
requirements	200 t
REGULATION (EC) No	
1907/2006 ANNEX XVII	Conditions of restriction: 3
DIRECTIVE 2011/65/EU on the I	restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex
Ш	
None of the ingredients is listed.	
· REGULATION (EU) 2019/1148	
· Annex I - RESTRICTED EXPLC	SIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
None of the ingredients is listed.	
· Annex II - REPORTABLE EXPL	OSIVES PRECURSORS
None of the ingredients is listed.	
· Regulation (EC) No 273/2004 o	n drug precursors
None of the ingredients is listed.	
<ul> <li>Regulation (EC) No 111/2005 la precursors</li> </ul>	aying down rules for the monitoring of trade between the Community and third countries in drug
None of the ingredients is listed.	

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases	<ul> <li>H226 Flammable liquid and vapour.</li> <li>H242 Heating may cause a fire.</li> <li>H304 May be fatal if swallowed and enters airways.</li> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H318 Causes serious eye damage.</li> <li>H413 May cause long lasting harmful effects to aquatic life.</li> </ul>
<ul> <li>Department issuing SDS:</li> <li>Contact:</li> </ul>	Environment protection / Security of labour Tel: +49 2871 9902-0
Version number of province	E-mail: mail@pergan.com
<ul> <li>Version number of previous version:</li> </ul>	6
• Abbreviations and acronyms:	RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
	ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
	IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association
	GHS: Globally Harmonised System of Classification and Labelling of Chemicals
	EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances
	(Contd. on page 9)

Printing date 03.04.2024



Revision: 16.02.2023

of page 8)

IE —

= - (

The Peroxide Company

## Trade name: PEROXAN EPC-65

		(Contd. d
	CAS: Chemical Abstracts Service (division of the American Chemical Society)	(
	DNEL: Derived No-Effect Level (REACH)	
	PNEC: Predicted No-Effect Concentration (REACH)	
	LC50: Lethal concentration, 50 percent	
	LD50: Lethal dose, 50 percent	
	PBT: Persistent, Bioaccumulative and Toxic	
	vPvB: very Persistent and very Bioaccumulative	
	Flam. Lig. 3: Flammable liguids – Category 3	
	Org. Perox. C: Organic peroxides – Type C/D	
	Org. Perox. D: Organic peroxides – Type C/D	
	Skin corrosion/irritation – Category 2	
	Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
	Skin Sens. 1: Skin sensitisation – Category 1	
	Asp. Tox. 1: Aspiration hazard – Category 1	
	Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4	
* * Data compared to the		
•		
previous version altered.		