

Version: 7 (replaces version 6)

Revision: 14.02.2023

•)

The Peroxide Company

SECTION 1: Identification of the substance/mixture and of the company/undertaking

```
· 1.1 Product identifier
```

PEROXAN OPN-70

· Trade name:	PEROXAN OPN-/0
· 1.2 Relevant identified uses of th	e substance or mixture and uses advised against No further relevant information available.
 Application of the substance / the mixture 	Reaction initiator For industrial use
 1.3 Details of the supplier of the Manufacturer/Supplier: 	safety data sheet PERGAN GmbH Hilfsstoffe für industrielle Prozesse Schlavenhorst 71 D-46395 Bocholt Tel: +49 2871 9902-0 Fax: +49 2871 9902-50
 Further information obtainable from: 1.4 Emergency telephone number: 	Environment protection / Security of labour Qualified person: E-mail: msds@pergan.com - Tel: +49 2871 9902-0
	- 41

SECTION 2: Hazards identification

2.1 Classification of the substa Classification according to Re		272/2008
•	• • • •	
	nable liquid and vap	
Org. Perox. D H242 Heatir	ng may cause a fire.	
Skin Irrit. 2 H315 Cause	es skin irritation.	
Repr. 1B H360F May d	amage fertility.	
,	0,	and enters airways.
Aquatic Chronic 4 H413 May c	ause long lasting ha	armful effects to aquatic life.
· 2.2 Label elements		
 Labelling according to 		
Regulation (EC) No 1272/2008	The product is cla	assified and labelled according to the CLP regulation.
Hazard pictograms	\wedge	
	_ <u><₩</u> > <	
	GHS02 GHS07 C	GHS08
· Signal word	Danger	
-	5	
· Hazard-determining		A A O hade live a first machined with the first dama for the manufacture and the
components of labelling:		4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated
. Hererd statements		ulbutyl peroxyneodecanoate
· Hazard statements		le liquid and vapour.
	H242 Heating m H315 Causes s	
	H360F May dama	
		age refutity. tal if swallowed and enters airways.
		e long lasting harmful effects to aquatic life.
· Precautionary statements	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
Frecautionaly statements	1210	smoking.
	P220	Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and
	1 220	accelerators (e. g. heavy metal compounds and amines).
	P234	Keep only in original packaging.
	P243	Take action to prevent static discharges.
	P264	Wash thoroughly after handling.
	P273	Avoid release to the environment.
	P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing
		protection.
	P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
	P331	Do NOT induce vomiting.
	P303+P361+P35	3 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with
		water [or shower].
	P405	Store locked up.
	P410	Protect from sunlight.
	P411+P235	Store at temperatures not exceeding -5°C. Keep cool.
	P420	Store separately.
	P501	Dispose of contents/container in accordance with local/regional/national/international
Additional informations	Destricted to an	regulations.
· Additional information:	Restricted to prof	
		(Contd. on page 2)
		E

Printing date 04.04.2024

Version: 7 (replaces version 6)

Revision: 14.02.2023

The Peroxide Company

Trade name: PEROXAN OPN-70

2 2 Other hererde	(Contd. of page 1)
 2.3 Other hazards Results of PBT and vPvB asse 	essment
· PBT:	The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.
· vPvB:	The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.
 Determination of endocrine- 	
disrupting properties	The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

 Dangerous components: 		
CAS: 51240-95-0	1,1,3,3-tetramethylbutyl peroxyneodecanoate	60-70%
EINECS: 257-077-0	Org. Perox. D, H242; Repr. 1B, H360F; Skin Irrit. 2, H315	
Reg-No.: 01-2119966140-44		
CAS: 93685-81-5	Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated	25-30%
EINECS: 297-629-8	Alternative CAS number: 13475-82-6	
Reg-No.: 01-2119490725-29	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 4, H413	1
 Additional information: 	For the wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

4.1 Description of first aid measures General information:

· After inhalation:

- · After skin contact:
- · After eye contact:
- After swallowing:
- · 4.2 Most important symptoms and effects, both acute and delayed
- 4.3 Indication of any immediate medical attention and special treatment needed



Water with full jet

Take care of personal protection for the first aider.

In case of unconsciousness place patient stably in side position for transportation.
Take affected persons into fresh air and keep quiet.
Immediately wash with water and soap and rinse thoroughly.
Immediately remove contaminated clothing.
Rinse opened eye for several minutes under running water.
If symptoms persist consult doctor.

Under certain fire conditions, traces of other toxic gases cannot be excluded.

No further relevant information available.

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. · For safety reasons unsuitable extinguishing agents:
- 5.2 Special hazards arising from the substance or mixture
- · 5.3 Advice for firefighters · Protective equipment:
- Additional information
- Do not inhale explosion gases or combustion gases. Cool endangered receptacles with water spray. Self-protection first!

Hydrocarbons, carbondioxide and -monoxid.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures 	Keep away from ignition sources.
6.2 Environmental precautions:	In case of further temperature should be cooled with waterspray from a safe distance. Wear breathing apparatus with filter A during decomposition of materials. Wear protective equipment. Keep unprotected persons away. Inform respective authorities in case of seepage into water course or sewage system.
0.2 Environmental precations.	Do not allow to enter sewers/ surface or ground water.



Printing date 04.04.2024

Version: 7 (replaces version 6)

Revision: 14.02.2023

• 7

The Peroxide Company

ſ

Trade name: PEROXAN OPN-70

(Contd. of page 2)
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
Large quantities should be diluted with suitable desensitation agent to a concentration below 10 % before disposal.
Soak up with absorbant material (e. g. Vermiculit) and dispose of in accordance with government regulations.
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
In case of large spillage the environmental authority should be informed.

SECTION 7: Handling and storage

· 7.1 Precautions for safe	
handling	Keep away from heat and direct sunlight.
nanuning	
	Open and handle receptacle with care.
	Prevent formation of aerosols.
	Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.
	Do not refill residue into storage receptacles.
	Restrict the quantity stored at the work place.
	Before break and at the end of work hands should be thoroughly washed.
	Only use tools made of suitable materials (e. g. polyethylene or stainless steel).
	Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavy
	metal compounds and amines).
	While using do not eat, drink or smoke.
	Do not generate flames or sparks.
	Keep product and emptied container away from heat and sources of ignition.
	Avoid shock and friction.
	Take precautionary measures against static discharges.
	(分) Do not smoke.
 Information about fire - and 	
explosion protection:	Protect from heat.
explosion protection.	
	Protect against electrostatic charges.
	Prevent impact and friction.
	Use explosion-proof apparatus / fittings and spark-proof tools.
	Fumes can combine with air to form an explosive mixture.
	Wear shoes with conductive soles.
	Formation of flammable or explosive gas/air-mixtures is possible.
	(Avoid open flames, sparks, direct sunlight and other sources of ignition.
	Keep ignition sources away - Do not smoke.
 7.2 Conditions for safe storage, 	including any incompatibilities
Storage:	Pay attention to the special requirements of your local autorithies for storing dangerous goods.
· Requirements to be met by	
	Others and vin the entities are entropic
storerooms and receptacles:	Store only in the original receptacle.
	Prevent any seepage into the ground.
	Use only receptacles specifically permitted for this substance/product.
Information about storage in	
one common storage facility:	Do not store or park organic peroxide together with heavy metal compounds and amines.
one common storage lacinty.	
Fronthe and information to the state	Store away from foodstuffs, drinks and feeding stuffs.
 Further information about 	
storage conditions:	Keep container tightly sealed.
	Protect from heat and direct sunlight.
	Protect from contamination.
	Storage in a collecting room is required.
· Recommended storage	
temperature (To maintain	
quality):	max.: -15 °C
· Control temperature:	-5 °C
	+5 °C
· Emergency temperature.	
· Emergency temperature:	5.2
• Emergency temperature: • Storage class:	5.2 (Contd. on page

Printing date 04.04.2024

Version: 7 (replaces version 6)



Revision: 14.02.2023

Trade name: PEROXAN OPN-70

7.3 Specific end use(s)	(Contd. c No further relevant information available.	of pag
SECTION 8: Exposu	re controls/personal protection	
3.1 Control parameters Ingredients with limit that require monitorin workplace:	values	e
-	monitored at the workplace.	
DNELS		
	methylbutyl peroxyneodecanoate	
-	rm System 5 mg/kg bw/day (Worker)	
nhalative DNEL Longte	rm System 3,5 mg/m3 (Worker)	
PNECs		
51240-95-0 1,1,3,3-tetra	methylbutyl peroxyneodecanoate	
PNEC Marinewater sed	0,16 mg/kg sed dw (-)	
PNEC Freshwater	0,00033 mg/l (AF 100)	
PNEC Freshwater sed	1,66 mg/kg sed dw (-)	
PNEC Soil	0,33 mg/kg soil dw (-)	
PNEC STP	127,6 mg/l (AF 10)	
PNEC Marinewater	0,000033 mg/l (AF 1.000)	
Additional informatio	n: The lists valid during the making were used as basis.	
· Respiratory protectio	Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid close or long term contact with the skin. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection. Be sure to clean skin thoroughly after work and before breaks. n:	
· Hand protection	Use suitable respiratory device when it exceed exposure limit and when insufficiently ventile Filter A2 Only use chemical-protective gloves with CE-labelling of category III. Selection of the glove material on consideration of the penetration times, rates of diffusion a degradation	
• Material of gloves	Protective gloves The selection of the suitable gloves does not only depend on the material, but also on further marks quality and varies from manufacturer to manufacturer. Butyl rubber, BR Fluorocarbon rubber (Viton) Nitrile rubber, NBR Neoprene	s of
 Penetration time of g material 		nas to
· Eye/face protection	Tightly sealed goggles	
	Highling Soulide gogglos	

(Contd. on page 5)

Printing date 04.04.2024

Version: 7 (replaces version 6)



Revision: 14.02.2023

(Contd. of page 4)

Trade name: PEROXAN OPN-70

Colourless Characteristic Not determined.
Characteristic
Characteristic
Not applicable.
Not applicable.
Not applicable.
Not applicable.
Not determined.
Not determined.
> SADT
+15 °C (SADT) Not determined.
Not determined
Not determined.
Not determined.
Undetermined.
not determined
Not determined.
0,87 g/cm ³
Not determined.
Not determined.
o further relevant information available.
Fluid
Product is not selfigniting.
Product is not explosive. However, formation of explosive air/vapour
mixtures are possible.
Not determined.
Void
Flammable liquid and vapour.
Void
Void
Void
Void
Heating may cause a fire.
Void
Void
3,7 - 3,8 %

SECTION 10: Stability and reactivity

10.1 Reactivity
 10.2 Chemical stability

 Thermal decomposition / conditions to be avoided: No further relevant information available.

SADT (Self Accelerating Decomposition Temperature) is the lowest temperature at which self accelerating decomposition may occur with substance in the packaging as used in transport. A dangerous self-accelerating decomposition reaction and, under certain circumstances, explosion or fire can be cause decomposition at and above the temperature. Contact with incompatible substances can cause

Printing date 04.04.2024

Version: 7 (replaces version 6)

Revision: 14.02.2023

The Peroxide Company

Trade name: PEROXAN OPN-70

	(Contd. of page 5)
	decomposition at or below the SADT.
	No decomposition if used and stored according to specifications.
	To avoid thermal decomposition do not overheat.
 10.3 Possibility of hazardous 	
reactions	Self-accelerating decomposition at SADT.
 10.4 Conditions to avoid 	No further relevant information available.
· 10.5 Incompatible materials:	Rapid decomposition by dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e.g. heavy-metal compounds and amines).
· 10.6 Hazardous decomposition	
products:	Hydrocarbons, carbondioxide and -monoxid.
-	No hazardous decomposition products if used and stored according to specifications.
· Additional information:	Emergency procedures will vary depending on conditions. The customer should have an emergency response plane in place.

SECTION 11: Toxicological information

 \cdot 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:	
51240-95-0 1,1,3,3-tetramethylbutyl peroxyneodecanoate	
Oral LD50 >5.000 mg/kg (rattus)	
93685-81-5 Hydrocarbons, C4, 1	,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated
Oral LD50 >5.000 mg/kg (rattus)	
Skin corrosion/irritation	Causes skin irritation.
· Serious eye damage/irritation	Based on available data, the classification criteria are not met.
Respiratory or skin	
sensitisation	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
• Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	May damage fertility.
• STOT-single exposure	Based on available data, the classification criteria are not met.
• STOT-repeated exposure	Based on available data, the classification criteria are not met.
 Aspiration hazard 	May be fatal if swallowed and enters airways.
11.2 Information on other hazar	ds
 Endocrine disrupting propertie 	S
None of the ingredients is listed.	

SECTION 12: Ecological information

· 12.1 Toxicity	
· Aquatic toxicity:	
93685-81-5 Hydrocarbons, C4	, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated
EC50 / 48h >0,04 mg/l (daphni	a)
IC50 / 72h >0,04 mg/l (algae)	
12.2 Persistence and degrada Degree of elimination:	bility
· Classification:	
51240-95-0 1,1,3,3-tetramethy	Ibutyl peroxyneodecanoate
Degradation (Evidence for inhe	erent biodegradability.) (OECD 301 D)
93685-81-5 Hydrocarbons, C4	, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated
Degradation (Not readily biode	gradable)
12.4 Mobility in soil	No further relevant information available.
 12.5 Results of PBT and vPvB 	B assessment
· PBT:	The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.
· vPvB:	The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.
 12.6 Endocrine disrupting 	
properties	The product does not contain substances with endocrine disrupting properties.
12.7 Other adverse effects	No further relevant information available.
 Additional ecological information 	ation:
· General notes:	Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
	Do not allow product to reach ground water, water course or sewage system.
	(Contd. on page 7)

Printing date 04.04.2024

Version: 7 (replaces version 6)



Revision: 14.02.2023

(Contd. of page 6)

Trade name: PEROXAN OPN-70

	Danger to drinking water	if even small quantities leak into the ground.	(Contd. of page 6)
SECTION 13: Disposal cons	iderations		
• 13.1 Waste treatment methods • Recommendation		h a suitable desentisation agent to 10 %, the solution must b thermal utilization) under observance of all official regulation	
		osed together with household garbage. Do not allow produc	t to reach sewage
· Waste disposal key:	system. Please contact your haza number.	ardous waste disposers to assign the right EWC-(European	waste catalog)-
· Uncleaned packaging: · Recommendation:	This material and its con	tainer must be disposed of as hazardous waste.	
SECTION 14: Transport info	rmation		
· 14.1 UN number or ID number · ADR, IMDG		UN3115	
 14.2 UN proper shipping name ADR IMDG 		UN3115 ORGANIC PEROXIDE TYPE D, LIQUID, TE CONTROLLED (1,1,3,3-TETRAMETHYLBUTYL PEROXYNEODECANOATE) ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERA (1,1,3,3-TETRAMETHYLBUTYL PEROXYNEODECA	TURE CONTROLLED
· 14 3 Transport bazard class(os)		(1,1,3,3-TETRAMETHTEBUTTE PEROXTNEODECA	NOATE)
 14.3 Transport hazard class(es) ADR 			
· Class		5.2 (P2) Organic peroxides.	
· Label		5.2 (1 2) Organic peroxides.	
·IMDG			
			
· Class · Label		5.2 Organic peroxides. 5.2	
· IATA · Class · Label		x x	
 14.4 Packing group ADR, IMDG 		Void	
 14.5 Environmental hazards: Marine pollutant: 		No	
 14.6 Special precautions for user Hazard identification number (Kemler code): Stowage Category Stowage Code 		Warning: Organic peroxides. - D SW1 Protected from sources of heat. SW3 Shall be transported under temperature control	
· Segregation Code		SG35 Stow "separated from" SGG1-acids SG36 Stow "separated from" SGG18-alkalis.	
· 14.7 Maritime transport in bulk	according to IMO instrum	nents Not applicable.	
Transport/Additional information	on:		
 ADR Limited quantities (LQ) Excepted quantities (EQ) 		0 Code: E0 Not permitted as Excepted Quantity	
· Transport category		Not permitted as Excepted Quantity 1	
			(Contd. on page 8)
			IE

Printing date 04.04.2024

Version: 7 (replaces version 6)

PERGAN The Peroxide Company

Revision: 14.02.2023

Trade name: PEROXAN OPN-70

	(Contd. of page
· Tunnel restriction code	D
· RID / GGVSEB:	no admission
·IMDG	
· Limited quantities (LQ)	0
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
·IATA	
· Remarks:	no admission
· Control temperature:	-5 °C
· Emergency temperature:	+5 °C

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

•	
 Directive 2012/18/EU Named dangerous substances ANNEX I 	None of the ingredients is listed.
	P6b SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES
the application of lower-tier	50 t
• Qualifying quantity (tonnes) for the application of upper-tier	
	200 t
1907/2006 ANNEX XVII	Conditions of restriction: 3, 30, 40, 75
DIRECTIVE 2011/65/EU on the re	estriction of the use of certain hazardous substances in electrical and electronic equipment – Annex
None of the ingredients is listed.	
· REGULATION (EU) 2019/1148	
Annex I - RESTRICTED EXPLOS	SIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
None of the ingredients is listed.	
· Annex II - REPORTABLE EXPLO	SIVES PRECURSORS
None of the ingredients is listed.	
· Regulation (EC) No 273/2004 on	drug precursors
None of the ingredients is listed.	
 Regulation (EC) No 111/2005 lay precursors 	ying down rules for the monitoring of trade between the Community and third countries in drug
None of the ingredients is listed.	

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• •	
· Relevant phrases	 H226 Flammable liquid and vapour. H242 Heating may cause a fire. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H360F May damage fertility. H413 May cause long lasting harmful effects to aquatic life.
 Department issuing SDS: Contact: 	Environment protection / Security of labour Tel: +49 2871 9902-0 E-mail: mail@pergan.com
 Version number of previous version: Abbreviations and acronyms: 	6 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association CHE: Chealty Agreement of Clongification and Labelling of Chemicals
	GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances (Contd. on page 9) IE —

Printing date 04.04.2024

Version: 7 (replaces version 6)

Revision: 14.02.2023

IE —

26

The Peroxide Company

Trade name: PEROXAN OPN-70

	ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Lig. 3: Flammable liquids – Category 3 Org. Perox. D: Organic peroxides – Type C/D	(Contd. of page 8)
	Repr. 1B: Reproductive toxicity – Category 1B Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4	
* Data compared to the previous version altered.	Aquallo Chilonic 4. Hazaldous to the aquallo environment - long-term aquallo hazald - Category 4	