

Printing date 05.01.2024 Version: 6 (replaces version 5) Revision: 10.02.2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

PEROXAN PAM · Trade name:

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance /

the mixture

Reaction initiator For industrial use

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: PERGAN GmbH

Hilfsstoffe für industrielle Prozesse

Schlavenhorst 71 D-46395 Bocholt Tel: +49 2871 9902-0 Fax: +49 2871 9902-50

· Further information obtainable

Environment protection / Security of labour from:

Qualified person: E-mail: msds@pergan.com

1.4 Emergency telephone

number: - Tel: +49 2871 9902-0

#### **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 3 H226 Flammable liquid and vapour. Org. Perox. F H242 Heating may cause a fire.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

H304 May be fatal if swallowed and enters airways. Asp. Tox. 1

2.2 Label elements

Labelling according to

Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS02 GHS05 GHS08

· Signal word Danger

· Hazard-determining

· Hazard statements

components of labelling:

menthane, monohydroperoxy derivative

1-isopropyl-4-methylcyclohexane H226 Flammable liquid and vapour. H242 Heating may cause a fire.

H314 Causes severe skin burns and eye damage.

H373 May cause damage to organs through prolonged or repeated exposure.

H304 May be fatal if swallowed and enters airways.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No · Precautionary statements

smokina.

P220 Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and

accelerators (e. g. heavy metal compounds and amines).

Keep only in original packaging. P234 Take action to prevent static discharges. P243 P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up P410 Protect from sunlight.

P411 Store at temperatures not exceeding +25°C.

P420 Store separately.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

(Contd. on page 2)



Printing date 05.01.2024 Version: 6 (replaces version 5) Revision: 10.02.2023

Trade name: PEROXAN PAM

(Contd. of page 1)

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. · vPvB: The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

Determination of endocrine-

disrupting properties The product does not contain substances with endocrine disrupting properties.

#### **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

| · Dangerous components:   | · Dangerous components:                                    |        |  |  |  |
|---------------------------|--|--------|--|--|--|
| CAS: 26762-92-5           | menthane, monohydroperoxy derivative                       | 50-60% |  |  |  |
| EINECS: 247-987-6         | Org. Perox. F, H242; STOT RE 2, H373; Skin Corr. 1A, H314  |        |  |  |  |
| Reg-No.: 01-2119971063-41 |  |        |  |  |  |
| CAS: 99-82-1              | 1-isopropyl-4-methylcyclohexane                            | 40-50% |  |  |  |
| EINECS: 202-790-4         | Flam. Liq. 3, H226; Asp. Tox. 1, H304; Skin Irrit. 2, H315 |        |  |  |  |
| Reg-No.: 01-2119980038-33 |  |        |  |  |  |

For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

· Additional information:

4.1 Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

Take care of personal protection for the first aider.

· After inhalation: In case of unconsciousness place patient stably in side position for transportation.

Take affected persons into fresh air and keep quiet.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

Immediately remove contaminated clothing.

· After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

No further relevant information available.

4.2 Most important symptoms and effects, both acute and delaved

4.3 Indication of any immediate

medical attention and special

treatment needed No further relevant information available

## **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents:

Water with full jet

5.2 Special hazards arising from

the substance or mixture

Under certain fire conditions, traces of other toxic gases cannot be excluded.

Hydrocarbons, carbondioxide and -monoxid.

· 5.3 Advice for firefighters

· Protective equipment: · Additional information Do not inhale explosion gases or combustion gases.

Cool endangered receptacles with water spray.

Self-protection first!

### **SECTION 6: Accidental release measures**

 6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources.

In case of further temperature should be cooled with waterspray from a safe distance.

Wear breathing apparatus with filter A during decomposition of materials.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:



Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)



Printing date 05.01.2024 Version: 6 (replaces version 5) Revision: 10.02.2023

# Trade name: PEROXAN PAM

(Contd. of page 2)

6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Large quantities should be diluted with suitable desensitation agent to a concentration below 10 % before

disposal

Soak up with absorbant material (e. g. Vermiculit) and dispose of in accordance with government

regulations.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

In case of large spillage the environmental authority should be informed.

### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe

handling Keep away from heat and direct sunlight.

Open and handle receptacle with care.

Prevent formation of aerosols

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.

Do not refill residue into storage receptacles. Restrict the quantity stored at the work place.

Before break and at the end of work hands should be thoroughly washed.

Only use tools made of suitable materials (e. g. polyethylene or stainless steel).

Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavy-

metal compounds and amines). While using do not eat, drink or smoke. Do not generate flames or sparks.

Keep product and emptied container away from heat and sources of ignition.

Avoid shock and friction.

Take precautionary measures against static discharges.



Do not smoke.

· Information about fire - and explosion protection:

Protect from heat.

Protect against electrostatic charges.

Prevent impact and friction.

Use explosion-proof apparatus / fittings and spark-proof tools. Fumes can combine with air to form an explosive mixture.



Wear shoes with conductive soles.

Formation of flammable or explosive gas/air-mixtures is possible.



Avoid open flames, sparks, direct sunlight and other sources of ignition.

Keep ignition sources away - Do not smoke.

· 7.2 Conditions for safe storage, including any incompatibilities

Storage:

Pay attention to the special requirements of your local autorithies for storing dangerous goods.

 Requirements to be met by storerooms and receptacles:

Store only in the original receptacle. Prevent any seepage into the ground.

Use only receptacles specifically permitted for this substance/product.

· Information about storage in one common storage facility:

Do not store or park organic peroxide together with heavy metal compounds and amines.

Store away from foodstuffs, drinks and feeding stuffs.

· Further information about storage conditions:

Keep container tightly sealed. Protect from heat and direct sunlight. Protect from contamination.

Store under lock and key and out of the reach of children.

Storage in a collecting room is required.

Recommended storage temperature (To maintain quality):

max.: +25 °C

Storage class:

7.3 Specific end use(s) No further relevant information available.

IE -



Printing date 05.01.2024 Version: 6 (replaces version 5) Revision: 10.02.2023

# Trade name: PEROXAN PAM

(Contd. of page 3)

### **SECTION 8: Exposure controls/personal protection**

#### · 8.1 Control parameters

Ingredients with limit values that require monitoring at the

workplace:

The product does not contain any relevant quantities of materials with critical values that have to be

|   | monitored at the workplace.                     |  |  |  |  |  |  |  |
|---|---|--|--|--|--|--|--|--|
|   | · DNELs   |  |  |  |  |  |  |  |
|   | 26762-92-5 menthane, monohydroperoxy derivative |  |  |  |  |  |  |  |
|   | Dermal  | DNEL Longte  | rm System   0,15 mg/kg bw/day (Worker) |  |  |  |  |  |
|   |   | -  | erm Local 0,003 mg/kg bw/day (Worker)  |  |  |  |  |  |
|   | Inhalative                                      | DNEL Longte  | erm System 0,62 mg/m3 (Worker)         |  |  |  |  |  |
| ĺ   | 99-82-1 1-isopropyl-4-methylcyclohexane         |  |  |  |  |  |  |  |
|   | Dermal  | DNEL Longte  | rm System 1,1 mg/kg bw/day (Worker)    |  |  |  |  |  |
|   | Inhalative                                      | Inhalative DNEL Longterm System 7,7 mg/m3 (Worker) |  |  |  |  |  |  |
| ĺ   | ·PNECs  |  |  |  |  |  |  |  |
| Ì   | 26762-92-                                       | 26762-92-5 menthane, monohydroperoxy derivative    |  |  |  |  |  |  |
| PNEC Marinewater sed 0,00273 mg/kg sed dw |   |  |  |  |  |  |  |  |
|   | PNEC Freshwater                                 |  | 0,00085 mg/l (AF 2.000)                |  |  |  |  |  |
|   | PNEC Freshwater sed                             |  | 0,0273 mg/kg sed dw                    |  |  |  |  |  |
|   | PNEC Soil                                       |  | 0,00497 mg/kg soil dw                  |  |  |  |  |  |
|   | PNEC STP  |  | 0,481 mg/l (AF 100)                    |  |  |  |  |  |
|   | PNEC Marinewater                                |  | 0,000085 mg/l (AF 20.000)              |  |  |  |  |  |
| Ì   | 99-82-1 1-isopropyl-4-methylcyclohexane         |  |  |  |  |  |  |  |
|   | PNEC Mar  | inewater sed                                       | 0,013 mg/kg sed dw                     |  |  |  |  |  |
|   | PNEC Freshwater                                 |  | 0,00062 mg/l (AF 1.000)                |  |  |  |  |  |
|   | PNEC Freshwater sed                             |  | 0,131 mg/kg sed dw                     |  |  |  |  |  |
|   | PNEC Soil                                       |  | 2 mg/kg soil dw                        |  |  |  |  |  |
|   | PNEC ST   | <b>D</b>   | 100 mg/l (AF 100)                      |  |  |  |  |  |
|   |   |  |  |  |  |  |  |  |

Additional information:

The lists valid during the making were used as basis.

# · 8.2 Exposure controls

**PNEC Marinewater** 

Appropriate engineering

controls No further data: see section 7.

· Individual protection measures, such as personal protective equipment

0,000062 mg/l (AF 10.000)

· General protective and

The usual precautionary measures are to be adhered to when handling chemicals. hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Store protective clothing separately. Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection.

Be sure to clean skin thoroughly after work and before breaks.

Not necessary if room is well-ventilated. · Respiratory protection:

Use suitable respiratory device when it exceed exposure limit and when insufficiently ventilated.



Filter A2

· Hand protection Only use chemical-protective gloves with CE-labelling of category III. Selection of the glove material on consideration of the penetration times, rates of diffusion and the

degradation

Protective gloves

· Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of

quality and varies from manufacturer to manufacturer.

Butyl rubber, BR

Fluorocarbon rubber (Viton) Nitrile rubber, NBR

Neoprene

Penetration time of glove

material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be

observed

(Contd. on page 5)



Printing date 05.01.2024 Version: 6 (replaces version 5) Revision: 10.02.2023

Light yellow


Characteristic

Not determined.

# Trade name: PEROXAN PAM

· Eye/face protection

(Contd. of page 4)



Body protection:

## **SECTION 9: Physical and chemical properties**

· General Information

· Odour threshold:

· Colour: Odour:

· Melting point/freezing point: Not applicable. Boiling point or initial boiling point and boiling range Not applicable. · Flammability Not applicable.

Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined.

· Flash point: 50 °C Decomposition temperature: +70 °C (SADT)

· pH Not determined. · Viscosity: Not determined.

· Kinematic viscosity · Dynamic at 20 °C:

8 mPas Solubility · water at 20 °C: 4 g/l

· Partition coefficient n-octanol/water (log value) at 20 °C · Vapour pressure at 20 °C:

Density and/or relative density

0,875 - 0,920 g/cm<sup>3</sup> · Density at 20 °C: Relative density Not determined. · Vapour density Not determined.

# 9.2 Other information

No further relevant information available.

2,76 log POW

5 hPa

· Appearance:

· Form: Fluid Important information on protection of health and environment,

and on safety.

· Ignition temperature: Product is not selfigniting.

Explosive properties: Product is not explosive. However, formation of explosive air/vapour

mixtures are possible.

· Change in condition **Evaporation rate** Not determined.

· Information with regard to physical hazard classes

· Explosives Void Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void

Flammable liquids Flammable liquid and vapour.

Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void Pyrophoric solids Void · Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in

contact with water Void

· Oxidising liquids Void Oxidising solids Void

Organic peroxides Heating may cause a fire.

Corrosive to metals Void · Desensitised explosives Void

(Contd. on page 6)



Printing date 05.01.2024 Version: 6 (replaces version 5) Revision: 10.02.2023

Trade name: PEROXAN PAM

(Contd. of page 5)

Other safety characteristics

· Active oxygen 4,6 - 5,1 %

### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity

No further relevant information available.

· 10.2 Chemical stability · Thermal decomposition /

conditions to be avoided:

SADT (Self Accelerating Decomposition Temperature) is the lowest temperature at which self accelerating decomposition may occur with substance in the packaging as used in transport. A dangerous selfaccelerating decomposition reaction and, under certain circumstances, explosion or fire can be cause

decomposition at and above the temperature. Contact with incompatible substances can cause

decomposition at or below the SADT.

No decomposition if used and stored according to specifications.

To avoid thermal decomposition do not overheat

· 10.3 Possibility of hazardous

reactions

Self-accelerating decomposition at SADT. No further relevant information available

· 10.4 Conditions to avoid · 10.5 Incompatible materials:

Additional information:

Rapid decomposition by dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g.

heavy-metal compounds and amines).

· 10.6 Hazardous decomposition

products:

Hydrocarbons, carbondioxide and -monoxid.

No hazardous decomposition products if used and stored according to specifications.

Emergency procedures will vary depending on conditions. The customer should have an emergency

response plane in place.

### **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Based on available data, the classification criteria are not met. · Acute toxicity

· LD/LC50 values relevant for classification:

26762-92-5 menthane, monohydroperoxy derivative

Oral LD50 >2.000 mg/kg (rattus)

99-82-1 1-isopropyl-4-methylcyclohexane

LD50 >3.000 mg/kg (rattus) Oral Dermal LD50 >2.000 mg/kg (rattus)

Skin corrosion/irritation Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Respiratory or skin

Causes serious eye damage.

sensitisation Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. · Carcinogenicity Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.

· Aspiration hazard May be fatal if swallowed and enters airways.

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

### **SECTION 12: Ecological information**

· 12.1 Toxicity

Aguatic toxicity:

26762-92-5 menthane, monohydroperoxy derivative

LC50 / 96h 1,7 mg/l (brachydanio rerio) EC50 / 48h 4 mg/l (daphnia magna)

(Contd. on page 7)



Printing date 05.01.2024 Version: 6 (replaces version 5) Revision: 10.02.2023

# Trade name: PEROXAN PAM

· 12.2 Persistence and degradability

(Contd. of page 6)

· Degree of elimination:

· Classification:

26762-92-5 menthane, monohydroperoxy derivative

Degradation (Readily biodegradable) (OECD 301 B)

99-82-1 1-isopropyl-4-methylcyclohexane

Degradation (Readily biodegradable)

12.3 Bioaccumulative potential

· Partition coefficient: nOctanol/water: [Log Kow]

99-82-1 1-isopropyl-4-methylcyclohexane

26762-92-5 menthane, monohydroperoxy derivative

2,76 5,6 (25°C)

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

· PBT: The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. · vPvB:

· 12.6 Endocrine disrupting properties

12.7 Other adverse effects

The product does not contain substances with endocrine disrupting properties.

No further relevant information available.

· Additional ecological information:

General notes: Must not reach sewage water or drainage ditch undiluted or unneutralised.

> Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods

· Recommendation



After diluting with a suitable desentisation agent to 10 %, the solution must be supplied to a special treatment (e. g. thermal utilization) under observance of all official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage

· Waste disposal key: Please contact your hazardous waste disposers to assign the right EWC-(European waste catalog)-

number.

Uncleaned packaging:

· Recommendation: This material and its container must be disposed of as hazardous waste.

### **SECTION 14: Transport information**

|  | 14.1 | UN | number | or ID | number |
|--|------|----|--------|-------|--------|
|--|------|----|--------|-------|--------|

· ADR, IMDG, IATA UN3109

· 14.2 UN proper shipping name

· ADR UN3109 ORGANIC PEROXIDE TYPE F, LIQUID (p-MENTHYL

HYDROPEROXIDE)

· IMDG, IATA ORGANIC PEROXIDE TYPE F, LIQUID (p-MENTHYL HYDROPEROXIDE)

· 14.3 Transport hazard class(es)

· ADR



· Class 5.2 (P1) Organic peroxides.

Label

· IMDG, IATA



5.2 Organic peroxides. Class · Label 5.2

14.4 Packing group

· ADR, IMDG, IATA Void

(Contd. on page 8)



Printing date 05.01.2024 Version: 6 (replaces version 5) Revision: 10.02.2023

No

Trade name: PEROXAN PAM

(Contd. of page 7)

· 14.5 Environmental hazards:

· Marine pollutant:

· 14.6 Special precautions for user Warning: Organic peroxides.

· Hazard identification number (Kemler code): 539

Stowage Category D

· Stowage Code SW1 Protected from sources of heat. · Segregation Code SG35 Stow "separated from" SGG1-acids SG36 Stow "separated from" SGG18-alkalis.

SG72 See 7.2.6.3.2.

· 14.7 Maritime transport in bulk according to IMO instruments Not applicable.

· Transport/Additional information:

· ADR

· Limited quantities (LQ) 125 ml Excepted quantities (EQ) Code: E0

Not permitted as Excepted Quantity 2

· Transport category Tunnel restriction code D

· RID / GGVSEB: like ADR

· IMDG

· Limited quantities (LQ) 125 ml Code: E0 Excepted quantities (EQ)

Not permitted as Excepted Quantity

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

Named dangerous substances

- ANNEX I None of the ingredients is listed.

P6b SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES Seveso category

· Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t Qualifying quantity (tonnes) for the application of upper-tier

requirements 200 t

**REGULATION (EC) No** 

1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex Ш

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H226 Flammable liquid and vapour.

H242 Heating may cause a fire.

H304 May be fatal if swallowed and enters airways. H314 Causes severe skin burns and eye damage.

(Contd. on page 9)



(Contd. of page 8)

Printing date 05.01.2024 Version: 6 (replaces version 5) Revision: 10.02.2023

Trade name: PEROXAN PAM

H315 Causes skin irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

Department issuing SDS: Environment protection / Security of labour

Tel: +49 2871 9902-0 Contact: E-mail: mail@pergan.com

· Version number of previous

version:

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the

International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Org. Perox. F: Organic peroxides – Type E/F Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Asp. Tox. 1: Aspiration hazard – Category 1

· \* Data compared to the previous version altered.

IF -