

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** PEROXAN PK234 V
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture**  
Reaction initiator  
For industrial use
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** PERGAN GmbH  
Hilfsstoffe für industrielle Prozesse  
Schlavenhorst 71  
D-46395 Bocholt  
Tel: +49 2871 9902-0  
Fax: +49 2871 9902-50
- **Further information obtainable from:** Environment protection / Security of labour  
Qualified person: E-mail: msds@pergan.com
- **1.4 Emergency telephone number:** - Tel: +49 2871 9902-0

## SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  

|                   |  |
|-------------------|--|
| Flam. Liq. 3      | H226 Flammable liquid and vapour.                            |
| Org. Perox. C     | H242 Heating may cause a fire.                               |
| Asp. Tox. 1       | H304 May be fatal if swallowed and enters airways.           |
| Aquatic Chronic 4 | H413 May cause long lasting harmful effects to aquatic life. |
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**

GHS02 GHS08
- **Signal word** Danger
- **Hazard-determining components of labelling:** Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated di-tert-butyl sec-butylidene diperoxide
- **Hazard statements**  

|      |   |
|------|---|
| H226 | Flammable liquid and vapour.                            |
| H242 | Heating may cause a fire.                               |
| H304 | May be fatal if swallowed and enters airways.           |
| H413 | May cause long lasting harmful effects to aquatic life. |
- **Precautionary statements**

|                |   |
|----------------|---|
| P210           | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  |
| P220           | Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavy metal compounds and amines). |
| P234           | Keep only in original packaging.  |
| P243           | Take action to prevent static discharges.   |
| P273           | Avoid release to the environment.   |
| P280           | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.   |
| P301+P310      | IF SWALLOWED: Immediately call a POISON CENTER/ doctor.   |
| P331           | Do NOT induce vomiting.   |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].                                  |
| P405           | Store locked up.  |
| P410           | Protect from sunlight.  |
| P411+P235      | Store at temperatures not exceeding +30°C. Keep cool.   |
| P420           | Store separately.   |
| P501           | Dispose of contents/container in accordance with local/regional/national/international regulations.                                       |
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.
- **vPvB:** The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

Trade name: **PEROXAN PK234 V**

(Contd. of page 1)

· **Determination of endocrine-disrupting properties**

The product does not contain substances with endocrine disrupting properties.

**SECTION 3: Composition/information on ingredients**

· **3.2 Mixtures**

· **Dangerous components:**

|   |  |        |
|---|--|--------|
| CAS: 2167-23-9<br>EINECS: 218-507-2<br>Reg-No.: 01-2120759172-55  | di-tert-butyl sec-butylidene diperoxide<br>Org. Perox. C, H242; Aquatic Chronic 4, H413  | 40-50% |
| CAS: 93685-81-5<br>EINECS: 297-629-8<br>Reg-No.: 01-2119490725-29 | Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated<br>Alternative CAS number: 13475-82-6<br>Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 4, H413 | 40-50% |

· **Additional information:**

For the wording of the listed hazard phrases refer to section 16.

**SECTION 4: First aid measures**

· **4.1 Description of first aid measures**

· **General information:**



Take care of personal protection for the first aider.

· **After inhalation:**

Take affected persons into fresh air and keep quiet.

· **After skin contact:**

Immediately remove contaminated clothing.

· **After eye contact:**

Rinse opened eye for several minutes under running water.

· **After swallowing:**

If symptoms persist consult doctor.

· **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**SECTION 5: Firefighting measures**

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:** CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **For safety reasons unsuitable extinguishing agents:**

Water with full jet

· **5.2 Special hazards arising from the substance or mixture**

Under certain fire conditions, traces of other toxic gases cannot be excluded.  
Hydrocarbons, carbon dioxide and -monoxid.

· **5.3 Advice for firefighters**

· **Protective equipment:**

Do not inhale explosion gases or combustion gases.

· **Additional information**

Cool endangered receptacles with water spray.  
Self-protection first!

**SECTION 6: Accidental release measures**

· **6.1 Personal precautions, protective equipment and emergency procedures**

Keep away from ignition sources.  
In case of further temperature should be cooled with waterspray from a safe distance.  
Wear breathing apparatus with filter A during decomposition of materials.  
Wear protective equipment. Keep unprotected persons away.

· **6.2 Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.



Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**

Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.  
Large quantities should be diluted with suitable desensitization agent to a concentration below 10 % before disposal.  
Soak up with absorbant material (e. g. Vermiculit) and dispose of in accordance with government regulations.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

(Contd. on page 3)

Trade name: **PEROXAN PK234 V**

(Contd. of page 2)

See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.  
In case of large spillage the environmental authority should be informed.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Keep away from heat and direct sunlight.  
Open and handle receptacle with care.  
Prevent formation of aerosols.  
Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.  
Do not refill residue into storage receptacles.  
Restrict the quantity stored at the work place.  
Before break and at the end of work hands should be thoroughly washed.  
Only use tools made of suitable materials (e. g. polyethylene or stainless steel).  
Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavy-metal compounds and amines).  
While using do not eat, drink or smoke.  
Do not generate flames or sparks.  
Keep product and emptied container away from heat and sources of ignition.  
Avoid shock and friction.  
Take precautionary measures against static discharges.



Do not smoke.

### Information about fire - and explosion protection:

Protect from heat.  
Protect against electrostatic charges.  
Prevent impact and friction.  
Use explosion-proof apparatus / fittings and spark-proof tools.  
Fumes can combine with air to form an explosive mixture.



Wear shoes with conductive soles.

Formation of flammable or explosive gas/air-mixtures is possible.



Avoid open flames, sparks, direct sunlight and other sources of ignition.

Keep ignition sources away - Do not smoke.

### 7.2 Conditions for safe storage, including any incompatibilities

- **Storage:** Pay attention to the special requirements of your local authorities for storing dangerous goods.
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.  
Prevent any seepage into the ground.  
Use only receptacles specifically permitted for this substance/product.

- **Information about storage in one common storage facility:** Do not store or park organic peroxide together with heavy metal compounds and amines.  
Store away from foodstuffs, drinks and feeding stuffs.

- **Further information about storage conditions:** Keep container tightly sealed.  
Protect from heat and direct sunlight.  
Protect from contamination.  
Storage in a collecting room is required.

- **Recommended storage temperature (To maintain quality):** max.: +30 °C
- **Storage class:** 5.2

- **7.3 Specific end use(s):** No further relevant information available.

## SECTION 8: Exposure controls/personal protection





### 8.1 Control parameters Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)

Trade name: **PEROXAN PK234 V**

(Contd. of page 3)

|  |  |
|--|--|
| <b>· DNELs</b>   |  |
| <b>2167-23-9 di-tert-butyl sec-butyldiene diperoxide</b>                               |  |
| Dermal   | DNEL Longterm System 1,5 mg/kg bw/day (Worker)   |
| Inhalative   | DNEL Longterm System 2,65 mg/m <sup>3</sup> (Worker)   |
| <b>· PNECs</b>   |  |
| <b>2167-23-9 di-tert-butyl sec-butyldiene diperoxide</b>                               |  |
| PNEC Marinewater sed   | 0,097 mg/kg sed dw (-)   |
| PNEC Freshwater  | 0,083 mg/l (-)   |
| PNEC Freshwater sed  | 0,97 mg/kg sed dw (-)  |
| PNEC Soil  | 0,15 mg/kg soil dw (-)   |
| PNEC STP   | 2 mg/l (AF 10)   |
| PNEC Marinewater   | 0,008 mg/l (AF 10)   |
| <b>· Additional information:</b> The lists valid during the making were used as basis. |  |
| <b>· 8.2 Exposure controls</b>   |  |
| <b>· Appropriate engineering controls</b>  | No further data; see section 7.  |
| <b>· Individual protection measures, such as personal protective equipment</b>         |  |
| <b>· General protective and hygienic measures:</b>                                     | The usual precautionary measures are to be adhered to when handling chemicals.<br>Keep away from foodstuffs, beverages and feed.<br>Immediately remove all soiled and contaminated clothing<br>Wash hands before breaks and at the end of work.<br>Store protective clothing separately.<br>Do not eat, drink, smoke or sniff while working.<br>Use skin protection cream for skin protection.<br>Be sure to clean skin thoroughly after work and before breaks. |
| <b>· Respiratory protection:</b>   | Not necessary if room is well-ventilated.  |
|  |  Use suitable respiratory device when it exceed exposure limit and when insufficiently ventilated.  |
|  | Filter A2  |
| <b>· Hand protection</b>   | Only use chemical-protective gloves with CE-labelling of category III.   |
|  |  Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  |
|  | Protective gloves  |
| <b>· Material of gloves</b>  | The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.<br>Butyl rubber, BR<br>Fluorocarbon rubber (Viton)<br>Nitrile rubber, NBR<br>Neoprene  |
| <b>· Penetration time of glove material</b>  | The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.   |
| <b>· Eye/face protection</b>   |  Tightly sealed goggles   |
| <b>· Body protection:</b>  |  Protective work clothing   |

## SECTION 9: Physical and chemical properties

|  |                 |
|--|-----------------|
| <b>· 9.1 Information on basic physical and chemical properties</b> |                 |
| <b>· General Information</b>                                       |                 |
| <b>· Colour:</b>   | Colourless      |
| <b>· Odour:</b>  | Characteristic  |
| <b>· Odour threshold:</b>  | Not determined. |
| <b>· Melting point/freezing point:</b>                             | Not applicable. |
| <b>· Boiling point or initial boiling point and boiling range</b>  | Not applicable. |
| <b>· Flammability</b>  | Not applicable. |
| <b>· Lower and upper explosion limit</b>                           |                 |
| <b>· Lower:</b>  | Not determined. |
| <b>· Upper:</b>  | Not determined. |

(Contd. on page 5)

Trade name: **PEROXAN PK234 V**

(Contd. of page 4)

|   |   |
|---|---|
| · Flash point:  | 23 - 60 °C  |
| · Decomposition temperature:  | > +70 °C (SADT)   |
| · pH  | Not determined.   |
| · Viscosity:  |   |
| · Kinematic viscosity   | Not determined.   |
| · Dynamic:  | Not determined.   |
| · Solubility  |   |
| · water:  | Undetermined.   |
| · Partition coefficient n-octanol/water (log value)                             | not determined  |
| · Vapour pressure:  | Not determined.   |
| · Density and/or relative density   |   |
| · Density:  | Not determined.   |
| · Relative density  | Not determined.   |
| · Vapour density  | Not determined.   |
| · 9.2 Other information   | No further relevant information available.  |
| · Appearance:   |   |
| · Form:   | Fluid   |
| · Important information on protection of health and environment, and on safety. |   |
| · Ignition temperature:   | Product is not selfigniting.  |
| · Explosive properties:   | Product is not explosive. However, formation of explosive air/vapour mixtures are possible. |
| · Change in condition   |   |
| · Evaporation rate  | Not determined.   |
| · Information with regard to physical hazard classes                            |   |
| · Explosives  | Void  |
| · Flammable gases   | Void  |
| · Aerosols  | Void  |
| · Oxidising gases   | Void  |
| · Gases under pressure  | Void  |
| · Flammable liquids   | Flammable liquid and vapour.  |
| · Flammable solids  | Void  |
| · Self-reactive substances and mixtures   | Void  |
| · Pyrophoric liquids  | Void  |
| · Pyrophoric solids   | Void  |
| · Self-heating substances and mixtures  | Void  |
| · Substances and mixtures, which emit flammable gases in contact with water     | Void  |
| · Oxidising liquids   | Void  |
| · Oxidising solids  | Void  |
| · Organic peroxides   | Heating may cause a fire.   |
| · Corrosive to metals   | Void  |
| · Desensitised explosives   | Void  |
| · Other safety characteristics  |   |
| · Active oxygen   | 6,8 - 6,9 %   |

## SECTION 10: Stability and reactivity

|   |   |
|---|---|
| · 10.1 Reactivity                                   | No further relevant information available.  |
| · 10.2 Chemical stability                           |   |
| · Thermal decomposition / conditions to be avoided: | SADT (Self Accelerating Decomposition Temperature) is the lowest temperature at which self accelerating decomposition may occur with substance in the packaging as used in transport. A dangerous self-accelerating decomposition reaction and, under certain circumstances, explosion or fire can be cause decomposition at and above the temperature. Contact with incompatible substances can cause decomposition at or below the SADT.<br>No decomposition if used and stored according to specifications.<br>To avoid thermal decomposition do not overheat. |
| · 10.3 Possibility of hazardous reactions           | Self-accelerating decomposition at SADT.  |
| · 10.4 Conditions to avoid                          | No further relevant information available.  |
| · 10.5 Incompatible materials:                      | Rapid decomposition by dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavy-metal compounds and amines).   |
| · 10.6 Hazardous decomposition products:            | Hydrocarbons, carbondioxide and -monoxid.<br>No hazardous decomposition products if used and stored according to specifications.  |

(Contd. on page 6)

Trade name: **PEROXAN PK234 V**

(Contd. of page 5)

- **Additional information:** Emergency procedures will vary depending on conditions. The customer should have an emergency response plane in place.

### SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

**2167-23-9 di-tert-butyl sec-butylidene diperoxide**

|            |          |                       |
|------------|----------|-----------------------|
| Oral       | LD50     | >5.000 mg/kg (rattus) |
| Dermal     | LD50     | >2.000 mg/kg (rattus) |
| Inhalative | LC0 / 4h | 2,42 mg/l (rattus)    |

**93685-81-5 Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated**

|      |      |                       |
|------|------|-----------------------|
| Oral | LD50 | >5.000 mg/kg (rattus) |
|------|------|-----------------------|

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.  
 · **Serious eye damage/irritation** Based on available data, the classification criteria are not met.  
 · **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.  
 · **Germ cell mutagenicity** Based on available data, the classification criteria are not met.  
 · **Carcinogenicity** Based on available data, the classification criteria are not met.  
 · **Reproductive toxicity** Based on available data, the classification criteria are not met.  
 · **STOT-single exposure** Based on available data, the classification criteria are not met.  
 · **STOT-repeated exposure** Based on available data, the classification criteria are not met.  
 · **Aspiration hazard** May be fatal if swallowed and enters airways.

· **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

### SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

**2167-23-9 di-tert-butyl sec-butylidene diperoxide**

|            |                    |
|------------|--------------------|
| EC50 / 72h | 100 mg/l (algae)   |
| LC50 / 96h | >10 mg/l (fish)    |
| EC50 / 48h | 150 mg/l (daphnia) |

**93685-81-5 Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated**

|            |                      |
|------------|----------------------|
| EC50 / 48h | >0,04 mg/l (daphnia) |
| IC50 / 72h | >0,04 mg/l (algae)   |

· **12.2 Persistence and degradability**

· **Degree of elimination:**

· **Classification:**

**2167-23-9 di-tert-butyl sec-butylidene diperoxide**

Degradation (Not readily biodegradable) (OECD 301 B)

**93685-81-5 Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated**

Degradation (Not readily biodegradable)

· **12.3 Bioaccumulative potential**

· **Partition coefficient: nOctanol/water: [Log Kow]**

|   |            |
|---|------------|
| 2167-23-9 di-tert-butyl sec-butylidene diperoxide | 5,4 (30°C) |
|---|------------|

- **12.4 Mobility in soil** No further relevant information available.

· **12.5 Results of PBT and vPvB assessment**

- **PBT:** The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.  
 · **vPvB:** The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

· **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **12.7 Other adverse effects**

No further relevant information available.

· **Additional ecological information:**

- **General notes:** Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water  
 Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 7)

Trade name: **PEROXAN PK234 V**

(Contd. of page 6)

Danger to drinking water if even small quantities leak into the ground.

**SECTION 13: Disposal considerations**

· **13.1 Waste treatment methods**  
· **Recommendation**



After diluting with a suitable desensitisation agent to 10 %, the solution must be supplied to a special treatment (e. g. thermal utilization) under observance of all official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **Waste disposal key:**



Please contact your hazardous waste disposers to assign the right EWC-(European waste catalog)-number.

· **Uncleaned packaging:**

· **Recommendation:**

This material and its container must be disposed of as hazardous waste.

**SECTION 14: Transport information**

|   |  |
|---|--|
| <ul style="list-style-type: none"> <li>· <b>14.1 UN number or ID number</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>  | UN3103   |
| <ul style="list-style-type: none"> <li>· <b>14.2 UN proper shipping name</b></li> <li>· <b>ADR</b></li> <li>· <b>IMDG, IATA</b></li> </ul>  | UN3103 ORGANIC PEROXIDE TYPE C, LIQUID (2,2-DI-(tert-BUTYLPEROXY)BUTANE)<br>ORGANIC PEROXIDE TYPE C, LIQUID (2,2-DI-(tert-BUTYLPEROXY)BUTANE)                      |
| <ul style="list-style-type: none"> <li>· <b>14.3 Transport hazard class(es)</b></li> <li>· <b>ADR</b></li> </ul>  <ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul> | 5.2 (P1) Organic peroxides.<br>5.2   |
| <ul style="list-style-type: none"> <li>· <b>IMDG, IATA</b></li> </ul>  <ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>  | 5.2 Organic peroxides.<br>5.2  |
| <ul style="list-style-type: none"> <li>· <b>14.4 Packing group</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>   | Void   |
| <ul style="list-style-type: none"> <li>· <b>14.5 Environmental hazards:</b></li> <li>· <b>Marine pollutant:</b></li> </ul>  | No   |
| <ul style="list-style-type: none"> <li>· <b>14.6 Special precautions for user</b></li> <li>· <b>Hazard identification number (Kemler code):</b></li> <li>· <b>Stowage Category</b></li> <li>· <b>Stowage Code</b></li> <li>· <b>Segregation Code</b></li> </ul>                               | Warning: Organic peroxides.<br>-<br>D<br>SW1 Protected from sources of heat.<br>SG35 Stow "separated from" SGG1-acids<br>SG36 Stow "separated from" SGG18-alkalis. |
| <ul style="list-style-type: none"> <li>· <b>14.7 Maritime transport in bulk according to IMO instruments</b></li> </ul>   | Not applicable.  |
| <ul style="list-style-type: none"> <li>· <b>Transport/Additional information:</b></li> </ul>  |  |
| <ul style="list-style-type: none"> <li>· <b>ADR</b></li> <li>· <b>Limited quantities (LQ)</b></li> <li>· <b>Excepted quantities (EQ)</b></li> <li>· <b>Transport category</b></li> <li>· <b>Tunnel restriction code</b></li> </ul>  | 25 ml<br>Code: E0<br>Not permitted as Excepted Quantity<br>1<br>D  |
| <ul style="list-style-type: none"> <li>· <b>RID / GGVSEB:</b></li> </ul>  | like ADR   |
| <ul style="list-style-type: none"> <li>· <b>IMDG</b></li> <li>· <b>Limited quantities (LQ)</b></li> </ul>   | 25 ml  |

(Contd. on page 8)

Trade name: **PEROXAN PK234 V**

(Contd. of page 7)

· Excepted quantities (EQ)

Code: E0

Not permitted as Excepted Quantity

**SECTION 15: Regulatory information**· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· Directive 2012/18/EU

· Named dangerous substances

- ANNEX I

None of the ingredients is listed.

· Seveso category

P6b SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES

· Qualifying quantity (tonnes) for the application of lower-tier requirements

50 t

· Qualifying quantity (tonnes) for the application of upper-tier requirements

200 t

· REGULATION (EC) No 1907/2006 ANNEX XVII

Conditions of restriction: 3

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H226 Flammable liquid and vapour.  
H242 Heating may cause a fire.  
H304 May be fatal if swallowed and enters airways.  
H413 May cause long lasting harmful effects to aquatic life.

· **Department issuing SDS:**

Environment protection / Security of labour

· **Contact:**

Tel: +49 2871 9902-0

E-mail: mail@pergan.com

· **Version number of previous version:**

6

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organisation  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level (REACH)  
PNEC: Predicted No-Effect Concentration (REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Flam. Liq. 3: Flammable liquids – Category 3  
Org. Perox. C: Organic peroxides – Type C/D  
Asp. Tox. 1: Aspiration hazard – Category 1  
Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4

· \* **Data compared to the previous version altered.**