

Version: 7 (replaces version 6)

Revision: 16.02.2023

The Peroxide Company

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

PEROYAN PK234 V

· Trade name:	FERUAAN FRZJ4 V		
· 1.2 Relevant identified uses of t	f the substance or mixture and uses advised against		
	No further relevant information available.		
 Application of the substance / 			
the mixture	Reaction initiator		
	For industrial use		
· 1.3 Details of the supplier of the	safetv data sheet		
Manufacturer/Supplier:	PERGAN GmbH		
	Hilfsstoffe für industrielle Prozesse		
	Schlavenhorst 71		
	D-46395 Bocholt		
	Tel: +49 2871 9902-0		
	Fax: +49 2871 9902-50		
· Further information obtainable	e		
from:	Environment protection / Security of labour		
	Qualified person: E-mail: msds@pergan.com		
• 1.4 Emergency telephone			
number:	- Tel: +49 2871 9902-0		
SECTION 2: Hazards identifi	cation		

· 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

Classification according to Regulation (EC) NO 1272/2006		
Flam. Liq. 3	H226 Flammable liquid and vapour.	
Org. Perox. C	H242 Heating may cause a fire.	
Asp. Tox. 1	H304 May be fatal if swallowed and enters airways.	
Aquatic Chronic 4	H413 May cause long lasting harmful effects to aquatic life.	

· 2.2 Label elements

· Hazard pictograms

· Labelling acco	rding to
Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.



	GHS02 GHS08	
Signal word	Danger	
Hazard-determining		
components of labelling:	Hydrocarbons,	C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated
		-butylidene diperoxide
Hazard statements	H226 Flammab	le liquid and vapour.
		nay cause a fire.
		atal if swallowed and enters airways.
		se long lasting harmful effects to aquatic life.
Precautionary statements	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P220	Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavy metal compounds and amines).
	P234	Keep only in original packaging.
	P243	Take action to prevent static discharges.
	P273	Avoid release to the environment.
	P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
	P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
	P331	Do NOT induce vomiting.
	P303+P361+P3	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
	P405	Store locked up.
	P410	Protect from sunlight.
	P411+P235	Store at temperatures not exceeding +30°C. Keep cool.
	P420	Store separately.
	P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
.3 Other hazards		-
Results of PBT and vPvB ass	sessment	
DDT	T 1 1 1	

· PBT: · vPvB:

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

(Contd. on page 2) IE -

Printing date 03.04.2024

 Determination of endocrinedisrupting properties Version: 7 (replaces version 6)

The product does not contain substances with endocrine disrupting properties.

PERGAN The Peroxide Company

Revision: 16.02.2023

(Contd. of page 1)

Trade name: PEROXAN PK234 V

.2 Mixtures		
Dangerous components:		
AS: 2167-23-9 di-t	ert-butyl sec-butylidene diperoxide	40-50%
INECS: 218-507-2 Org	J. Perox. C, H242; Aquatic Chronic 4, H413	
leg-No.: 01-2120759172-55		
	drocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated	40-50%
	ernative CAS number: 13475-82-6	
	m. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 4, H413	
Additional information:	For the wording of the listed hazard phrases refer to section 16.	
ECTION 4: First aid measu	ires	
.1 Description of first aid mea	201702	
General information:		
	Take care of personal protection for the first aider.	
After inhalation:	Take affected persons into fresh air and keep quiet.	
After skin contact:	Immediately remove contaminated clothing.	
After eye contact:	Rinse opened eye for several minutes under running water.	
After swallowing:	If symptoms persist consult doctor.	
.2 Most important symptoms		
nd effects, both acute and	No futbound information qualible	
elayed	No further relevant information available.	
.3 Indication of any immediate nedical attention and special		
eatment needed	No further relevant information available.	
ECTION 5. Firefighting me		
ECTION 5: Firefighting me	asures	
.1 Extinguishing media	- 000 minutes and Eight lange from 10 minutes and 10 minutes in the	
	CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.	
For safety reasons unsuitable		
extinguishing agents:	Water with full jet	
.2 Special hazards arising from the substance or mixture		
ie substance of mixture	Under certain fire conditions, traces of other toxic gases cannot be excluded. Hydrocarbons, carbondioxide and -monoxid.	
.3 Advice for firefighters		
Protective equipment:	Do not inhale explosion gases or combustion gases.	
Additional information	Cool endangered receptacles with water spray.	
	Self-protection first!	

· 6.1 Personal precautions,	
protective equipment and	
emergency procedures	Keep away from ignition sources.
·····3····	In case of further temperature should be cooled with waterspray from a safe distance.
	Wear breathing apparatus with filter A during decomposition of materials.
	Wear protective equipment. Keep unprotected persons away.
 6.2 Environmental precautions: 	Inform respective authorities in case of seepage into water course or sewage system.
	Do not allow to enter sewers/ surface or ground water.
 6.3 Methods and material for 	
containment and cleaning up:	Dispose contaminated material as waste according to section 13.
5.1	Ensure adequate ventilation.
	Large quantities should be diluted with suitable desensitation agent to a concentration below 10 % before
	5
	disposal.
	Soak up with absorbant material (e. g. Vermiculit) and dispose of in accordance with government
	regulations.
C 4 Defenses to other continue	Our Outline 7 for information on outline

· 6.4 Reference to other sections See Section 7 for information on safe handling.

Printing date 03.04.2024

Version: 7 (replaces version 6)



Revision: 16.02.2023

Trade name: PEROXAN PK234 V

	(Contd. of page 2)
	See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
	In case of large spillage the environmental authority should be informed.
SECTION 7: Handling and st	orage
• 7.1 Precautions for safe handling	Keep away from heat and direct sunlight. Open and handle receptacle with care. Prevent formation of aerosols. Wear suitable respiratory protective device when decanting larger quantities without extractor facilities. Do not refill residue into storage receptacles.
	Restrict the quantity stored at the work place. Before break and at the end of work hands should be thoroughly washed. Only use tools made of suitable materials (e. g. polyethylene or stainless steel). Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavy- metal compounds and amines). While using do not eat, drink or smoke. Do not generate flames or sparks. Keep product and emptied container away from heat and sources of ignition. Avoid shock and friction. Take precautionary measures against static discharges.
· Information about fire - and	Do not smoke.
explosion protection:	Protect from heat. Protect against electrostatic charges. Prevent impact and friction. Use explosion-proof apparatus / fittings and spark-proof tools. Fumes can combine with air to form an explosive mixture.
	Wear shoes with conductive soles.
	Formation of flammable or explosive gas/air-mixtures is possible.
	Avoid open flames, sparks, direct sunlight and other sources of ignition.
	Keep ignition sources away - Do not smoke.
 7.2 Conditions for safe storage, Storage: 	including any incompatibilities Pay attention to the special requirements of your local autorithies for storing dangerous goods.
Requirements to be met by storerooms and receptacles:	Store only in the original receptacle. Prevent any seepage into the ground. Use only receptacles specifically permitted for this substance/product.
 Information about storage in one common storage facility: 	Do not store or park organic peroxide together with heavy metal compounds and amines. Store away from foodstuffs, drinks and feeding stuffs.
 Further information about storage conditions: 	Keep container tightly sealed. Protect from heat and direct sunlight. Protect from contamination. Storage in a collecting room is required.
· Recommended storage temperature (To maintain	max : ±20 °C
quality): · Storage class: · 7.3 Specific end use(s)	max.: +30 °C 5.2 No further relevant information available.

SECTION 8: Exposure controls/personal protection

 8.1 Control parameters
 Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Printing date 03.04.2024

Version: 7 (replaces version 6)

•) The Peroxide Company

Revision: 16.02.2023

Trade name: PEROXAN PK234 V

	(Contd. of pag
· DNELs	
	I sec-butylidene diperoxide
-	term System 1,5 mg/kg bw/day (Worker) term System 2,65 mg/m3 (Worker)
PNECs	
	l sec-butylidene diperoxide
	d 0,097 mg/kg sed dw (-)
PNEC Freshwater	0,083 mg/l (-)
PNEC Freshwater sed	
PNEC Soil	0,15 mg/kg soil dw (-)
PNEC STP	2 mg/l (AF 10)
PNEC Marinewater	0,008 mg/l (AF 10)
· Additional information	on: The lists valid during the making were used as basis.
8.2 Exposure controls Appropriate engineer controls Individual protection General protective as	ring No further data; see section 7. measures, such as personal protective equipment
hygienic measures:	The usual precautionary measures are to be adhered to when handling chemicals.
	Keep away from foodstuffs, beverages and feed.
	Immediately remove all soiled and contaminated clothing
	Wash hands before breaks and at the end of work. Store protective clothing separately.
	Do not eat, drink, smoke or sniff while working.
	Use skin protection cream for skin protection.
	Be sure to clean skin thoroughly after work and before breaks.
· Respiratory protectio	 Not necessary if room is well-ventilated. Use suitable respiratory device when it exceed exposure limit and when insufficiently ventilated. Filter A2
 Hand protection 	Only use chemical-protective gloves with CE-labelling of category III. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Protective gloves
 Material of gloves 	The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Butyl rubber, BR Fluorocarbon rubber (Viton) Nitrile rubber, NBR
· Penetration time of	Neoprene
material	The exact break trough time has to be found out by the manufacturer of the protective gloves and has to
	observed.
· Eye/face protection	Tightly sealed goggles
· Body protection:	Protective work clothing
SECTION 9: Physica	al and chemical properties
-	sic physical and chemical properties
General Information	
· Colour:	Colourless
· Odour:	Characteristic
• Odour threshold:	Not determined.
Melting point/freezin	
 Boiling point or initia Flammability Lower and upper explanation 	al boiling point and boiling range Not applicable. Not applicable.

Not determined. Not determined.

- Lower and upper explosion limit
 Lower:
 Upper:

(Contd. on page 5)

Printing date 03.04.2024

Version: 7 (replaces version 6)

Revision: 16.02.2023

•)

The Peroxide Company


Trade name: PEROXAN PK234 V

23 - 60 °C > +70 °C (SADT)
Not determined.
Not determined.
Not determined.
Undetermined.
not determined
Not determined.
Not determined.
Not determined.
Not determined.
No further relevant information available.
Fluid
nent,
Product is not selfigniting.
Product is not explosive. However, formation of explosive air/vapour
mixtures are possible.
Not determined.
Void
Flammable liquid and vapour.
Void
Void
Void
Void
Heating may cause a fire.
Void
Void
6,8 - 6,9 %
r

SECTION 10: Stability and reactivity

 10.1 Reactivity 10.2 Chemical stability Thermal decomposition / 	No further relevant information available.
conditions to be avoided:	SADT (Self Accelerating Decomposition Temperature) is the lowest temperature at which self accelerating decomposition may occur with substance in the packaging as used in transport. A dangerous self-accelerating decomposition reaction and, under certain circumstances, explosion or fire can be cause decomposition at and above the temperature. Contact with incompatible substances can cause decomposition at or below the SADT. No decomposition if used and stored according to specifications. To avoid thermal decomposition do not overheat.
 10.3 Possibility of hazardous 	
reactions	Self-accelerating decomposition at SADT.
 10.4 Conditions to avoid 	No further relevant information available.
· 10.5 Incompatible materials:	Rapid decomposition by dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavy-metal compounds and amines).
· 10.6 Hazardous decomposition	
products:	Hydrocarbons, carbondioxide and -monoxid. No hazardous decomposition products if used and stored according to specifications.

- IE ---



Version: 7 (replaces version 6)



Revision: 16.02.2023

_.

Trade name: PEROXAN PK234 V

· Additional information:	(Contd. of page 5) Emergency procedures will vary depending on conditions. The customer should have an emergency response plane in place.

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 • Acute toxicity Based on available data, the classification criteria are not met.		
		elevant for classification:
2167-23-9	di-tert-bı	utyl sec-butylidene diperoxide
Oral	LD50	>5.000 mg/kg (rattus)
Dermal	LD50	>2.000 mg/kg (rattus)
Inhalative	LC0 / 4h	2,42 mg/l (rattus)
93685-81-	5 Hydroca	arbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated
Oral	LD50	>5.000 mg/kg (rattus)
Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/irritation Based on available data, the classification criteria are not met. Respiratory or skin Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard May be fatal if swallowed and enters airways. 11.2 Information on other hazards Endocrine disrupting properties		
	•	
None of the	None of the ingredients is listed.	

SECTION 12: Ecological information

· 12.1 Toxicity
 Aquatic toxicity

· 12.1 Toxicity		
 Aquatic toxicity: 		
2167-23-9 di-tert-butyl sec-bu	tylidene diperoxide	
EC50 / 72h 100 mg/l (algae)		
LC50 / 96h >10 mg/l (fish)		
EC50 / 48h 150 mg/l (daphnia)		
93685-81-5 Hydrocarbons, C4	, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated	
EC50 / 48h >0,04 mg/l (daphni	a)	
IC50 / 72h >0,04 mg/l (algae)		
12.2 Persistence and degrada	ıbility	
 Degree of elimination: 		
· Classification:		
2167-23-9 di-tert-butyl sec-bu	tylidene diperoxide	
Degradation (Not readily biode	egradable) (OECD 301 B)	
•	, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated	
Degradation (Not readily biode	egradable)	
12.3 Bioaccumulative potenti		
· Partition coefficient: nOctar	nol/water: [Log Kow]	
2167-23-9 di-tert-butyl sec-buty	/lidene diperoxide	5,4 (30°C)
12.4 Mobility in soil	No further relevant information available.	
· 12.5 Results of PBT and vPvE		
· PBT:	The substances in the mixture do not meet the PBT/vPvB criteria according to REACH,	
· vPvB:	The substances in the mixture do not meet the PBT/vPvB criteria according to REACH,	annex XIII.
 12.6 Endocrine disrupting properties 	The product does not contain substances with endocrine disrupting properties.	
· 12.7 Other adverse effects	No further relevant information available.	
- Additional ecological inform		
· General notes:	Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water	
	Do not allow product to reach ground water, water course or sewage system.	
		(Contd. on page 7

Printing date 03.04.2024

Version: 7 (replaces version 6)



Revision: 16.02.2023

(Contd. of page 6)

Trade name: PEROXAN PK234 V

	Danger to drinking water if ev	en small quantities leak into the ground.	(Conto. of page 6)
SECTION 13: Disposal consi	derations		
13.1 Waste treatment methods Recommendation	treatment (e. g. thern	uitable desentisation agent to 10 %, the solution must be s nal utilization) under observance of all official regulations. d together with household garbage. Do not allow product to	
· Waste disposal key:	system. Please contact your hazardou number.	us waste disposers to assign the right EWC-(European was	te catalog)-
· Uncleaned packaging: · Recommendation:	This material and its containe	er must be disposed of as hazardous waste.	
SECTION 14: Transport info	mation		
 14.1 UN number or ID number ADR, IMDG, IATA 		UN3103	
 · 14.2 UN proper shipping name · ADR · IMDG, IATA 		UN3103 ORGANIC PEROXIDE TYPE C, LIQUID (2,2-D BUTYLPEROXY)BUTANE) ORGANIC PEROXIDE TYPE C, LIQUID (2,2-DI-(tert-BU	
· 14.3 Transport hazard class(es)		BUTANE)	
· ADR		5.2 (P1) Organic peroxides.	
· IMDG, IATA · Class · Class · Label		5.2 5.2 Organic peroxides. 5.2	
• 14.4 Packing group • ADR, IMDG, IATA		Void	
• 14.5 Environmental hazards: • Marine pollutant:		No	
 • 14.6 Special precautions for use • Hazard identification number (• Stowage Category • Stowage Code • Segregation Code 		Warning: Organic peroxides. - D SW1 Protected from sources of heat. SG35 Stow "separated from" SGG1-acids SG36 Stow "separated from" SGG18-alkalis.	
· 14.7 Maritime transport in bulk a	according to IMO instruments	s Not applicable.	
· Transport/Additional information	on:		
ADR Limited quantities (LQ) Excepted quantities (EQ)		25 ml Code: E0 Not permitted as Excepted Quantity	
 Transport category Tunnel restriction code 		1 D	
· RID / GGVSEB:		like ADR	
· IMDG · Limited quantities (LQ)		25 ml	
			(Contd. on page 8) ——— IE —

Printing date 03.04.2024

Version: 7 (replaces version 6)



Revision: 16.02.2023

Trade name: PEROXAN PK234 V

	(Contd. of page 7)
· Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
SECTION 15: Regulatory info	rmation
 15.1 Safety, health and environm 	nental regulations/legislation specific for the substance or mixture
· Directive 2012/18/EU	
 Named dangerous substances 	
- ANNEX I	None of the ingredients is listed.
 Seveso category Qualifying quantity (tonnes) for 	P6b SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES
the application of lower-tier	
requirements	50 t
Qualifying quantity (tonnes) for	r
the application of upper-tier	
requirements	200 t
REGULATION (EC) No 1907/2006 ANNEX XVII	Conditions of restriction: 3
	estriction of the use of certain hazardous substances in electrical and electronic equipment – Annex
II	
None of the ingredients is listed.	
· REGULATION (EU) 2019/1148	
	SIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
None of the ingredients is listed.	
· Annex II - REPORTABLE EXPL	OSIVES PRECURSORS
None of the ingredients is listed.	
· Regulation (EC) No 273/2004 or	n drug precursors
None of the ingredients is listed.	
 Regulation (EC) No 111/2005 la precursors 	ying down rules for the monitoring of trade between the Community and third countries in drug
None of the ingredients is listed.	

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases	H226 Flammable liquid and vapour. H242 Heating may cause a fire. H304 May be fatal if swallowed and enters airways. H413 May cause long lasting harmful effects to aquatic life.
 Department issuing SDS: Contact: 	Environment protection / Security of labour Tel: +49 2871 9902-0 E-mail: mail@pergan.com
· Version number of previous	
version:	6
 Abbreviations and acronyms: 	RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Marttime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Org. Perox. C: Organic peroxides – Type C/D Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4
• * Data compared to the	
Data comparea to the	

previous version altered.