


## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** ACETALDEHYD
- **CAS Number:** 75-07-0
- **EC number:** 200-836-8
- **Index number:** 605-003-00-6
- **Registration number:** 01-2119451152-51
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture**  
Chemical intermediate  
For industrial use
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** PERGAN GmbH  
Hilfsstoffe für industrielle Prozesse  
Schlavenhorst 71  
D-46395 Bocholt  
Tel: +49 2871 9902-0  
Fax: +49 2871 9902-50
- **Further information obtainable from:** Environment protection / Security of labour  
Competent person:  
\* Sales Manager Germany: Mr. Ansgar Pappenheim, e-mail: a.pappenheim@pergan.com  
\* Export Sales Manager: Mr. Dr. Thomas Philipps, e-mail: dr.philipps@pergan.com  
\* Environment protection / Security of labour : Mr. Christoph Wilting, e-mail: c.wilting@pergan.com
- **1.4 Emergency telephone number:** - Tel: +49 2871 9902-0

## SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
Flam. Liq. 1 H224 Extremely flammable liquid and vapour.  
Eye Irrit. 2 H319 Causes serious eye irritation.  
Muta. 2 H341 Suspected of causing genetic defects.  
Carc. 1B H350 May cause cancer.  
STOT SE 3 H335 May cause respiratory irritation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** The substance is classified and labelled according to the CLP regulation.
- **Hazard pictograms**   
GHS02 GHS07 GHS08
- **Signal word** Danger
- **Hazard-determining components of labelling:** acetaldehyde
- **Hazard statements** H224 Extremely flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H341 Suspected of causing genetic defects.  
H350 May cause cancer.  
H335 May cause respiratory irritation.
- **Precautionary statements**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P240 Ground and bond container and receiving equipment.  
P243 Take action to prevent static discharges.  
P264 Wash thoroughly after handling.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P403+P235 Store in a well-ventilated place. Keep cool.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Additional information:** Restricted to professional users.

Trade name: **ACETALDEHYD**

(Contd. of page 1)

**2.3 Other hazards****Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

**3.1 Chemical characterisation: Substances**

- **CAS No. Description** 75-07-0 acetaldehyde
- **Identification number(s)**
- **EC number:** 200-836-8
- **Index number:** 605-003-00-6

### SECTION 4: First aid measures

**4.1 Description of first aid measures****General information:**

Take care of personal protection for the first aider.

**After inhalation:**Take affected persons into fresh air and keep quiet.  
Call a doctor immediately.**After skin contact:**Immediately remove contaminated clothing.  
Immediately wash with water and soap and rinse thoroughly.  
Seek medical treatment.**After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

**After swallowing:**

Drink plenty of water and provide fresh air. Call for a doctor immediately.

**4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### SECTION 5: Firefighting measures

**5.1 Extinguishing media**

- **Suitable extinguishing agents:** CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

**5.2 Special hazards arising from the substance or mixture**

Under certain fire conditions, traces of other toxic gases cannot be excluded.

**5.3 Advice for firefighters****Protective equipment:**

Do not inhale explosion gases or combustion gases.

**Additional information**Cool endangered receptacles with water spray.  
Self-protection first!  
Collect contaminated fire fighting water separately. It must not enter the sewage system.

### SECTION 6: Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures**Keep away from ignition sources.  
Wear protective equipment. Keep unprotected persons away.**6.2 Environmental precautions:**

Dilute with plenty of water.



Do not allow to enter sewers/ surface or ground water.

**6.3 Methods and material for containment and cleaning up:**Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.  
Soak up with absorbant material (e. g. Vermiculit) and dispose of in accordance with government regulations.**6.4 Reference to other sections**See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.  
In case of large spillage the environmental authority should be informed.

Trade name: **ACETALDEHYD**

(Contd. of page 2)

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Keep away from heat and direct sunlight.  
Open and handle receptacle with care.  
Prevent formation of aerosols.  
Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.  
Before break and at the end of work hands should be thoroughly washed.  
While using do not eat, drink or smoke.  
Do not generate flames or sparks.  
Keep product and emptied container away from heat and sources of ignition.  
Take precautionary measures against static discharges.



Do not smoke.

The pressure in sealed containers can increase under the influence of heat.

**Information about fire - and explosion protection:**

Protect against electrostatic charges.  
Use explosion-proof apparatus / fittings and spark-proof tools.  
Highly volatile, flammable constituents are released during processing.  
Fumes can combine with air to form an explosive mixture.



Wear shoes with conductive soles.

Formation of flammable or explosive gas/air-mixtures is possible.



Avoid open flames, sparks, direct sunlight and other sources of ignition.

Keep ignition sources away - Do not smoke.

**7.2 Conditions for safe storage, including any incompatibilities****Storage:**

Pay attention to the special requirements of your local authorities for storing dangerous goods.

**Requirements to be met by storerooms and receptacles:**

Store in a cool location.  
Prevent any seepage into the ground.  
Use only receptacles specifically permitted for this substance/product.

**Information about storage in one common storage facility:**

Store away from foodstuffs, drinks and feeding stuffs.  
Store away from oxidising agents.  
Store away from reducing agents.

**Further information about storage conditions:**

Keep container tightly sealed.  
Do not seal receptacle gas tight.  
Store in cool, dry conditions in well sealed receptacles.  
Protect from heat and direct sunlight.  
Store receptacle in a well ventilated area.  
Protect from contamination.

**Recommended storage temperature (To maintain quality):**

max.: +20°C

**Storage class:**

3A

**7.3 Specific end use(s)**

No further relevant information available.

**SECTION 8: Exposure controls/personal protection****Additional information about design of technical facilities:**

No further data; see item 7.

**8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:****75-07-0 acetaldehyde**

WEL (Great Britain)	Short-term value: 92 mg/m <sup>3</sup> , 50 ppm Long-term value: 37 mg/m <sup>3</sup> , 20 ppm Carc
---------------------	---

**Additional information:**




The lists valid during the making were used as basis.  
Chemical intermediate

(Contd. on page 4)

MT

Trade name: **ACETALDEHYD**

(Contd. of page 3)

<ul style="list-style-type: none"> <li>· <b>8.2 Exposure controls</b></li> <li>· <b>Personal protective equipment:</b></li> <li>· <b>General protective and hygienic measures:</b></li> </ul>	<p>The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection. Be sure to clean skin thoroughly after work and before breaks.</p>
<ul style="list-style-type: none"> <li>· <b>Respiratory protection:</b></li> </ul>	<p>In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Use suitable respiratory device when it exceed exposure limit and when insufficiently ventilated. Filter AX</p>
<ul style="list-style-type: none"> <li>· <b>Protection of hands:</b></li> </ul>	<p>Only use chemical-protective gloves with CE-labelling of category III.  Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation</p>
<ul style="list-style-type: none"> <li>· <b>Material of gloves</b></li> </ul>	<p>Protective gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Butyl rubber, BR</p>
<ul style="list-style-type: none"> <li>· <b>Penetration time of glove material</b></li> </ul>	<p>The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.</p>
<ul style="list-style-type: none"> <li>· <b>Eye protection:</b></li> </ul>	<p> Tightly sealed goggles</p>
<ul style="list-style-type: none"> <li>· <b>Body protection:</b></li> </ul>	<p> Protective work clothing</p>

## SECTION 9: Physical and chemical properties

<ul style="list-style-type: none"> <li>· <b>9.1 Information on basic physical and chemical properties</b></li> <li>· <b>General Information</b></li> <li>· <b>Appearance:</b></li> </ul>	
<ul style="list-style-type: none"> <li>· <b>Form:</b></li> </ul>	Liquid
<ul style="list-style-type: none"> <li>· <b>Colour:</b></li> </ul>	Colourless
<ul style="list-style-type: none"> <li>· <b>Odour:</b></li> </ul>	Pungent
<ul style="list-style-type: none"> <li>· <b>pH-value:</b></li> </ul>	Not determined.
<ul style="list-style-type: none"> <li>· <b>Change in condition</b></li> </ul>	
<ul style="list-style-type: none"> <li>· <b>Melting point/freezing point:</b></li> </ul>	-123 °C
<ul style="list-style-type: none"> <li>· <b>Initial boiling point and boiling range:</b></li> </ul>	20 °C Not applicable.
<ul style="list-style-type: none"> <li>· <b>Flash point:</b></li> </ul>	-39 °C
<ul style="list-style-type: none"> <li>· <b>Ignition temperature:</b></li> </ul>	175 °C
<ul style="list-style-type: none"> <li>· <b>Decomposition temperature:</b></li> </ul>	420 °C
<ul style="list-style-type: none"> <li>· <b>Auto-ignition temperature:</b></li> </ul>	Not determined.
<ul style="list-style-type: none"> <li>· <b>Explosive properties:</b></li> </ul>	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
<ul style="list-style-type: none"> <li>· <b>Explosion limits:</b></li> </ul>	
<ul style="list-style-type: none"> <li>· <b>Lower:</b></li> </ul>	4 Vol %
<ul style="list-style-type: none"> <li>· <b>Upper:</b></li> </ul>	60 Vol %
<ul style="list-style-type: none"> <li>· <b>Vapour pressure at 20 °C:</b></li> </ul>	1006 hPa
<ul style="list-style-type: none"> <li>· <b>Density at 18 °C:</b></li> </ul>	0,783 g/cm <sup>3</sup>
<ul style="list-style-type: none"> <li>· <b>Relative density</b></li> </ul>	Not determined.
<ul style="list-style-type: none"> <li>· <b>Vapour density</b></li> </ul>	Not determined.
<ul style="list-style-type: none"> <li>· <b>Evaporation rate</b></li> </ul>	Not determined.
<ul style="list-style-type: none"> <li>· <b>Solubility in / Miscibility with</b></li> </ul>	
<ul style="list-style-type: none"> <li>· <b>water:</b></li> </ul>	Undetermined.
<ul style="list-style-type: none"> <li>· <b>Partition coefficient: n-octanol/water:</b></li> </ul>	0,45

(Contd. on page 5)

Trade name: **ACETALDEHYD**

(Contd. of page 4)

· <b>Viscosity:</b>	
· <b>Dynamic at 15 °C:</b>	0,25 mPas
· <b>Kinematic:</b>	Not determined.
· <b>9.2 Other information</b>	No further relevant information available.

**SECTION 10: Stability and reactivity**

· <b>10.1 Reactivity</b>	No further relevant information available.
· <b>10.3 Possibility of hazardous reactions</b>	Danger of polymerisation. Possible formation of peroxide.
· <b>10.4 Conditions to avoid</b>	Protect against electrostatic charges. Avoid open flames, sparks, direct sunlight and other sources of ignition.
· <b>10.5 Incompatible materials:</b>	No further relevant information available.
· <b>10.6 Hazardous decomposition products:</b>	No hazardous decomposition products if used and stored according to specifications.
· <b>Additional information:</b>	Emergency procedures will vary depending on conditions. The customer should have an emergency response plan in place.

**SECTION 11: Toxicological information**

· <b>11.1 Information on toxicological effects</b>	
· <b>Acute toxicity</b>	Based on available data, the classification criteria are not met.
· <b>Primary irritant effect:</b>	
· <b>Skin corrosion/irritation</b>	Based on available data, the classification criteria are not met.
· <b>Serious eye damage/irritation</b>	Causes serious eye irritation.
· <b>Respiratory or skin sensitisation</b>	Based on available data, the classification criteria are not met.
· <b>CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)</b>	
· <b>Germ cell mutagenicity</b>	Suspected of causing genetic defects.
· <b>Carcinogenicity</b>	May cause cancer.
· <b>Reproductive toxicity</b>	Based on available data, the classification criteria are not met.
· <b>STOT-single exposure</b>	May cause respiratory irritation.
· <b>STOT-repeated exposure</b>	Based on available data, the classification criteria are not met.
· <b>Aspiration hazard</b>	Based on available data, the classification criteria are not met.

**SECTION 12: Ecological information**· **12.1 Toxicity**

· <b>Aquatic toxicity:</b>	
<b>75-07-0 acetaldehyde</b>	
LC50 / 96h	30,8 mg/l (piscis)
EC50 / 48h	48,3 mg/l (daphnia magna)

· <b>12.2 Persistence and degradability</b>	No further relevant information available.
· <b>12.3 Bioaccumulative potential</b>	No further relevant information available.
· <b>12.4 Mobility in soil</b>	No further relevant information available.
· <b>Additional ecological information:</b>	
· <b>General notes:</b>	Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
· <b>12.5 Results of PBT and vPvB assessment</b>	
· <b>PBT:</b>	Not applicable.
· <b>vPvB:</b>	Not applicable.
· <b>12.6 Other adverse effects</b>	No further relevant information available.

**SECTION 13: Disposal considerations**

- **13.1 Waste treatment methods**
- **Recommendation**



Must not be disposed together with household garbage. Do not allow product to reach sewage system.



(Contd. on page 6)

Trade name: **ACETALDEHYD**

(Contd. of page 5)

- **Waste disposal key:** Please contact your hazardous waste disposers to assign the right EWC-(European waste catalog)-number.
- **Uncleaned packaging:**
- **Recommendation:** This material and its container must be disposed of as hazardous waste. Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

\* **SECTION 14: Transport information**

· <b>14.1 UN-Number</b> · <b>ADR, IMDG, IATA</b>	UN1089
· <b>14.2 UN proper shipping name</b> · <b>ADR</b> · <b>IMDG, IATA</b>	UN1089 ACETALDEHYDE ACETALDEHYDE
· <b>14.3 Transport hazard class(es)</b> · <b>ADR</b>	
	
· <b>Class</b> · <b>Label</b>	3 (F1) Flammable liquids. 3
· <b>IMDG, IATA</b>	
	
· <b>Class</b> · <b>Label</b>	3 Flammable liquids. 3
· <b>14.4 Packing group</b> · <b>ADR, IMDG, IATA</b>	I
· <b>14.5 Environmental hazards:</b> · <b>Marine pollutant:</b>	No
· <b>14.6 Special precautions for user</b> · <b>Hazard identification number (Kemler code):</b> · <b>Stowage Category</b>	Warning: Flammable liquids. 33 E
· <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADR</b> · <b>Limited quantities (LQ)</b> · <b>Excepted quantities (EQ)</b>	0 Code: E0 Not permitted as Excepted Quantity
· <b>Transport category</b> · <b>Tunnel restriction code</b>	1 D/E
· <b>RID / GGVSEB:</b>	like ADR
· <b>IMDG</b> · <b>Limited quantities (LQ)</b> · <b>Excepted quantities (EQ)</b>	0 Code: E0 Not permitted as Excepted Quantity

**SECTION 15: Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances**
  - **ANNEX I** Substance is not listed.
- **Seveso category** P5a FLAMMABLE LIQUIDS

(Contd. on page 7)

MT

Trade name: **ACETALDEHYD**

(Contd. of page 6)

- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 10 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Environment protection / Security of labour
- **Contact:** Tel: +49 2871 9902-0  
E-mail: mail@pergan.com
- **Abbreviations and acronyms:**
  - RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
  - ICAO: International Civil Aviation Organisation
  - ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
  - IMDG: International Maritime Code for Dangerous Goods
  - IATA: International Air Transport Association
  - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
  - EINECS: European Inventory of Existing Commercial Chemical Substances
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)
  - PBT: Persistent, Bioaccumulative and Toxic
  - vPvB: very Persistent and very Bioaccumulative
  - Flam. Liq. 1: Flammable liquids – Category 1
  - Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
  - Muta. 2: Germ cell mutagenicity – Category 2
  - Carc. 1B: Carcinogenicity – Category 1B
  - STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- **\* Data compared to the previous version altered.**