

Printing date 04.04.2024 Version: 9 (replaces version 8) Revision: 20.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name: PERGAQUICK A100

 • CAS Number:
 99-97-8

 • EC number:
 202-805-4

 • Index number:
 612-056-00-9

 • Registration number:
 01-2119956633-31

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance /

the mixture Accelerator for polymerisation / crosslinking

For industrial use

· 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: PERGAN GmbH

Hilfsstoffe für industrielle Prozesse

Schlavenhorst 71 D-46395 Bocholt Tel: +49 2871 9902-0 Fax: +49 2871 9902-50

· Further information obtainable

from: Environment protection / Security of labour

Qualified person: E-mail: msds@pergan.com

· 1.4 Emergency telephone

number: - Tel: +49 2871 9902-0

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H311 Toxic in contact with skin.

Acute Tox. 3 H320 Fetal if inhaled.

Acute Tox. 2 H330 Fatal if inhaled.
Carc. 1B H350 May cause cancer.

STOT RE 2 H373 May cause damage to the reproductive system through prolonged or repeated exposure.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

· Labelling according to

Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word Danger

· Hazard-determining

· Precautionary statements

components of labelling: N,N-dimethyl-p-toluidine

Hazard statements H301+H311 Toxic if swallowed or in contact with skin.

H330 Fatal if inhaled. H350 May cause cancer

H373 May cause damage to the reproductive system through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P284 [In case of inadequate ventilation] wear respiratory protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P330 Rinse mouth.

P361 Take off immediately all contaminated clothing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

• Additional information: Restricted to professional users.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

vPvB: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

(Contd. on page 2)



Printing date 04.04.2024 Version: 9 (replaces version 8) Revision: 20.12.2022

Trade name: PERGAQUICK A100

(Contd. of page 1)

Determination of endocrinedisrupting properties

The product does not contain substances with endocrine disrupting properties

SECTION 3: Composition/information on ingredients

3.1 Substances

· CAS No. Description

99-97-8 N,N-dimethyl-p-toluidine

Identification number(s)

· EC number: 202-805-4 · Index number: 612-056-00-9

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

Take care of personal protection for the first aider.

Supply fresh air or oxygen; call for doctor. · After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

Take affected persons into fresh air and keep quiet.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

Immediately remove contaminated clothing.

· After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing: Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate

medical attention and special

treatment needed

No further relevant information available

No further relevant information available

SECTION 5: Firefighting measures

5.1 Extinguishing media

· Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from

the substance or mixture 5.3 Advice for firefighters Under certain fire conditions, traces of other toxic gases cannot be excluded.

Protective equipment:

Mouth respiratory protective device. Do not inhale explosion gases or combustion gases

· Additional information Self-protection first!

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

6.2 Environmental precautions:

Wear protective equipment. Keep unprotected persons away.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Soak up with absorbant material (e. g. Vermiculit) and dispose of in accordance with government

regulations.

 6.4 Reference to other sections In case of large spillage the environmental authority should be informed.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 3)



Printing date 04.04.2024 Version: 9 (replaces version 8) Revision: 20.12.2022

Trade name: PERGAQUICK A100

(Contd. of page 2)

Open and handle receptacle with care.

Prevent formation of aerosols.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.

Use only in well ventilated areas.

Before break and at the end of work hands should be thoroughly washed.

Avoid contact with skin and eyes. While using do not eat, drink or smoke.

· Information about fire - and

explosion protection:

Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

Storage:

Pay attention to the special requirements of your local autorithies for storing dangerous goods.

Requirements to be met by

storerooms and receptacles:

Prevent any seepage into the ground.

Use only receptacles specifically permitted for this substance/product.

· Information about storage in

one common storage facility:

Store away from peroxide.

Store away from foodstuffs, drinks and feeding stuffs.

· Further information about

storage conditions:

Keep container tightly sealed.

Store under lock and key and out of the reach of children.

Storage in a collecting room is required.

Recommended storage temperature (To maintain

quality):

0 +30 °C 6.1 A

Storage class:

· 7.3 Specific end use(s) No further relevant information available

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the

workplace: Not required.

· DNELs

99-97-8 N,N-dimethyl-p-toluidine

DNEL Longterm System 0,624 mg/kg bw/day (Worker) Inhalative DNEL Longterm System 0,128 mg/m3 (Worker)

· PNECs

99-97-8 N,N-dimethyl-p-toluidine

PNEC Marinewater sed 45,378 mg/kg sed dw (-) 0,153 mg/l (AF 100) PNEC Freshwater PNEC Freshwater sed 45,378 mg/kg sed dw (-) PNEC Soil 18,677 mg/kg soil dw (-) PNEC STP 4,286 mg/l (AF 10) **PNEC Marinewater** 0,015 mg/l (AF 1.000)

The lists valid during the making were used as basis. Additional information:

· 8.2 Exposure controls

Appropriate engineering

controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

General protective and

hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Store protective clothing separately. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection.

Be sure to clean skin thoroughly after work and before breaks.

· Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer

exposure use self-contained respiratory protective device.

(Contd. on page 4)



Printing date 04.04.2024 Version: 9 (replaces version 8) Revision: 20.12.2022

Trade name: PERGAQUICK A100

(Contd. of page 3)



Use suitable respiratory device when it exceed exposure limit and when insufficiently ventilated.

Only use chemical-protective gloves with CE-labelling of category III. · Hand protection



Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Protective gloves

· Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of

quality and varies from manufacturer to manufacturer.

Butyl rubber, BR

Fluorocarbon rubber (Viton)

Nitrile rubber, NBR

Neoprene

· Penetration time of glove

material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be

· Eye/face protection



Tightly sealed goggles

· Body protection:



Protective work clothing

SECTION 9: Physical and chemical properties

· General Information

· Colour: Yellowish · Odour: Characteristic · Melting point/freezing point: Undetermined. Boiling point or initial boiling point and boiling range 211 °C · Flash point: 83 °C

· Viscosity:

· Dynamic at 20 °C:

Solubility

· water: · Partition coefficient n-octanol/water (log value)

· Density and/or relative density

Density at 20 °C:

Not determined.

2,81 log POW

0,94 g/cm³

Void

2 mPas

9.2 Other information

· Corrosive to metals

Appearance:

Form: Fluid

· Important information on protection of health and environment,

and on safety.

Explosive properties: Product does not present an explosion hazard

Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in	
contact with water	Void
· Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void

(Contd. on page 5)



Printing date 04.04.2024 Version: 9 (replaces version 8) Revision: 20.12.2022

Trade name: PERGAQUICK A100

(Contd. of page 4)

Desensitised explosives

Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.3 Possibility of hazardous

reactions

No dangerous reactions known.

· 10.4 Conditions to avoid No further relevant information available. · 10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition

products:

No hazardous decomposition products if used and stored according to specifications.

Additional information: Emergency procedures will vary depending on conditions. The customer should have an emergency

response plane in place.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxic if swallowed or in contact with skin. · Acute toxicity

Fatal if inhaled. · Skin corrosion/irritation Irritanting effect. · Serious eye damage/irritation Irritanting effect.

· Respiratory or skin

sensitisation Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. · Germ cell mutagenicity · Carcinogenicity May cause cancer.

Based on available data, the classification criteria are not met. Reproductive toxicity STOT-single exposure Based on available data, the classification criteria are not met.

· STOT-repeated exposure May cause damage to the reproductive system through prolonged or repeated exposure.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

· Endocrine disrupting properties

Substance is not listed.

SECTION 12: Ecological information

· 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability

Degree of elimination:

· Classification:

99-97-8 N,N-dimethyl-p-toluidine

Degradation (Not readily biodegradable)

12.3 Bioaccumulative potential

· Partition coefficient: nOctanol/water: [Log Kow]

2,81

· 12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

· PBT: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. · vPvB: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

· 12.6 Endocrine disrupting

properties The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Harmful to fish · Remark:

Additional ecological information:

General notes: Harmful to aquatic organisms

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

MT

(Contd. on page 6)



Printing date 04.04.2024 Version: 9 (replaces version 8) Revision: 20.12.2022

Trade name: PERGAQUICK A100

(Contd. of page 5)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Waste disposal key: Please contact your hazardous waste disposers to assign the right EWC-(European waste catalog)-

number.

· Uncleaned packaging:

Excepted quantities (EQ)

Recommendation:

This material and its container must be disposed of as hazardous waste

· Recommendation: This m	naterial and its container must be disposed of as hazardous waste.
SECTION 14: Transport information	1
· 14.1 UN number or ID number · ADR, IMDG, IATA	UN2810
· 14.2 UN proper shipping name · ADR · IMDG, IATA	UN2810 TOXIC LIQUID, ORGANIC, N.O.S. (N,N-DIMETHYL-p- TOLUIDINE) TOXIC LIQUID, ORGANIC, N.O.S. (N,N-DIMETHYL-p-TOLUIDINE)
· 14.3 Transport hazard class(es)	
· ADR	
· Class · Label	6.1 (T1) Toxic substances. 6.1
· IMDG, IATA	
· Class · Label	6.1 Toxic substances. 6.1
· 14.4 Packing group · ADR, IMDG, IATA	III
14.5 Environmental hazards: · Marine pollutant:	No
14.6 Special precautions for user Hazard identification number (Kemler Stowage Category Stowage Code	Warning: Toxic substances. code): 60 A SW2 Clear of living quarters.
· 14.7 Maritime transport in bulk according	ng to IMO instruments Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Transport category · Tunnel restriction code	2 E
· RID / GGVSEB:	like ADR
· IMDG · Limited quantities (LQ)	5L

Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml



Printing date 04.04.2024 Version: 9 (replaces version 8) Revision: 20.12.2022

Trade name: PERGAQUICK A100

(Contd. of page 6)

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

Named dangerous substances

- ANNEX I Substance is not listed. · Seveso category H2 ACUTE TOXIC

· Qualifying quantity (tonnes) for the application of lower-tier

requirements 50 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

REGULATION (EC) No

Conditions of restriction: 3, 28, 75 1907/2006 ANNEX XVII

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex

Substance is not listed.

· REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

Substance is not listed

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

Substance is not listed.

· Regulation (EC) No 273/2004 on drug precursors

Substance is not listed

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

Substance is not listed.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection / Security of labour

· Contact: Tel: +49 2871 9902-0 E-mail: mail@pergan.com

· Version number of previous version:

· Abbreviations and acronyms:

8

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 2: Acute toxicity – Category 2

Carc. 1B: Carcinogenicity – Category 1B

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* * Data compared to the previous version altered.

MT -