



SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** PERGAQUICK A100
- **CAS Number:** 99-97-8
- **EC number:** 202-805-4
- **Index number:** 612-056-00-9
- **Registration number:** 01-2119956633-31
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture**
Accelerator for polymerisation / crosslinking
For industrial use
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** PERGAN GmbH
Hilfsstoffe für industrielle Prozesse
Schlavenhorst 71
D-46395 Bocholt
Tel: +49 2871 9902-0
Fax: +49 2871 9902-50
- **Further information obtainable from:** Environment protection / Security of labour
Qualified person: E-mail: msds@pergan.com
- **1.4 Emergency telephone number:** - Tel: +49 2871 9902-0

* SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**

Acute Tox. 3	H301	Toxic if swallowed.
Acute Tox. 3	H311	Toxic in contact with skin.
Acute Tox. 2	H330	Fatal if inhaled.
Skin Sens. 1	H317	May cause an allergic skin reaction.
Carc. 1B	H350	May cause cancer.
Repr. 2	H361	Suspected of damaging fertility or the unborn child.
STOT RE 2	H373	May cause damage to the reproductive system through prolonged or repeated exposure.
Aquatic Chronic 3	H412	Harmful to aquatic life with long lasting effects.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** The substance is classified and labelled according to the CLP regulation.
- **Hazard pictograms**  
GHS06 GHS08
- **Signal word** Danger
- **Hazard-determining components of labelling:** N,N-dimethyl-p-toluidine
- **Hazard statements** H301+H311 Toxic if swallowed or in contact with skin.
H330 Fatal if inhaled.
H317 May cause an allergic skin reaction.
H350 May cause cancer.
H361 Suspected of damaging fertility or the unborn child.
H373 May cause damage to the reproductive system through prolonged or repeated exposure.
H412 Harmful to aquatic life with long lasting effects.
- **Precautionary statements** P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P264 Wash thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P284 [In case of inadequate ventilation] wear respiratory protection.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P330 Rinse mouth.
P361 Take off immediately all contaminated clothing.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Additional information:** Restricted to professional users.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

Trade name: **PERGAQUICK A100**

(Contd. of page 1)

- **vPvB:** This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
- **Determination of endocrine-disrupting properties** The product does not contain substances with endocrine disrupting properties.


SECTION 3: Composition/information on ingredients

- **3.1 Substances**
- **CAS No. Description** 99-97-8 N,N-dimethyl-p-toluidine
- **Identification number(s)**
- **EC number:** 202-805-4
- **Index number:** 612-056-00-9
- **Acute toxicity estimate (ATE) values** LD50 oral: 140 mg/kg
LC50 / 4h inhalative: 1,4 mg/l

· **Dangerous components:**

CAS: 99-97-8	N,N-dimethyl-p-toluidine	90-100%
EINECS: 202-805-4	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Carc. 1B, H350; Repr. 2, H361; STOT	
Index number: 612-056-00-9	RE 2, H373; Skin Sens. 1, H317; Aquatic Chronic 3, H412	
Reg-No.: 01-2119956633-31	ATE: LD50 oral: 140 mg/kg LC50 / 4h inhalative: 1,4 mg/l	

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
Remove breathing equipment only after contaminated clothing have been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.
-  Take care of personal protection for the first aider.
- **After inhalation:** Supply fresh air or oxygen; call for doctor.
In case of unconsciousness place patient stably in side position for transportation.
Take affected persons into fresh air and keep quiet.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
Immediately remove contaminated clothing.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** Treatment: Symptomatic treatment
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture** Under certain fire conditions, traces of other toxic gases cannot be excluded.
- **5.3 Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.
Do not inhale explosion gases or combustion gases.
- **Additional information** Self-protection first!

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Inform respective authorities in case of seepage into water course or sewage system.



Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

MT

Trade name: **PERGAQUICK A100**

(Contd. of page 2)

- **6.3 Methods and material for containment and cleaning up:** Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
Soak up with absorbant material (e. g. Vermiculit) and dispose of in accordance with government regulations.
- **6.4 Reference to other sections** In case of large spillage the environmental authority should be informed.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
 - Ensure good ventilation/exhaustion at the workplace.
 - Open and handle receptacle with care.
 - Prevent formation of aerosols.
 - Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.
 - Use only in well ventilated areas.
 - Before break and at the end of work hands should be thoroughly washed.
 - Avoid contact with skin and eyes.
 - While using do not eat, drink or smoke.
- **Information about fire - and explosion protection:** Keep respiratory protective device available.
- **7.2 Conditions for safe storage, including any incompatibilities**
 - Pay attention to the special requirements of your local authorities for storing dangerous goods.
- **Storage:**
 - Prevent any seepage into the ground.
 - Use only receptacles specifically permitted for this substance/product.
- **Requirements to be met by storerooms and receptacles:**
- **Information about storage in one common storage facility:**
 - Store away from peroxide.
 - Store away from foodstuffs, drinks and feeding stuffs.
- **Further information about storage conditions:**
 - Keep container tightly sealed.
 - Store under lock and key and out of the reach of children.
 - Storage in a collecting room is required.
- **Recommended storage temperature (To maintain quality):** 0 +30 °C
- **Storage class:** 6.1 A
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:** Not required.

· DNELs

99-97-8 N,N-dimethyl-p-toluidine

Dermal	DNEL Longterm System	0,624 mg/kg bw/day (Worker)
Inhalative	DNEL Longterm System	0,128 mg/m ³ (Worker)





- **Additional information:** The lists valid during the making were used as basis.

- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
 - The usual precautionary measures are to be adhered to when handling chemicals.
 - Keep away from foodstuffs, beverages and feed.
 - Immediately remove all soiled and contaminated clothing
 - Wash hands before breaks and at the end of work.
 - Store protective clothing separately.
 - Do not inhale gases / fumes / aerosols.
 - Avoid contact with the eyes and skin.
 - Do not eat, drink, smoke or sniff while working.
 - Use skin protection cream for skin protection.
 - Be sure to clean skin thoroughly after work and before breaks.

(Contd. on page 4)

Trade name: **PERGAQUICK A100**

(Contd. of page 3)

· Respiratory protection:	In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
	 Use suitable respiratory device when it exceed exposure limit and when insufficiently ventilated.
	Filter A2
· Hand protection	Only use chemical-protective gloves with CE-labelling of category III.
	 Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
	Protective gloves
· Material of gloves	The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Butyl rubber, BR Fluorocarbon rubber (Viton) Nitrile rubber, NBR Neoprene
· Penetration time of glove material	The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
· Eye/face protection	 Tightly sealed goggles
· Body protection:	 Protective work clothing

* SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties	
· General Information	
· Colour:	Yellowish
· Odour:	Characteristic
· Melting point/freezing point:	-15 °C
· Boiling point or initial boiling point and boiling range	211 °C
· Flash point:	87 °C
· pH at 25 °C	7,44
· Viscosity:	
· Dynamic at 35 °C:	14,4 mPas
· Solubility	
· water:	Not determined.
· Partition coefficient n-octanol/water (log value)	2,81 log POW
· Vapour pressure at 25 °C:	0,28 hPa
· Density and/or relative density	
· Density at 20 °C:	0,88 g/cm ³
· 9.2 Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Explosive properties:	Product does not present an explosion hazard.
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void

(Contd. on page 5)

MT

Trade name: **PERGAQUICK A100**

(Contd. of page 4)

· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity	No further relevant information available.
· 10.3 Possibility of hazardous reactions	No dangerous reactions known.
· 10.4 Conditions to avoid	No further relevant information available.
· 10.5 Incompatible materials:	No further relevant information available.
· 10.6 Hazardous decomposition products:	No hazardous decomposition products if used and stored according to specifications.
· Additional information:	Emergency procedures will vary depending on conditions. The customer should have an emergency response plane in place.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008	
· Acute toxicity	Toxic if swallowed or in contact with skin. Fatal if inhaled.

· LD/LC50 values relevant for classification:

99-97-8 N,N-dimethyl-p-toluidine

Oral	LD50	140 mg/kg (ATE) 139 mg/kg (Rat)
Dermal	LD50	>2.000 mg/kg (Rat)
Inhalative	LC50 / 4h	1,4 mg/l (ATE)

· Primary irritant effect:

· Skin corrosion/irritation	Irritating effect.
· Serious eye damage/irritation	Irritating effect.
· Respiratory or skin sensitisation	May cause an allergic skin reaction.
· Germ cell mutagenicity	Based on available data, the classification criteria are not met.
· Carcinogenicity	May cause cancer.
· Reproductive toxicity	Suspected of damaging fertility or the unborn child.
· STOT-single exposure	Based on available data, the classification criteria are not met.
· STOT-repeated exposure	May cause damage to the reproductive system through prolonged or repeated exposure.
· Aspiration hazard	Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

· Endocrine disrupting properties

Substance is not listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

99-97-8 N,N-dimethyl-p-toluidine

LC50 / 96h	46 mg/l (pimephales promelas)
EC50 / 48h	13,7 mg/l (Daphnia)

· 12.2 Persistence and degradability

· Degree of elimination:

· Classification:

99-97-8 N,N-dimethyl-p-toluidine

Degradation (Not readily biodegradable)

· 12.3 Bioaccumulative potential

· Partition coefficient: nOctanol/water: [Log Kow]

2,81

· 12.4 Mobility in soil	No further relevant information available.
· 12.5 Results of PBT and vPvB assessment	
· PBT:	This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

(Contd. on page 6)


MT

Trade name: **PERGAQUICK A100**



(Contd. of page 5)

<ul style="list-style-type: none"> · vPvB: · 12.6 Endocrine disrupting properties · 12.7 Other adverse effects · Remark: · Additional ecological information: · General notes: 	<p>This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.</p> <p>The product does not contain substances with endocrine disrupting properties.</p> <p>Harmful to fish</p> <p>Harmful to aquatic organisms Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.</p>
--	--

SECTION 13: Disposal considerations

<ul style="list-style-type: none"> · 13.1 Waste treatment methods · Recommendation · Waste disposal key: · Uncleaned packaging: · Recommendation: 	<div style="display: flex; align-items: center;">  <p>Must not be disposed together with household garbage. Do not allow product to reach sewage system.</p> </div> <p>Please contact your hazardous waste disposers to assign the right EWC-(European waste catalog)-number.</p> <p>This material and its container must be disposed of as hazardous waste.</p>
--	---

SECTION 14: Transport information

<ul style="list-style-type: none"> · 14.1 UN number or ID number · ADR, IMDG, IATA 	<p>UN2810</p>
<ul style="list-style-type: none"> · 14.2 UN proper shipping name · ADR · IMDG, IATA 	<p>UN2810 TOXIC LIQUID, ORGANIC, N.O.S. (N,N-DIMETHYL-p-TOLUIDINE)</p> <p>TOXIC LIQUID, ORGANIC, N.O.S. (N,N-DIMETHYL-p-TOLUIDINE)</p>
<ul style="list-style-type: none"> · 14.3 Transport hazard class(es) · ADR 	<div style="display: flex; align-items: center;">  <p>6.1 (T1) Toxic substances.</p> </div> <p>6.1</p>
<ul style="list-style-type: none"> · IMDG, IATA 	<div style="display: flex; align-items: center;">  <p>6.1 Toxic substances.</p> </div> <p>6.1</p>
<ul style="list-style-type: none"> · 14.4 Packing group · ADR, IMDG, IATA 	<p>III</p>
<ul style="list-style-type: none"> · 14.5 Environmental hazards: · Marine pollutant: 	<p>No</p>
<ul style="list-style-type: none"> · 14.6 Special precautions for user · Hazard identification number (Kemler code): · Stowage Category · Stowage Code 	<p>Warning: Toxic substances.</p> <p>60</p> <p>A</p> <p>SW2 Clear of living quarters.</p>
<ul style="list-style-type: none"> · 14.7 Maritime transport in bulk according to IMO instruments 	<p>Not applicable.</p>
<ul style="list-style-type: none"> · Transport/Additional information: 	<p>ADR</p> <p>Limited quantities (LQ)</p> <p>Excepted quantities (EQ)</p> <p>5L</p> <p>Code: E1</p> <p>Maximum net quantity per inner packaging: 30 ml</p> <p>Maximum net quantity per outer packaging: 1000 ml</p> <p>Transport category</p> <p>Tunnel restriction code</p> <p>2</p> <p>E</p>

(Contd. on page 7)

Trade name: **PERGAQUICK A100**

(Contd. of page 6)

· RID / GGVSEB:	like ADR
· IMDG	5L
· Limited quantities (LQ)	Code: E1
· Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances

- ANNEX I Substance is not listed.

· Seveso category H2 ACUTE TOXIC

· Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t

· Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 28, 75

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

Substance is not listed.

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

Substance is not listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

Substance is not listed.

· Regulation (EC) No 273/2004 on drug precursors

Substance is not listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

Substance is not listed.

· 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection / Security of labour

· Contact: Tel: +49 2871 9902-0
E-mail: mail@pergan.com

· Version number of previous version: 9

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
ATE: Acute toxicity estimate values
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 2: Acute toxicity – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
Carc. 1B: Carcinogenicity – Category 1B

(Contd. on page 8)

— MT —

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.03.2025

Version: 10 (replaces version 9)

Revision: 04.09.2024

Trade name: **PERGAQUICK A100**

(Contd. of page 7)

Repr. 2: Reproductive toxicity – Category 2
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

* Data compared to the
previous version altered.

— MT —