

Printing date 03.04.2024 Version: 7 (replaces version 6) Revision: 15.02.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

PEROXAN BCC-75 · Trade name:

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance /

the mixture

Reaction initiator For industrial use

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: PERGAN GmbH

Hilfsstoffe für industrielle Prozesse

Schlavenhorst 71 D-46395 Bocholt Tel: +49 2871 9902-0 Fax: +49 2871 9902-50

· Further information obtainable

Environment protection / Security of labour from:

Qualified person: E-mail: msds@pergan.com

1.4 Emergency telephone

number: - Tel: +49 2871 9902-0

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Org. Perox. C H242 Heating may cause a fire.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to

Regulation (EC) No 1272/2008

· Hazard pictograms

The product is classified and labelled according to the CLP regulation.



· Signal word Danger

· Hazard-determining

components of labelling:

di-(4-tert.-butylcyclohexyl)-peroxydicarbonate Hazard statements H242 Heating may cause a fire.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

P220 Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators

(e. g. heavy metal compounds and amines).

P234 Keep only in original packaging. P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

2378 In case of fire: Use CO2, powder or water spray to extinguish. P370+I

Protect from sunlight. P410

P411+I P235 Store at temperatures not exceeding +30°C. Keep cool.

P420 Store separately.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

Results of PBT and vPvB assessment

· PBT: The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. · vPvB: The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

Determination of endocrine-

disrupting properties The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

· Dangerous components:		
040.45500.44.0	1. /4	Terrodo al concello le co-

di-(4-tert.-butylcyclohexyl)-peroxydicarbonate EINECS: 239-557-1 Org. Perox. C, H242; Skin Sens. 1, H317; Aquatic Chronic 3, H412

Reg-No.: 01-2119966122-42

(Contd. on page 2)

70-80%



Printing date 03.04.2024 Version: 7 (replaces version 6) Revision: 15.02.2023

Trade name: PEROXAN BCC-75

CAS: 98-52-2 4-tert-butylcyclohexanol EINECS: 202-676-4 Eye Irrit. 2, H319

(Contd. of page 1)

2,5-5%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information:

Take care of personal protection for the first aider.

· After inhalation: Take affected persons into fresh air and keep quiet.

After skin contact: Immediately remove contaminated clothing.

· After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

No further relevant information available

SECTION 5: Firefighting measures

5.1 Extinguishing media

• Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture

Under certain fire conditions, traces of other toxic gases cannot be excluded.

Hydrocarbons, carbondioxide and -monoxid.

5.3 Advice for firefighters

Protective equipment:

Do not inhale explosion gases or combustion gases.

· Additional information Cool endangered receptacles with water spray.

Self-protection first!

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources.

After exceeding the emergency temperature must be diluted with a suitable desentisation agent to < 10 %.

In case of further temperature should be cooled with waterspray from a safe distance.

Wear breathing apparatus with filter A during decomposition of materials.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:



Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation

Large quantities should be diluted with suitable desensitation agent to a concentration below 10 % before

disposal.

Pick up mechanically, collect in a suitable receptacle and dispose in accordance with government

regulations.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

In case of large spillage the environmental authority should be informed.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling

Keep receptacles tightly sealed.

Keep away from heat and direct sunlight. Open and handle receptacle with care.

Prevent formation of dust.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.

Do not refill residue into storage receptacles. Restrict the quantity stored at the work place.

(Contd. on page 3)



Printing date 03.04.2024 Version: 7 (replaces version 6) Revision: 15.02.2023

Trade name: PEROXAN BCC-75

(Contd. of page 2)

Before break and at the end of work hands should be thoroughly washed.

Only use tools made of suitable materials (e. g. polyethylene or stainless steel).

The product must be preserved, stored and transported continously cool.

Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavymetal compounds and amines).

While using do not eat, drink or smoke.

Do not generate flames or sparks.

Keep product and emptied container away from heat and sources of ignition.

Avoid shock and friction.

Take precautionary measures against static discharges.



Do not smoke.

· Information about fire - and explosion protection:

Protect from heat.

Protect against electrostatic charges.

Prevent impact and friction.

Use explosion-proof apparatus / fittings and spark-proof tools.

Dust can combine with air to form an explosive mixture.

Substance/product is oxidising when dry

Product is not explosive. However, formation of explosive air/dust mixtures are possible.



Avoid open flames, sparks, direct sunlight and other sources of ignition.

Keep ignition sources away - Do not smoke.

· 7.2 Conditions for safe storage, including any incompatibilities

Storage:

Pay attention to the special requirements of your local autorithies for storing dangerous goods. Requirements to be met by

storerooms and receptacles: Store only in the original receptacle.

Prevent any seepage into the ground.

Keep container tightly sealed. Protect from heat and direct sunlight. Protect from contamination.

Use only receptacles specifically permitted for this substance/product.

Information about storage in

one common storage facility: Do not store or park organic peroxide together with heavy metal compounds and amines.

Store away from foodstuffs, drinks and feeding stuffs.

 Further information about storage conditions:

· Recommended storage

temperature (To maintain

quality): +5 +15 °C

Storage class: 5.2

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

 Ingredients with limit values that require monitoring at the

workplace:

The product does not contain any relevant quantities of materials with critical values that have to be

monitored at the workplace.

·DNELs

15520-11-3 di-(4-tert.-butylcyclohexyl)-peroxydicarbonate

DNEL Longterm System 16,67 mg/kg bw/day (Worker) Inhalative DNEL Longterm System 5,87 mg/m3 (Worker)

· PNECs

15520-11-3 di-(4-tert.-butylcyclohexyl)-peroxydicarbonate

PNEC Marinewater sed 468,5 mg/kg sed dw (-) **PNEC Freshwater** 0,39 mg/l (AF 100) PNEC Freshwater sed 4.685 mg/kg sed dw (-) PNEC Soil 936,8 mg/kg soil dw (-) PNEC STP 2 mg/l (AF 10) **PNEC Marinewater** 0,039 mg/l (AF 1.000)

Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)



Printing date 03.04.2024 Version: 7 (replaces version 6) Revision: 15.02.2023

Trade name: PEROXAN BCC-75

(Contd. of page 3)

 8.2 Exposure controls Appropriate engineering

controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

General protective and

hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection.

Be sure to clean skin thoroughly after work and before breaks.

· Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer

exposure use self-contained respiratory protective device.

Use suitable respiratory device when it exceed exposure limit and when insufficiently ventilated.

Filter P2

· Hand protection Only use chemical-protective gloves with CE-labelling of category III.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Protective gloves

Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of

quality and varies from manufacturer to manufacturer.

Butyl rubber, BR

Fluorocarbon rubber (Viton)

Nitrile rubber, NBR

Neoprene

· Penetration time of glove

material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be

white - yellowish

Characteristic

Not applicable.

May cause fire.

observed.

· Eye/face protection

Tightly sealed goggles

Body protection:



Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour: · Odour:

Odour threshold: Not determined. · Melting point/freezing point: Not applicable.

· Boiling point or initial boiling point and boiling range

Flammability

Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined. · Flash point: Not applicable. Decomposition temperature: +40 °C (SADT) Not applicable. Ha

· Viscosity:

· Kinematic viscosity Not applicable. Dynamic: Not applicable.

· Solubility · water: Undetermined.

Partition coefficient n-octanol/water (log value) not determined · Vapour pressure: Not applicable.

· Density and/or relative density

Density: Not determined. Relative density Not determined.

(Contd. on page 5)



(Contd. of page 4)

Printing date 03.04.2024 Version: 7 (replaces version 6) Revision: 15.02.2023

Trade name: PEROXAN BCC-75

Bulk density at 10 °C: 540 kg/m³
Vapour density Not applicable.

· Particle characteristics

See section 3.

• 9.2 Other information No further relevant information available.

Appearance:

Form: Like powder Important information on protection of health and environment,

and on safety.

Ignition temperature: Product is not selfigniting.

Explosive properties: Product is not explosive. However, formation of explosive air/dust

Void

mixtures are possible.

Change in condition

· Evaporation rate Not applicable.

· Information with regard to physical hazard classes · Explosives · Flammable gases

Flammable gases
Void
Aerosols
Oxidising gases
Gases under pressure
Flammable liquids
Flammable solids
Void

Self-reactive substances and mixtures
 Pyrophoric liquids
 Pyrophoric solids
 Self-heating substances and mixtures

Void
Void

· Substances and mixtures, which emit flammable gases in

contact with water Void
Oxidising liquids Void
Oxidising solids Void

Organic peroxides
 Corrosive to metals
 Heating may cause a fire.
 Void

Corrosive to metals
Desensitised explosives
Other safety characteristics

• Active oxygen 2,9 - 3,1 %

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

10.2 Chemical stability
Thermal decomposition /

conditions to be avoided: SADT (Self Accelerating Decomposition Temperature) is the lowest temperature at which self accelerating

Void

decomposition may occur with substance in the packaging as used in transport. A dangerous self-accelerating decomposition reaction and, under certain circumstances, explosion or fire can be cause decomposition at and above the temperature. Contact with incompatible substances can cause

decomposition at or below the SADT.

No decomposition if used and stored according to specifications.

To avoid thermal decomposition do not overheat.

· 10.3 Possibility of hazardous

reactions
10.4 Conditions to avoid

Self-accelerating decomposition at SADT. No further relevant information available.

· 10.5 Incompatible materials:

Rapid decomposition by dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavy-metal compounds and amines).

· 10.6 Hazardous decomposition

products:

Hydrocarbons, carbondioxide and -monoxid.

No hazardous decomposition products if used and stored according to specifications.

• Additional information: Emergency procedures will vary depending on conditions. The customer should have an emergency

response plane in place.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)



Printing date 03.04.2024 Version: 7 (replaces version 6) Revision: 15.02.2023

Trade name: PEROXAN BCC-75

(Contd. of page 5)

LD/LC50 values relevant for classification:

15520-11-3 di-(4-tert.-butylcyclohexyl)-peroxydicarbonate

Oral LD50 >5.000 mg/kg (rattus)

98-52-2 4-tert-butylcyclohexanol

Oral LD50 4.200 mg/kg (rattus)

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Low irritant effect

Respiratory or skin

sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met. · Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. · STOT-repeated exposure Based on available data, the classification criteria are not met Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

Aquatic toxicity:

15520-11-3 di-(4-tert.-butylcyclohexyl)-peroxydicarbonate

LC50 / 96h 704 mg/l (oncorhynchus mykiss)

- 12.2 Persistence and degradability
- Degree of elimination:
- · Classification:

15520-11-3 di-(4-tert.-butylcyclohexyl)-peroxydicarbonate

Degradation (Not readily biodegradable) (OECD 301 B)

98-52-2 4-tert-butylcyclohexanol

Degradation (Readily biodegradable)

12.3 Bioaccumulative potential

· Bioconcentration factor (BCF)

· Partition coefficient: nOctanol/water: [Log Kow]

15520-11-3 di-(4-tert.-butylcyclohexyl)-peroxydicarbonate

98-52-2 4-tert-butylcyclohexanol

15520-11-3 di-(4-tert.-butylcyclohexyl)-peroxydicarbonate

BCF 2.926

12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. · PBT:

· vPvB:

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. · 12.6 Endocrine disrupting

properties The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects No further relevant information available.

· Additional ecological information:

· General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage

system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation



After diluting with a suitable inert solid material to 10 %, the product must be supplied to a special treatment (e. g. thermal utilization) under observance of all official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage

· Waste disposal key: Please contact your hazardous waste disposers to assign the right EWC-(European waste catalog)number.

(Contd. on page 7)

8,34

3,23 (20°C)



Printing date 03.04.2024 Version: 7 (replaces version 6) Revision: 15.02.2023

Trade name: PEROXAN BCC-75

(Contd. of page 6)

· Uncleaned packaging: · Recommendation:

This material and its container must be disposed of as hazardous waste.

SECTION 14: Transport information		
· 14.1 UN number or ID number · ADR, IMDG	UN3114	
14.2 UN proper shipping name ADR IMDG	UN3114 ORGANIC PEROXIDE TYPE C, SOLID, TEMPERATURE CONTROLLED (DI-(4-tertBUTYLCYCLOHEXYL)-PEROXYDICARBONATE) ORGANIC PEROXIDE TYPE C, SOLID, TEMPERATURE CONTROLLED (DI-(4-tertBUTYLCYCLOHEXYL)-PEROXYDICARBONATE)	
· 14.3 Transport hazard class(es)	(B) (4 tol. Bottleotoconexte) i elloxiblo iliborate)	
ADR		
· Class · Label	5.2 (P2) Organic peroxides. 5.2	
· IMDG		
Class	5.2 Organic peroxides.	
Label	5.2	
· IATA · Class · Label	X X	
14.4 Packing group ADR, IMDG	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
14.6 Special precautions for user Hazard identification number (Kemler code): Stowage Category Stowage Code Segregation Code	Warning: Organic peroxides. D SW1 Protected from sources of heat. SW3 Shall be transported under temperature control. SG35 Stow "separated from" SGG1-acids SG36 Stow "separated from" SGG18-alkalis.	
· 14.7 Maritime transport in bulk according to IMO instruments Not applicable.		
· Transport/Additional information:		
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	0 Code: E0 Not permitted as Excepted Quantity	
· Transport category · Tunnel restriction code	1 D	
· RID / GGVSEB:	no admission	
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	0 Code: E0 Not permitted as Excepted Quantity	
· IATA · Remarks:	no admission	
· Control temperature:	+30 °C	

(Contd. on page 8)



Printing date 03.04.2024 Version: 7 (replaces version 6) Revision: 15.02.2023

Trade name: PEROXAN BCC-75

(Contd. of page 7)

Emergency temperature:

+35 °C

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances

- ANNEX I

None of the ingredients is listed.

· Seveso category P6b SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES

Qualifying quantity (tonnes) for the application of lower-tier 50 t requirements Qualifying quantity (tonnes) for the application of upper-tier 200 t requirements

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: Environment protection / Security of labour

· Contact: Tel: +49 2871 9902-0 E-mail: mail@pergan.com

· Version number of previous

version:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the · Abbreviations and acronyms:

International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Org. Perox. C: Organic peroxides – Type C/D Eye Irrit. 2: Serious eye damage/eye irritation – Skin Sens. 1: Skin sensitisation – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* * Data compared to the previous version altered.

МТ