Printing date 02.04.2024

Version: 16 (replaces version 15)

PERGAN The Peroxide Company

Revision: 15.02.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

PEROXAN BP-Pulver 50 W

Trade name:
 Trade name:
 I.2 Relevant identified uses of the substance or mixture and uses advised against
 No further relevant information available.
 Application of the substance /
 the mixture
 Reaction initiator
 For industrial use
 I 3 Details of the supplier of the safety data sheet

1.3 Details of the supplier of the	safety data sheet
 Manufacturer/Supplier: 	PERGAN GmbH
	Hilfsstoffe für industrielle Prozesse
	Schlavenhorst 71
	D-46395 Bocholt
	Tel: +49 2871 9902-0
	Fax: +49 2871 9902-50
· Further information obtainable	
from:	Environment protection / Security of labour
	Qualified person: E-mail: msds@pergan.com
 1.4 Emergency telephone 	
number:	- Tel: +49 2871 9902-0

SECTION 2: Hazards identification

Eye Irrit. 2 H319 Cause Skin Sens. 1 H317 May ca Repr. 1B H360D May da	
Aquatic Chronic 1 H410 Very to	pxic to aquatic life with long lasting effects.
• 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 • Hazard pictograms	The product is classified and labelled according to the CLP regulation.
· Signal word	Danger
· Hazard-determining components of labelling:	dicyclohexyl phthalate dibenzoyl peroxide
· Hazard statements	 H242 Heating may cause a fire. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H360D May damage the unborn child. H410 Very toxic to aquatic life with long lasting effects.
 Precautionary statements 	P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P220 Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavy metal compounds and amines). P234 Keep only in original packaging. P264 Wash thoroughly after handling. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P410 Protect from sunlight. P411+P235 Store at temperatures not exceeding +30°C. Keep cool. P420 Store separately. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
 Additional information: 2.3 Other hazards 	Restricted to professional users.
· Results of PBT and vPvB asses	ssment
· PBT:	The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.
· vPvB:	The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. (Contd. on page 2)

Printing date 02.04.2024

Version: 16 (replaces version 15)



Revision: 15.02.2023

(Contd. of page 1)

Trade name: PEROXAN BP-Pulver 50 W

		. or page 1)	
[· Determination of endocrine-disrupting properties		
Ĩ	84-61-7 dicyclohexyl phthalate	List I; II	

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Dangerous components:		
CAS: 84-61-7 EINECS: 201-545-9 Index number: 607-719-00-4 Reg-No.: 01-2119978223-34	dicyclohexyl phthalate Repr. 1B, H360D; Skin Sens. 1, H317; Aquatic Chronic 3, H412	40-50%
CAS: 94-36-0 EINECS: 202-327-6 Index number: 617-008-00-0 Reg-No.: 01-2119511472-50		40-50%
SVHC		
84-61-7 dicyclohexyl phthala	te	

Additional information:

For the wording of the listed hazard phrases refer to section 16.

Take care of personal protection for the first aider.

SECTION 4: First aid measures

- 4.1 Description of first aid measures · General information:
- · After inhalation:
- · After skin contact:
- · After eye contact:

treatment needed

- · After swallowing:
- 4.2 Most important symptoms and effects, both acute and delayed 4.3 Indication of any immediate

medical attention and special

In case of unconsciousness place patient stably in side position for transportation. Take affected persons into fresh air and keep quiet. Immediately wash with water and soap and rinse thoroughly. Immediately remove contaminated clothing. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. If symptoms persist consult doctor. No further relevant information available.

Supply fresh air and to be sure call for a doctor.

No further relevant information available

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

••••····g	
 Suitable extinguishing agents: 	CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
 5.2 Special hazards arising from 	
the substance or mixture	Under certain fire conditions, traces of other toxic gases cannot be excluded. Hydrocarbons, carbondioxide and -monoxid.
 5.3 Advice for firefighters 	
Protective equipment:	Do not inhale explosion gases or combustion gases.
· Additional information	Cool endangered receptacles with water spray. Self-protection first!

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and 	
emergency procedures	Keep away from ignition sources.
	In case of further temperature should be cooled with waterspray from a safe distance. Wear breathing apparatus with filter A during decomposition of materials. Wear protective equipment. Keep unprotected persons away.
· 6.2 Environmental precautions:	Inform respective authorities in case of seepage into water course or sewage system.
	Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

Printing date 02.04.2024

Version: 16 (replaces version 15)

PERGAN The Peroxide Company

Revision: 15.02.2023

Trade name: PEROXAN BP-Pulver 50 W

	(Contd. of page 2)
• 6.3 Methods and material for	
containment and cleaning up:	Ensure adequate ventilation.
	Large quantities should be diluted with suitable desensitation agent to a concentration below 10 % before disposal.
	Pick up mechanically, collect in a suitable receptacle and dispose in accordance with government regulations.
· 6.4 Reference to other sections	See Section 7 for information on safe handling.
	See Section 8 for information on personal protection equipment.
	See Section 13 for disposal information.
	In case of large spillage the environmental authority should be informed.

SECTION 7: Handling and storage

7.1 Precautions for safe	
handling	Keep away from heat and direct sunlight.
	Open and handle receptacle with care.
	Prevent formation of dust.
	Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.
	Do not refill residue into storage receptacles.
	Restrict the quantity stored at the work place.
	Before break and at the end of work hands should be thoroughly washed.
	Only use tools made of suitable materials (e. g. polyethylene or stainless steel).
	Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavy-
	metal compounds and amines).
	While using do not eat, drink or smoke.
	Do not generate flames or sparks.
	Keep product and emptied container away from heat and sources of ignition. Avoid shock and friction.
	Take precautionary measures against static discharges.
	Take productionary measures against static discharges.
	bo not smoke.
 Information about fire - and 	
explosion protection:	Protect from heat.
	Protect against electrostatic charges.
	Prevent impact and friction.
	Use explosion-proof apparatus / fittings and spark-proof tools.
	Dust can combine with air to form an explosive mixture.
	Substance/product is oxidising when dry.
	Product is not explosive. However, formation of explosive air/dust mixtures are possible.
	Avoid open flames, sparks, direct sunlight and other sources of ignition.
	Keep ignition sources away - Do not smoke.
· 7.2 Conditions for safe storage,	including any incompatibilities
· Storage:	Pay attention to the special requirements of your local autorithies for storing dangerous goods.
· Requirements to be met by	
storerooms and receptacles:	Store only in the original receptacle.
	Prevent any seepage into the ground.
	Use only receptacles specifically permitted for this substance/product.
 Information about storage in 	
one common storage facility:	Do not store or park organic peroxide together with heavy metal compounds and amines.
	Store away from foodstuffs, drinks and feeding stuffs.
• Further information about	
storage conditions:	Keep container tightly sealed.
	Protect from heat and direct sunlight.
	Protect from contamination.
· Pacammandad atoraga	Storage in a collecting room is required.
 Recommended storage temperature (To maintain 	
quality):	max.: +30 °C
· Storage class:	5.2
· 7.3 Specific end use(s)	No further relevant information available.
no opecific end use(s)	
	(Contd on page 4)

Printing date 02.04.2024

Version: 16 (replaces version 15)

The Peroxide Company

Revision: 15.02.2023

Trade name: PEROXAN BP-Pulver 50 W

(Contd. of page 3)

8.1 Control parameters Ingredients with limit values that require monitoring at the workplace: 84-51-7 dicyclohexyl phthalate WEL (Great Britain) Long-term value: 5 mg/m³ 94-36-0 dibenzoyl peroxide WEL (Great Britain) Long-term value: 5 mg/m³ • DNELs 84-61-7 dicyclohexyl phthalate Dermal DNEL Longterm System 0.5 mg/kg bw/day (Worker) Inhalative DNEL Longterm System 35.2 mg/m3 (Worker) Inhalative DNEL Longterm System 2 mg/kg bw/day (General population) Dermal DNEL Longterm System 2 mg/kg bw/day (Worker) Inhalative DNEL Longterm System 3 mg/m3 (Worker) Inhalative DNEL Longterm System 3 mg/m3 (Worker) Inhalative DNEL Longterm System 9 mg/m3 (Worker)
Ingredients with limit values that require monitoring at the workplace: 84-61-7 dicyclonext phthalate WEL (Great Britain) Long-term value: 5 mg/m³ 94-36-0 dibenzoyl peroxide Bat-17 dicyclonext phthalate Dermal DNEL Longterm Value: 5 mg/m³ 94-36-0 dibenzoyl peroxide Oral DNEL Longterm System 0 DNEL Longterm System 2 mg/kg bw/day (Worker) 1nhalative DNEL Longterm System 13,3 mg/kg bw/day (Worker) 1nhalative DNEL Longterm System 2 mg/kg bw/day (Worker) 1nhalative DNEL Longterm System 9 mg/kg sed dw PNEC Freshwater sed 0,004 mg/kg sed dw PNEC SrP 10 mg/ (AF 50) PNEC Garinewater sed 0,001 mg/kg sed dw PNEC Freshwater 0 mg/l (AF 50) PNEC Marinewater sed 0,001 mg/kg sed dw PNEC Freshwater sed 0,001 mg/kg sed dw PNEC Freshwater sed 0,0002 mg/l (AF 50) PNEC Freshwa
84-61-7 dicyclohexyl phthalate WEL (Great Britain) Long-term value: 5 mg/m³ 94-36-0 dibenzoyl peroxide WEL (Great Britain) Long-term value: 5 mg/m³ ONELs 84-61-7 dicyclohexyl phthalate Dermal DNEL Longterm System 0.5 mg/kg bw/day (Worker) Inhalative DNEL Longterm System 35,2 mg/m3 (Worker) 94-36-0 dibenzoyl peroxide Oral DNEL Longterm System 35,2 mg/m3 (Worker) DNEL Longterm System 35,2 mg/m3 (Worker) Inhalative DNEL Longterm System 39 mg/m3 (Worker) DNEL Longterm System 39 mg/m3 (Worker) Inhalative DNEL Longterm System 39 mg/m3 (Worker) PNECS 84-61-7 dicyclohexyl phthalate PNEC Freshwater sed 0,006 mg/kg sed dw PNEC Freshwater sed 0,004 mg/l (AF 50) PNEC Freshwater sed 0,21 mg/kg soil dw PNEC Marinewater sed 0,001 mg/kg sed dw P
WEL (Great Britain) Long-term value: 5 mg/m³ 94-36-0 dibenzoyl peroxide WEL (Great Britain) Long-term value: 5 mg/m³ • DNELs 84-61-7 dicyclohexyl phthalate Dermal DNEL Longterm System 0,5 mg/kg bw/day (Worker) Inhalative DNEL Longterm System 35,2 mg/m3 (Worker) 94-36-0 dibenzoyl peroxide 2 mg/kg bw/day (General population) Oral DNEL Longterm System 13,3 mg/kg bw/day (Worker) Inhalative DNEL Longterm System 13,3 mg/kg bw/day (Worker) PNEC S 94.36-0 dibenzoyl phthalate 0.006 mg/kg sed dw PNEC Freshwater sed 0,106 mg/kg sed dw 0.21 mg/kg soil dw PNEC STP 0 mg/l (AF 50) 0.91 mg/kg sed dw PNEC Marinewater sed 0,0001 mg/kg sed dw 0.9001 mg/kg sed dw PNEC Freshwater sed 0,0001 mg/kg sed dw 0.90002 mg/l (AF 50)
94-36-0 dibenzoyl peroxide WEL (Great Britain) Long-term value: 5 mg/m³ >DNELs 84-61-7 dicyclohexyl phthalate Dermal DNEL Longterm System 0.5 mg/kg bw/day (Worker) Inhalative DNEL Longterm System 94-36-0 dibenzoyl peroxide Oral DNEL Longterm System DNEL Longterm System 13,3 mg/kg bw/day (Worker) Inhalative DNEL Longterm System 13,3 mg/kg bw/day (Worker) Inhalative DNEL Longterm System 13,3 mg/kg bw/day (Worker) Inhalative DNEL Longterm System 13,3 mg/kg bw/day (Worker) Inhalative DNEL Longterm System 94-36-0 dibenzoyl phthalate PNECS 84-61-7 dicyclohexyl phthalate PNEC Marinewater sed 0,006 mg/kg sed dw PNEC Freshwater 0,004 mg/l (AF 50) PNEC Soil 0,21 mg/kg soil dw PNEC Marinewater sed 0 mg/l (AF 50) PNEC Marinewater sed 0,001 mg/kg sed dw PNEC Freshwater sed 0,001 mg/kg sed dw PNEC Freshwater sed 0,001 mg/kg sed dw PNEC Freshwater sed 0,00002
WEL (Great Britain) Long-term value: 5 mg/m³ DNELs 84-61-7 dicyclohexyl phthalate Dermal Inhalative DNEL Longterm System 0,5 mg/kg bw/day (Worker) Inhalative DNEL Longterm System 35,2 mg/m3 (Worker) 94-36-0 dibenzoyl peroxide 2 mg/kg bw/day (General population) Dermal Inhalative DNEL Longterm System 2 mg/kg bw/day (Worker) 13,3 mg/kg bw/day (Worker) 13,3 mg/kg bw/day (Worker) Inhalative DNEL Longterm System 3 mg/m3 (Worker) PNEC B4-61-7 dicyclohexyl phthalate PNEC Karinewater sed 0,106 mg/kg sed dw PNEC Freshwater 0,004 mg/l (AF 50) PNEC Soil 0,21 mg/kg soil dw PNEC STP 10 mg/l (AF 10) PNEC Marinewater sed 0,001 mg/kg sed dw PNEC Marinewater sed 0,001 mg/kg sed dw PNEC StrP 0 mg/l (AF 50) PNEC Freshwater sed 0,002 mg/l (AF 50) PNEC Freshwater sed 0,003 mg/l (AF 50) PNEC Freshwater sed 0,001 mg/kg sed dw PNEC Freshwater sed 0,001 mg/kg sed dw PNEC Freshwater sed 0,000 mg/l (AF 50) PNEC StrP 0,
• DNELs 84-61-7 dicyclohexyl phthalate Dermal DNEL Longterm System 0,5 mg/kg bw/day (Worker) Inhalative DNEL Longterm System 35.2 mg/m3 (Worker) 94-36-0 dibenzoyl peroxide 0 0 Oral DNEL Longterm System 2 mg/kg bw/day (General population) Dermal DNEL Longterm System 13,3 mg/kg bw/day (Worker) Inhalative DNEL Longterm System 39 mg/m3 (Worker) Inhalative DNEL Longterm System 39 mg/m3 (Worker) • PNECs 39 mg/m3 (Worker) 39 mg/m3 (Worker) • PNECs 0,010 mg/kg sed dw 0,004 mg/l (AF 50) PNEC Freshwater sed 0,004 mg/l (AF 50) 0,004 mg/l (AF 10) PNEC Soil 0,21 mg/kg sed dw 0,001 mg/l (AF 500) 94-36-0 dibenzoyl peroxide 00002 mg/l (AF 500) 94-36-0 dibenzoyl peroxide PNEC Karinewater sed 0,001 mg/kg sed dw 0,002 mg/l (AF 50) PNEC Freshwater sed 0,001 mg/kg sed dw 0,002 mg/l (AF 50) PNEC Freshwater sed 0,0013 mg/kg sed dw 0,002 mg/l (AF 50) PNEC STP 0,35 mg/l 0,00002 mg/l (AF 500) PNEC STP 0,35 mg/l
84-61-7 dicyclohexyl phthalate Dermal DNEL Longterm System 0,5 mg/kg bw/day (Worker) Inhalative DNEL Longterm System 35,2 mg/m3 (Worker) 94-36-0 dibenzoyl peroxide Oral DNEL Longterm System 2 mg/kg bw/day (General population) Dermal DNEL Longterm System 13,3 mg/kg bw/day (Worker) Inhalative DNEL Longterm System 3 mg/m3 (Worker) • PNECs 3 mg/m3 (Worker) 3 mg/m3 (Worker) • PNEC Karlinewater sed 0,106 mg/kg sed dw 0,004 mg/l (AF 50) PNEC Freshwater 0,004 mg/l (AF 50) 0,21 mg/kg sed dw PNEC Soil 0,21 mg/kg sed dw 0,21 mg/kg sed dw PNEC Soil 0,21 mg/kg sed dw 0,21 mg/kg sed dw PNEC Freshwater 0 mg/l (AF 500) 94-36-0 dibenzoyl peroxide 9NEC Freshwater 0 mg/l (AF 500) 94-36-0 dibenzoyl geroxide 9NEC Freshwater 0,00002 mg/l (AF 50) 94-36-0 dibenzoyl geroxide 9NEC Freshwater 0,00002 mg/l (AF 50) 94-36-0 dibenzoyl geroxide 9NEC Freshwater sed 0,013 mg/kg sed dw 94-36-0 dibenzoyl geroxide 9NEC STP 0,35 mg/l 9,013 mg/kg sed dw
Dermal InhalativeDNEL Longterm System 0NEL Longterm System0,5 mg/kg bw/day (Worker) 35,2 mg/m3 (Worker)94-36-0 dib=nzoyl peroxide2 mg/kg bw/day (General population)Dermal InhalativeDNEL Longterm System DNEL Longterm System2 mg/kg bw/day (Worker)Inhalative InhalativeDNEL Longterm System
Inhalative DNEL Longterm System 35,2 mg/m3 (Worker) 94-36-0 dibenzoyl peroxide 2 mg/kg bw/day (General population) Dermal DNEL Longterm System 2 mg/kg bw/day (Worker) Inhalative DNEL Longterm System 39 mg/m3 (Worker) Inhalative DNEL Longterm System 39 mg/m3 (Worker) PNECS 39 mg/m3 (Worker) PNEC Marinewater sed 0,106 mg/kg sed dw PNEC Freshwater 0,004 mg/l (AF 50) PNEC Sr 0,021 mg/kg soil dw PNEC SrP 10 mg/l (AF 10) PNEC Marinewater sed 0,001 mg/kg sed dw PNEC Marinewater 0 mg/l (AF 50) PNEC Marinewater 0 mg/l (AF 50) PNEC SrP 10 mg/l (AF 50) PNEC Marinewater sed 0,001 mg/kg sed dw PNEC Srp 0 mg/l (AF 50) PNEC Freshwater sed 0,001 mg/kg sed dw PNEC STP 0,35 mg/l PNEC Marinewater 0,000002 mg/l (AF
94-36-0 dibenzoyl peroxide 2 mg/kg bw/day (General population) Dermal DNEL Longterm System 2 mg/kg bw/day (Worker) Inhalative DNEL Longterm System 39 mg/m3 (Worker) 9 mg/m3 (Worker) 39 mg/m3 (Worker) PNECs 84-61-7 dicyclohexyl phthalate PNEC Marinewater sed 0,106 mg/kg sed dw PNEC Freshwater 0,004 mg/l (AF 50) PNEC Sreshwater sed 1,06 mg/kg sed dw PNEC Srol 0,21 mg/kg soil dw PNEC STP 10 mg/l (AF 10) PNEC Marinewater sed 0 mg/l (AF 500) 94-36-0 dibenzoyl peroxide 9 PNEC Freshwater 0 0,001 mg/kg sed dw PNEC STP 0 mg/l (AF 500) 9HEC Freshwater sed 0,001 mg/kg sed dw PNEC Freshwater 0 0,0002 mg/l (AF 50) PNEC Freshwater sed 0,001 mg/kg sed dw PNEC Freshwater sed 0,013 mg/kg sed dw PNEC STP 0,35 mg/l PNEC STP 0,35 mg/l PNEC STP 0,35 mg/l PNEC Marinewater 0,00002 mg/l (AF 500)
Oral DNEL Longterm System 2 mg/kg bw/day (General population) Dermal DNEL Longterm System 13,3 mg/kg bw/day (Worker) Inhalative DNEL Longterm System 39 mg/m3 (Worker) • PNECs 84-61-7 dicyclohexyl phthalate PNEC Marinewater sed 0,106 mg/kg sed dw PNEC Freshwater 0,004 mg/l (AF 50) PNEC Soil 0,21 mg/kg soil dw PNEC STP 10 mg/l (AF 10) PNEC Marinewater sed 0,001 mg/kg sed dw PNEC STP 10 mg/l (AF 500) 94-36-0 dibenzoyl perviet PNEC Freshwater PNEC Freshwater sed 0,001 mg/kg sed dw PNEC Freshwater sed 0,001 mg/kg sed dw PNEC Freshwater sed 0,011 mg/kg sed dw PNEC Freshwater sed 0,001 mg/kg sed dw PNEC Freshwater sed 0,013 mg/kg sed dw PNEC Freshwater sed 0,013 mg/kg sed dw PNEC Freshwater sed 0,013 mg/kg sed dw PNEC STP 0,35 mg/l PNEC Freshwater sed 0,00002 mg/l (AF 50) PNEC Freshwater sed 0,00002 mg/l (AF 500)
Dermal Inhalative DNEL Longterm System 13,3 mg/kg bw/day (Worker) 39 mg/m3 (Worker) 39 mg/m3 (Worker) PNECs 84-61-7 dicyclohexyl p+thalate PNEC Marinewater sed 0,106 mg/kg sed dw PNEC Freshwater 0,004 mg/l (AF 50) PNEC Soil 0,21 mg/kg soil dw PNEC STP 10 mg/l (AF 10) PNEC Marinewater sed 0,001 mg/kg sed dw PNEC STP 0 mg/l (AF 500) 94-36-0 dibenzoyl pervete 9 PNEC Freshwater 0,0002 mg/l (AF 50) PNEC Freshwater sed 0,011 mg/kg sed dw PNEC STP 0 mg/l (AF 50) PNEC STP 0 mg/l (AF 500) 94-36-0 dibenzoyl pervete 9 PNEC Freshwater 0,00002 mg/l (AF 50) PNEC Freshwater 0,00002 mg/l (AF 50) PNEC Freshwater sed 0,013 mg/kg sed dw PNEC STP 0,35 mg/l PNEC STP 0,35 mg/l PNEC STP 0,35 mg/l PNEC Marinewater 0,000002 mg/l (AF 500)
Inhalative DNEL Longterm System 39 mg/m3 (Worker) PNECs 84-61-7 dicyclohexyl p+thalate PNEC Marinewater sed 0,106 mg/kg sed dw PNEC Freshwater 0,004 mg/l (AF 50) PNEC Sil 0,21 mg/kg sed dw PNEC STP 10 mg/l (AF 10) PNEC Marinewater sed 0,001 mg/kg sed dw PNEC STP 0 mg/l (AF 500) 94-36-0 dibenzoyl perxide 0,001 mg/kg sed dw PNEC Freshwater sed 0,001 mg/kg sed dw PNEC Freshwater sed 0,013 mg/kg sed dw PNEC Freshwater sed 0,013 mg/kg sed dw PNEC STP 0,35 mg/l PNEC STP 0,00002 mg/l (AF 500)
PNECs 84-61-7 dicyclohexyl phthalate PNEC Marinewater sed 0,106 mg/kg sed dw PNEC Freshwater 0,004 mg/l (AF 50) PNEC Freshwater sed 1,06 mg/kg sed dw PNEC Soil 0,21 mg/kg soil dw PNEC STP 10 mg/l (AF 10) PNEC Marinewater 0 mg/l (AF 500) 94-36-0 dibenzoyl peroxide PNEC Freshwater sed 0,001 mg/kg sed dw PNEC Freshwater sed 0,0002 mg/l (AF 50) PNEC Freshwater sed 0,013 mg/kg sed dw PNEC Freshwater sed 0,0002 mg/l (AF 50) PNEC STP 0,35 mg/l PNEC STP 0,300002 mg/l (AF 500)
84-61-7 dicyclohexyl >+thalatePNEC Marinewater sed0,106 mg/kg sed dwPNEC Freshwater0,004 mg/l (AF 50)PNEC Freshwater sed1,06 mg/kg sed dwPNEC Soil0,21 mg/kg soil dwPNEC STP10 mg/l (AF 10)PNEC Marinewater0 mg/l (AF 500)94-36-0 dibenzoyl per>
PNEC Marinewater sed0,106 mg/kg sed dwPNEC Freshwater0,004 mg/l (AF 50)PNEC Freshwater sed1,06 mg/kg sed dwPNEC Soil0,21 mg/kg soil dwPNEC STP10 mg/l (AF 10)PNEC Marinewater0 mg/l (AF 500)94-36-0 dibenzoyl pervide0,001 mg/kg sed dwPNEC Freshwater sed0,001 mg/kg sed dwPNEC Freshwater sed0,0002 mg/l (AF 50)PNEC Freshwater sed0,013 mg/kg sed dwPNEC STP0,35 mg/lPNEC Marinewater0,00002 mg/l (AF 500)
PNEC Freshwater0,004 mg/l (AF 50)PNEC Freshwater sed1,06 mg/kg sed dwPNEC Soil0,21 mg/kg soil dwPNEC STP10 mg/l (AF 10)PNEC Marinewater0 mg/l (AF 500)94-36-0 dibenzoyl per
PNEC Freshwater sed1,06 mg/kg sed dwPNEC Soil0,21 mg/kg soil dwPNEC STP10 mg/l (AF 10)PNEC Marinewater0 mg/l (AF 500)94-36-0 dibenzoyl per>term0.001 mg/kg sed dwPNEC Freshwater0,0002 mg/l (AF 50)PNEC Freshwater sed0,013 mg/kg sed dwPNEC STP0,35 mg/lPNEC STP0,35 mg/lPNEC Marinewater0,00002 mg/l (AF 500)
PNEC Soil 0,21 mg/kg soil dw PNEC STP 10 mg/l (AF 10) PNEC Marinewater 0 mg/l (AF 500) 94-36-0 dibenzoyl per>
PNEC STP 10 mg/l (AF 10) PNEC Marinewater 0 mg/l (AF 500) 94-36-0 dibenzoyl per>
PNEC Marinewater0 mg/l (AF 500)94-36-0 dibenzoyl pervidePNEC Marinewater sed0,001 mg/kg sed dwPNEC Freshwater0,00002 mg/l (AF 50)PNEC Freshwater sed0,013 mg/kg sed dwPNEC STP0,35 mg/lPNEC Marinewater0,00002 mg/l (AF 500)
94-36-0 dibenzoyl peroxidePNEC Marinewater sed0,001 mg/kg sed dwPNEC Freshwater0,00002 mg/l (AF 50)PNEC Freshwater sed0,013 mg/kg sed dwPNEC STP0,35 mg/lPNEC Marinewater0,00002 mg/l (AF 500)
PNEC Marinewater sed0,001 mg/kg sed dwPNEC Freshwater0,0002 mg/l (AF 50)PNEC Freshwater sed0,013 mg/kg sed dwPNEC STP0,35 mg/lPNEC Marinewater0,00002 mg/l (AF 500)
PNEC Freshwater 0,00002 mg/l (AF 50) PNEC Freshwater sed 0,013 mg/kg sed dw PNEC STP 0,35 mg/l PNEC Marinewater 0,00002 mg/l (AF 500)
PNEC Freshwater sed0,013 mg/kg sed dwPNEC STP0,35 mg/lPNEC Marinewater0,000002 mg/l (AF 500)
PNEC STP 0,35 mg/l PNEC Marinewater 0,000002 mg/l (AF 500)
PNEC Marinewater 0,000002 mg/l (AF 500)
8.2 Exposure controls Appropriate engineering controls No further data; see section 7. Individual protection measures, such as personal protective equipment General protective and
hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid close or long term contact with the skin. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection. Be sure to clean skin thoroughly after work and before breaks.
Respiratory protection: Not necessary if room is well-ventilated. Use suitable respiratory device when it exceed exposure limit and when insufficiently ventilated.
Filter P2
• Hand protection Only use chemical-protective gloves with CE-labelling of category III. Selection of the glove material on consideration of the penetration times, rates of diffusion and degradation
• Material of gloves • The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. • Butyl rubber, BR Fluorocarbon rubber (Viton) • Nitrile rubber, NBR
Neoprene (Contd. on pa



Printing date 02.04.2024

Version: 16 (replaces version 15)

PERGAN The Peroxide Company

Revision: 15.02.2023

(Contd. of page 4)

Trade name: PEROXAN BP-Pulver 50 W

 Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection
- · Body protection:



Tightly sealed goggles

Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties	
· General Information	
· Colour:	Whitish
· Odour:	Characteristic
· Odour threshold:	Not determined.
 Melting point/freezing point: 	Not applicable.
Boiling point or initial boiling point and boiling range	Not applicable.
Flammability	May cause fire.
Lower and upper explosion limit	-
· Lower:	Not determined.
· Upper:	Not determined.
Flash point:	Not applicable.
Decomposition temperature:	+60 °C (SADT)
· pH	Not applicable.
Viscosity:	
Kinematic viscosity	Not applicable.
· Dynamic:	Not applicable.
Solubility	
· water:	Undetermined.
Partition coefficient n-octanol/water (log value)	not determined
Vapour pressure:	Not applicable.
Density and/or relative density	
Density:	Not determined.
Relative density	Not determined.
Bulk density at 20 °C:	610 kg/m³
Vapour density	Not applicable.
Particle characteristics	
See section 3.	
· 9.2 Other information	No further relevant information available.
· Appearance:	
Form:	Solid
	Powder
Important information on protection of health and environme	nt,
and on safety.	
Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/dust
	mixtures are possible.
Change in condition	
· Evaporation rate	Not applicable.
Information with regard to physical hazard classes	
	Void
· Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
Gases under pressure	Void
· Flammable liquids	Void
[•] Flammable solids	Void
Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
• Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in	
contact with water	Void
· Oxidising liquids	Void
G	(Contd. on page 6)

Printing date 02.04.2024

Version: 16 (replaces version 15)

PERGAN The Peroxide Company

Revision: 15.02.2023

Trade name: PEROXAN BP-Pulver 50 W

		(Contd. of page 5)
· Oxidising solids	Void	
· Organic peroxides	Heating may cause a fire.	
Corrosive to metals	Void	
· Desensitised explosives	Void	
Other safety characteristics		
Active oxygen	3,2 - 3,5 %	
SECTION 10: Stability and reactivity		

 10.1 Reactivity 10.2 Chemical stability Thermal decomposition / 	No further relevant information available.	
conditions to be avoided:	SADT (Self Accelerating Decomposition Temperature) is the lowest temperature at which self accelerating decomposition may occur with substance in the packaging as used in transport. A dangerous self-accelerating decomposition reaction and, under certain circumstances, explosion or fire can be cause decomposition at and above the temperature. Contact with incompatible substances can cause decomposition at or below the SADT. No decomposition if used and stored according to specifications. To avoid thermal decomposition do not overheat.	
 10.3 Possibility of hazardous 		
reactions	Self-accelerating decomposition at SADT.	
 10.4 Conditions to avoid 	No further relevant information available.	
 10.5 Incompatible materials: 	Rapid decomposition by dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavy-metal compounds and amines).	
 10.6 Hazardous decomposition 		
products:	Hydrocarbons, carbondioxide and -monoxid. No hazardous decomposition products if used and stored according to specifications.	
· Additional information:	Emergency procedures will vary depending on conditions. The customer should have an emergency response plane in place.	

SECTION 11: Toxicological information

· Acute toxicity	Based on available data, the classification criteria are not met.	
 LD/LC50 values relevant for c 	lassification:	
84-61-7 dicyclohexyl phthalate		
Oral LD50 >2.000 mg/kg (rattus)		
94-36-0 dibenzoyl peroxide		
Oral LD50 >5.000 mg/kg (rattus)		
Skin corrosion/irritation	Based on available data, the classification criteria are not met.	
· Serious eye damage/irritation	Causes serious eye irritation.	
Respiratory or skin		
sensitisation	May cause an allergic skin reaction.	
· Germ cell mutagenicity	Based on available data, the classification criteria are not met.	
· Carcinogenicity	Based on available data, the classification criteria are not met.	
Reproductive toxicity	May damage the unborn child.	
STOT-single exposure	Based on available data, the classification criteria are not met.	
STOT-repeated exposure	Based on available data, the classification criteria are not met.	
Aspiration hazard	Based on available data, the classification criteria are not met.	
11.2 Information on other hazar	ds	
· Endocrine disrupting propertie)S	
84-61-7 dicyclohexyl phthalate		List I;

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic to	xicity:
94-36-0 dibenzoyl peroxide	
EC50 / 72h	0,0711 mg/l (pseudokirchneriella subcapitata)
LC50 / 96h	0,0602 mg/l (oncorhynchus mykiss)
EC50 / 48h	110 mg/l (daphnia)
	(Oantil an name 7)

(Contd. on page 7) MT

Printing date 02.04.2024

Version: 16 (replaces version 15)

Revision: 15.02.2023

Trade name: PEROXAN BP-Pulver 50 W

			(Contd. of page 6
	sistence and degrada	bility	
· Degree · Classif	of elimination:		
	dicyclohexyl phthalate		
0	tion (Readily biodegra	dable)	
94-36-0 (dibenzoyl peroxide		
Degradat	tion (Readily biodegra	dable) (OECD 301 D)	
· 12.3 Bio	accumulative potentia	al	
· Partitic	on coefficient: nOctan	ol/water: [Log Kow]	
84-61-7	dicyclohexyl phthalate		4,82 (25 °C)
94-36-0	dibenzoyl peroxide		3,2 (20 °C)
·Biocon	centration factor (BCF	-)	
84-61-7 (dicyclohexyl phthalate	9	
BCF 85			
12.4 Mol	oility in soil	No further relevant information available.	
12.5 Res	ults of PBT and vPvB	assessment	
· PBT:		The substances in the mixture do not meet the PBT/vPvB criteria according to REAC	
· vPvB:		The substances in the mixture do not meet the PBT/vPvB criteria according to REAC	;H, annex XIII.
	locrine disrupting		
propertie		For information on endocrine disrupting properties see section 11.	
· 12.7 Oth · Remark	er adverse effects	No further relevant information available.	
	nal ecological informa	Very toxic for fish	
· Genera		Also poisonous for fish and plankton in water bodies. Very toxic for aquatic organisms Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small guantities leak into the ground.	

SECTION	13: Disposa	I considerations

• 13.1 Waste treatment methods • Recommendation

After diluting with a suitable inert solid material to 10 %, the product must be supplied to a special treatment (e. g. thermal utilization) under observance of all official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Waste disposal key:

Please contact your hazardous waste disposers to assign the right EWC-(European waste catalog)number.

Uncleaned packaging:
 Recommendation:

This material and its container must be disposed of as hazardous waste.

SECTION 14: Transport information

	(Contd. on page 8
· Class	5.2 (P1) Organic peroxides.
ADR	
· 14.3 Transport hazard class(es)	
·IATA	ORGANIC PEROXIDE TYPE D, SOLID (DIBENZOYL PEROXIDE)
· IMDG	ORGANIC PEROXIDE TYPE D, SOLID (DIBENZOYL PEROXIDE), MARINE POLLUTANT
· ADR	UN3106 ORGANIC PEROXIDE TYPE D, SOLID (DIBENZOYL PEROXIDE), ENVIRONMENTALLY HAZARDOUS
· 14.2 UN proper shipping name	010100
 14.1 UN number or ID number ADR, IMDG, IATA 	UN3106





Revision: 15.02.2023

Printing date 02.04.2024

Version: 16 (replaces version 15)

Trade name: PEROXAN BP-Pulver 50 W

	(Contd. of page 7)
· Label	5.2
·IMDG	
· Class · Label	5.2 Organic peroxides. 5.2
· Class · Label	5.2 Organic peroxides. 5.2
 14.4 Packing group ADR, IMDG, IATA 	Void
· 14.5 Environmental hazards:	Product contains environmentally hazardous substances: DIBENZOYL PEROXIDE
· Marine pollutant:	Yes Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category Stowage Code Segregation Code 	Warning: Organic peroxides. - F-J,S-R D SW1 Protected from sources of heat. SG35 Stow "separated from" SGG1-acids SG36 Stow "separated from" SGG18-alkalis.
· 14.7 Maritime transport in bulk according to IMO instru	iments Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	500 g Code: E0 Not permitted as Excepted Quantity
Transport category	2
Tunnel restriction code RID / GGVSEB:	D like ADR
·IMDG	
· Limited quantities (LQ) · Excepted quantities (EQ)	500 g Code: E0 Not permitted as Excepted Quantity

SECTION 15: Regulatory information

 $^{\cdot}$ 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU Named dangerous substances ANNEX I Seveso category	None of the ingredients is listed. P6b SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES E1 Hazardous to the Aquatic Environment
· Qualifying quantity (tonnes) for	
the application of lower-tier	
requirements	50 t
 Qualifying quantity (tonnes) for 	
the application of upper-tier	
requirements	200 t
· REGULATION (EC) No	
1907/2006 ANNEX XVII	Conditions of restriction: 30
· DIRECTIVE 2011/65/EU on the re II	estriction of the use of certain hazardous substances in electrical and electronic equipment – Annex
None of the ingredients is listed.	

(Contd. on page 9)

Printing date 02.04.2024

Version: 16 (replaces version 15)

Revision: 15.02.2023

(Contd. of page 8)

Trade name: PEROXAN BP-Pulver 50 W

· REGULATION (EU) 2019/1148

• Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3)) None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

• Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

Substances of very high concern (SVHC) according to REACH, Article 57
 dicyclohexyl phthalate

aloyelenexy primate

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

 Department issuing SDS: 	Environment protection / Security of labour
· Contact:	Tel: +49 2871 9902-0
	E-mail: mail@pergan.com
· Version number of previous	
version:	15
	RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the
 Abbreviations and acronyms: 	ND. Regenerin international concerning the datapoint desinal charuses dangeredeses par chemin de ler (Regulations Concerning the International Transport of Dangerous Goods by Rail)
	ICAO: International Civil Aviation Organisation
	ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International
	Carriage of Dangerous Goods by Road)
	IMDG: International Maritime Code for Dangerous Goods
	IATA: International Air Transport Association
	GHS: Globally Harmonised System of Classification and Labelling of Chemicals
	EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)
	CAS. Cremical Abstracts Service (whiston of the American Chemical Society) DNEL: Derived No-Effect Level (REACH)
	PNEC: Predicted No-Effect Concentration (REACH)
	LC50: Lethal concentration, 50 percent
	LD50: Lethal dose, 50 percent
	PBT: Persistent, Bioaccumulative and Toxic
	SVHC: Substances of Very High Concern
	vPvB: very Persistent and very Bioaccumulative
	Org. Perox. B: Organic peroxides – Type B
	Org. Perox. D: Organic peroxides – Type C/D
	Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1
	Repr. 18: Reproductive toxicity – Category 1B
	Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
	Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
	Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
• * Data compared to the	
newieve version altered	

previous version altered.

MT -

