

Safety data sheet
 according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.04.2024


Version: 9 (replaces version 8)

Revision: 28.02.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
 · Trade name: **PEROXAN C124**
 · CAS Number: 26322-14-5
 · EC number: 247-611-0
 · Registration number: 01-2119965138-30
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
 No further relevant information available.
- **Application of the substance / the mixture**
 Reaction initiator
 For industrial use
- **1.3 Details of the supplier of the safety data sheet**
 · Manufacturer/Supplier: PERGAN GmbH
 Hilfsstoffe für industrielle Prozesse
 Schlavenhorst 71
 D-46395 Bocholt
 Tel: +49 2871 9902-0
 Fax: +49 2871 9902-50
- **Further information obtainable from:**
 Environment protection / Security of labour
 Qualified person: E-mail: msds@pergan.com
- **1.4 Emergency telephone number:**
 - Tel: +49 2871 9902-0

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
 · Classification according to Regulation (EC) No 1272/2008
 Org. Perox. F H242 Heating may cause a fire.
- **2.2 Label elements**
 · Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation.
 · Hazard pictograms 
 GHS02
 · Signal word Warning
- **Hazard-determining components of labelling:** Dihexadecyl peroxodicarbonate
- **Hazard statements** H242 Heating may cause a fire.
- **Precautionary statements**
 - P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 - P220 Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavy metal compounds and amines).
 - P234 Keep only in original packaging.
 - P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
 - P370+P378 In case of fire: Use CO₂, powder or water spray to extinguish.
 - P410 Protect from sunlight.
 - P411+P235 Store at temperatures not exceeding +30°C. Keep cool.
 - P420 Store separately.
 - P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **2.3 Other hazards**
 · Results of PBT and vPvB assessment
 · PBT: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
 · vPvB: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
 · Determination of endocrine-disrupting properties The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

- **3.1 Substances**
 · CAS No. Description 26322-14-5 Dihexadecyl peroxodicarbonate
 · Identification number(s)
 · EC number: 247-611-0

Trade name: **PEROXAN C124**

(Contd. of page 1)

SECTION 4: First aid measures· **4.1 Description of first aid measures**· **General information:**

Take care of personal protection for the first aider.

· **After inhalation:**

Take affected persons into fresh air and keep quiet.

· **After skin contact:**

Immediately remove contaminated clothing.

· **After eye contact:**

Rinse opened eye for several minutes under running water.

· **After swallowing:**

If symptoms persist consult doctor.

· **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures· **5.1 Extinguishing media**· **Suitable extinguishing agents:** CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.· **5.2 Special hazards arising from the substance or mixture**Under certain fire conditions, traces of other toxic gases cannot be excluded.
Hydrocarbons, carbon dioxide and -monoxid.· **5.3 Advice for firefighters**· **Protective equipment:**

Do not inhale explosion gases or combustion gases.

· **Additional information**Cool endangered receptacles with water spray.
Self-protection first!**SECTION 6: Accidental release measures**· **6.1 Personal precautions, protective equipment and emergency procedures**Keep away from ignition sources.
After exceeding the emergency temperature must be diluted with a suitable desensitisation agent to < 10 %.
In case of further temperature should be cooled with waterspray from a safe distance.
Wear breathing apparatus with filter A during decomposition of materials.
Wear protective equipment. Keep unprotected persons away.· **6.2 Environmental precautions:**

Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**Ensure adequate ventilation.
Large quantities should be diluted with suitable desensitisation agent to a concentration below 10 % before disposal.
Pick up mechanically, collect in a suitable receptacle and dispose in accordance with government regulations.· **6.4 Reference to other sections**

In case of large spillage the environmental authority should be informed.

SECTION 7: Handling and storage· **7.1 Precautions for safe handling**Keep receptacles tightly sealed.
Keep away from heat and direct sunlight.
Open and handle receptacle with care.
Prevent formation of dust.
Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.
Do not refill residue into storage receptacles.
Restrict the quantity stored at the work place.
Before break and at the end of work hands should be thoroughly washed.
Only use tools made of suitable materials (e. g. polyethylene or stainless steel).
The product must be preserved, stored and transported continuously cool.
Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavy-metal compounds and amines).
While using do not eat, drink or smoke.
Do not generate flames or sparks.
Keep product and emptied container away from heat and sources of ignition.

(Contd. on page 3)

— MT —

Trade name: **PEROXAN C124**

(Contd. of page 2)

Avoid shock and friction.

Take precautionary measures against static discharges.



Do not smoke.

Information about fire - and explosion protection:

Protect from heat.

Protect against electrostatic charges.

Prevent impact and friction.

Use explosion-proof apparatus / fittings and spark-proof tools.

Dust can combine with air to form an explosive mixture.

Substance/product is oxidising when dry.

Product is not explosive. However, formation of explosive air/dust mixtures are possible.



Avoid open flames, sparks, direct sunlight and other sources of ignition.

Keep ignition sources away - Do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Pay attention to the special requirements of your local authorities for storing dangerous goods.

Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Prevent any seepage into the ground.

Use only receptacles specifically permitted for this substance/product.

Information about storage in one common storage facility:

Do not store or park organic peroxide together with heavy metal compounds and amines.

Store away from foodstuffs, drinks and feeding stuffs.

Further information about storage conditions:

Keep container tightly sealed.

Protect from heat and direct sunlight.

Protect from contamination.

Recommended storage temperature (To maintain quality):

max.: +15°C

Control temperature:

+30°C

Emergency temperature:

+35°C

Storage class:

5.2

7.3 Specific end use(s)

No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

Not required.

DNELs

26322-14-5 Dihexadecyl peroxodicarbonate

Dermal	DNEL Longterm System	33,33 mg/kg bw/day (Worker)
Inhalative	DNEL Longterm System	10 mg/m3 (Worker)

PNECs

26322-14-5 Dihexadecyl peroxodicarbonate

PNEC STP	12,2 mg/l (AF 100)
----------	--------------------

Additional information:

The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls

No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not eat, drink, smoke or sniff while working.

Use skin protection cream for skin protection.






Be sure to clean skin thoroughly after work and before breaks.

(Contd. on page 4)

— MT —

Trade name: **PEROXAN C124**

(Contd. of page 3)

· Respiratory protection:	Not necessary if room is well-ventilated.
	 Use suitable respiratory device when it exceed exposure limit and when insufficiently ventilated.
	 Filter P2
· Hand protection	Only use chemical-protective gloves with CE-labelling of category III.
	 Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
	Protective gloves
· Material of gloves	The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Butyl rubber, BR Fluorocarbon rubber (Viton) Nitrile rubber, NBR Neoprene
· Penetration time of glove material	The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
· Eye/face protection	 Tightly sealed goggles
· Body protection:	 Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour:	Whitish
· Odour:	Characteristic
· Melting point/freezing point:	Not applicable.
· Boiling point or initial boiling point and boiling range	Not applicable.
· Flammability	May cause fire.
· Flash point:	Not applicable.
· Decomposition temperature:	+40 °C (SADT)
· Solubility	
· water:	Not miscible or difficult to mix.
· Partition coefficient n-octanol/water (log value)	not determined
· Density and/or relative density	
· Density at 20 °C:	1,04 g/cm ³
· Bulk density at 20 °C:	600 kg/m ³
· Particle characteristics	

See section 3.

· 9.2 Other information

· Appearance:	
· Form:	Solid
· Important information on protection of health and environment, and on safety.	
· Explosive properties:	Product is not explosive. However, formation of explosive air/dust mixtures are possible.

· Information with regard to physical hazard classes

· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void

(Contd. on page 5)

— MT —

Trade name: **PEROXAN C124**

(Contd. of page 4)

· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Heating may cause a fire.
· Corrosive to metals	Void
· Desensitised explosives	Void
· Other safety characteristics	
· Active oxygen	> 2,6 %

SECTION 10: Stability and reactivity

· 10.1 Reactivity	No further relevant information available.
· 10.2 Chemical stability	
· Thermal decomposition / conditions to be avoided:	SADT (Self Accelerating Decomposition Temperature) is the lowest temperature at which self accelerating decomposition may occur with substance in the packaging as used in transport. A dangerous self-accelerating decomposition reaction and, under certain circumstances, explosion or fire can be caused by decomposition at and above the temperature. Contact with incompatible substances can cause decomposition at or below the SADT. No decomposition if used and stored according to specifications. To avoid thermal decomposition do not overheat.
· 10.3 Possibility of hazardous reactions	Self-accelerating decomposition at SADT.
· 10.4 Conditions to avoid	No further relevant information available.
· 10.5 Incompatible materials:	Rapid decomposition by dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavy-metal compounds and amines).
· 10.6 Hazardous decomposition products:	Hydrocarbons, carbon dioxide and -monoxide. No hazardous decomposition products if used and stored according to specifications.
· Additional information:	Emergency procedures will vary depending on conditions. The customer should have an emergency response plan in place.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008	
· Acute toxicity	Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

26322-14-5 Dihexadecyl peroxodicarbonate

Oral	LD50	>5.000 mg/kg (rattus)
------	------	-----------------------

· Skin corrosion/irritation	Based on available data, the classification criteria are not met.
· Serious eye damage/irritation	Based on available data, the classification criteria are not met.
· Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
· Germ cell mutagenicity	Based on available data, the classification criteria are not met.
· Carcinogenicity	Based on available data, the classification criteria are not met.
· Reproductive toxicity	Based on available data, the classification criteria are not met.
· STOT-single exposure	Based on available data, the classification criteria are not met.
· STOT-repeated exposure	Based on available data, the classification criteria are not met.
· Aspiration hazard	Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

· Endocrine disrupting properties

Substance is not listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

26322-14-5 Dihexadecyl peroxodicarbonate

LC50 / 96h	>1.000 mg/l (poecilia reticulata)
------------	-----------------------------------


(Contd. on page 6)



MT

Trade name: **PEROXAN C124**

(Contd. of page 5)

· 12.2 Persistence and degradability	
· Degree of elimination:	
· Classification:	
26322-14-5 Dihexadecyl peroxodicarbonate	
Degradation (Readily biodegradable) (OECD 301 D)	
· 12.3 Bioaccumulative potential	
· Partition coefficient: nOctanol/water: [Log Kow]	
15,1 (25°C)	
· 12.4 Mobility in soil	
No further relevant information available.	
· 12.5 Results of PBT and vPvB assessment	
· PBT:	
This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.	
· vPvB:	
This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.	
· 12.6 Endocrine disrupting properties	
The product does not contain substances with endocrine disrupting properties.	
· 12.7 Other adverse effects	
· Additional ecological information:	
· General notes:	
Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.	

SECTION 13: Disposal considerations	
· 13.1 Waste treatment methods	
· Recommendation	
 After diluting with a suitable inert solid material to 10 %, the product must be supplied to a special treatment (e. g. thermal utilization) under observance of all official regulations.	
Must not be disposed together with household garbage. Do not allow product to reach sewage system.	
· Waste disposal key:	
Please contact your hazardous waste disposers to assign the right EWC-(European waste catalog)-number.	
· Uncleaned packaging:	
· Recommendation:	
This material and its container must be disposed of as hazardous waste.	

SECTION 14: Transport information	
· 14.1 UN number or ID number	
· ADR, IMDG	
UN3120	
· 14.2 UN proper shipping name	
· ADR	
UN3120 ORGANIC PEROXIDE TYPE F, SOLID, TEMPERATURE CONTROLLED (DICETYLPEROXYDICARBONATE)	
· IMDG	
ORGANIC PEROXIDE TYPE F, SOLID, TEMPERATURE CONTROLLED (DICETYLPEROXYDICARBONATE)	
· 14.3 Transport hazard class(es)	
· ADR	
	
· Class	
5.2 (P2) Organic peroxides.	
· Label	
5.2	
· IMDG	
	
· Class	
5.2 Organic peroxides.	
· Label	
5.2	
· IATA	
· Class	
X	
· Label	
X	
· 14.4 Packing group	
· ADR, IMDG	
Void	

(Contd. on page 7)

Trade name: **PEROXAN C124**

(Contd. of page 6)

· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	Warning: Organic peroxides.
· Hazard identification number (Kemler code):	-
· EMS Number:	F-F,S-R
· Stowage Category	D
· Stowage Code	SW1 Protected from sources of heat. SW3 Shall be transported under temperature control.
· Segregation Code	SG35 Stow "separated from" SGG1-acids SG36 Stow "separated from" SGG18-alkalis.
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	0
· Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
· Transport category	1
· Tunnel restriction code	D
· RID / GGVSEB:	no admission
· IMDG	
· Limited quantities (LQ)	0
· Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
· IATA	
· Remarks:	no admission
· Control temperature:	+30°C
· Emergency temperature:	+35°C

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances

- ANNEX I

Substance is not listed.

· Seveso category

P6b SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES

· Qualifying quantity (tonnes) for the application of lower-tier requirements

50 t

· Qualifying quantity (tonnes) for the application of upper-tier requirements

200 t

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

Substance is not listed.

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

Substance is not listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

Substance is not listed.

· Regulation (EC) No 273/2004 on drug precursors

Substance is not listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

Substance is not listed.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection / Security of labour

(Contd. on page 8)

MT —

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.04.2024

Version: 9 (replaces version 8)

Revision: 28.02.2024

Trade name: **PEROXAN C124**

(Contd. of page 7)

· **Contact:**

Tel: +49 2871 9902-0

E-mail: mail@pergan.com

· **Version number of previous version:**

8

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Org. Perox. F: Organic peroxides – Type E/F

· *** Data compared to the previous version altered.**

— MT —