

Printing date 29.12.2023 Version: 14 (replaces version 13) Revision: 26.06.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

PEROXAN DB · Trade name:

· CAS Number: 110-05-4 203-733-6 · EC number: · Index number: 617-001-00-2 · Registration number: 01-2119513335-48

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance /

the mixture Reaction initiator

For industrial use

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: PERGAN GmbH

Hilfsstoffe für industrielle Prozesse

Schlavenhorst 71 D-46395 Bocholt Tel: +49 2871 9902-0 Fax: +49 2871 9902-50

· Further information obtainable

from:

Qualified person: E-mail: msds@pergan.com

1.4 Emergency telephone

number: - Tel: +49 2871 9902-0

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour. Org. Perox. E H242 Heating may cause a fire.

Muta 2

H341 Suspected of causing genetic defects. Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

Labelling according to

Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word Danger

· Hazard-determining

components of labelling:

di-tert-butyl peroxide

Hazard statements H225 Highly flammable liquid and vapour.

H242 Heating may cause a fire.

H341 Suspected of causing genetic defects.

H412 Harmful to aquatic life with long lasting effects.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No · Precautionary statements P210

smokina.

P220 Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and

accelerators (e. g. heavy metal compounds and amines). P234 Keep only in original packaging.

P243 Take action to prevent static discharges. P273 Avoid release to the environment

Wear protective gloves/protective clothing/eye protection/face protection. P280

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water.

Protect from sunlight. P410

P411+P235 Store at temperatures not exceeding +40°C. Keep cool.

P420 Store separately.

Dispose of contents/container in accordance with local/regional/national/international P501

regulations.

· Additional information: Contains tert-butyl hydroperoxide. May produce an allergic reaction.

2.3 Other hazards

Results of PBT and vPvB assessment

· PBT: This substance does not meet the PBT/vPvB criteria of REACH. Annex XIII. This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. · vPvB:

(Contd. on page 2)



Printing date 29.12.2023 Version: 14 (replaces version 13) Revision: 26.06.2023

Trade name: PEROXAN DB

(Contd. of page 1)

≤0,1%

Determination of endocrine-

disrupting properties

The product does not contain substances with endocrine disrupting properties

SECTION 3: Composition/information on ingredients

· 3.1 Substances

· CAS No. Description 110-05-4 di-tert-butyl peroxide

· Identification number(s)

· EC number: 203-733-6 · Index number: 617-001-00-2

· Dangerous components:

CAS: 75-91-2 tert-butyl hydroperoxide

EINECS: 200-915-7 Flam. Liq. 3, H226; Org. Perox. F, H242; Acute Tox. 3, H311; Acute Tox. 2, H330; Muta. 2, H341; Carc. 2, H351; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Reg-No.: 01-2119446670-40

Sens. 1, H317

Specific concentration limits: Eye Dam. 1; H318: C ≥ 1 %

Skin Sens. 1; H317: C ≥ 0,1 % STOT SE 3; H335: C ≥ 5 %

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Take care of personal protection for the first aider.

· After inhalation: Take affected persons into fresh air and keep quiet.

· After skin contact: Immediately remove contaminated clothing.

· After eye contact: Rinse opened eye for several minutes under running water.

· After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate

medical attention and special treatment needed

No further relevant information available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· For safety reasons unsuitable extinguishing agents:

Water with full jet 5.2 Special hazards arising from

the substance or mixture

Under certain fire conditions, traces of other toxic gases cannot be excluded.

Hydrocarbons, carbondioxide and -monoxid.

No further relevant information available.

5.3 Advice for firefighters

· Protective equipment: Additional information Do not inhale explosion gases or combustion gases. Cool endangered receptacles with water spray.

Self-protection first!

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources.

In case of further temperature should be cooled with waterspray from a safe distance.

Wear breathing apparatus with filter A during decomposition of materials.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

(Contd. on page 3)



Printing date 29.12.2023 Version: 14 (replaces version 13) Revision: 26.06.2023

Trade name: PEROXAN DB

(Contd. of page 2)

Large quantities should be diluted with suitable desensitation agent to a concentration below 10 % before

disposal.

Soak up with absorbant material (e. g. Vermiculit) and dispose of in accordance with government

regulations.

· 6.4 Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

In case of large spillage the environmental authority should be informed

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep away from heat and direct sunlight.

Open and handle receptacle with care.

Prevent formation of aerosols.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.

Do not refill residue into storage receptacles. Restrict the quantity stored at the work place.

Before break and at the end of work hands should be thoroughly washed. Only use tools made of suitable materials (e. g. polyethylene or stainless steel).

Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavy-

metal compounds and amines). While using do not eat, drink or smoke.

Do not generate flames or sparks.

Keep product and emptied container away from heat and sources of ignition.

Avoid shock and friction.

Take precautionary measures against static discharges.



Do not smoke.

Information about fire - and explosion protection:

Protect from heat.

Protect against electrostatic charges.

Prevent impact and friction.

Use explosion-proof apparatus / fittings and spark-proof tools. Fumes can combine with air to form an explosive mixture.



Wear shoes with conductive soles.

Formation of flammable or explosive gas/air-mixtures is possible.



Avoid open flames, sparks, direct sunlight and other sources of ignition.

Keep ignition sources away - Do not smoke.

· 7.2 Conditions for safe storage, including any incompatibilities

Storage:

Pay attention to the special requirements of your local autorithies for storing dangerous goods.

 Requirements to be met by storerooms and receptacles:

Store in a cool location.

Store only in the original receptacle. Prevent any seepage into the ground.

Use only receptacles specifically permitted for this substance/product.

 Information about storage in one common storage facility:

Do not store or park organic peroxide together with heavy metal compounds and amines.

Store away from foodstuffs, drinks and feeding stuffs.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Protect from contamination.

Recommended storage temperature (To maintain

quality): max.: +40 °C

Storage class: 5.2

· 7.3 Specific end use(s) No further relevant information available.

MT



Printing date 29.12.2023 Version: 14 (replaces version 13) Revision: 26.06.2023

Trade name: PEROXAN DB

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the

workplace: Not required.

٠,	וט	N	L:	S

110-05-4 di-tert-butyl peroxide

DNEL Longterm System 3 mg/kg bw/day (Worker) Inhalative DNEL Longterm System 20 mg/m3 (Worker)

75-91-2 tert-butyl hydroperoxide

DNEL Longterm System 0,21 mg/kg bw/day (Worker) Inhalative DNEL Acute Systemic 85,2 mg/m3 (Worker) **DNEL Acute Local** 28,4 mg/m3 (Worker) DNEL Longterm System 2,2 mg/m3 (Worker) **DNEL Longterm Local** 0,58 mg/m3 (Worker)

· PNFCs

110-05-4 di-tert-butyl peroxide

PNEC Marinewater sed | 1,5 mg/kg sed dw (-) 0,144 mg/l (AF 50) PNEC Freshwater PNEC Freshwater sed 15 mg/kg sed dw (-) PNEC Soil 2,94 mg/kg soil dw (-) 10 mg/l (AF 100) PNEC STP 0,014 mg/l (AF 500) PNEC Marinewater

75-91-2 tert-butyl hydroperoxide

PNEC Marinewater sed 0,001 mg/kg sed dw PNEC Freshwater 0,002 mg/l (AF 1.000) PNEC Seawater 0 mg/l (AF 10.000) PNEC Freshwater sed 0,006 mg/kg sed dw (-) PNEC Soil 0,166 mg/kg soil dw (AF 1.000) PNEC STP 0,17 mg/l (AF 100)

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering

No further data; see section 7. controls

Individual protection measures, such as personal protective equipment

General protective and

The usual precautionary measures are to be adhered to when handling chemicals. hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not eat, drink, smoke or sniff while working Use skin protection cream for skin protection.

Be sure to clean skin thoroughly after work and before breaks.

· Respiratory protection: Not necessary if room is well-ventilated.

Use suitable respiratory device when it exceed exposure limit and when insufficiently ventilated.



Filter A2

· Hand protection Only use chemical-protective gloves with CE-labelling of category III.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Protective gloves

Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of

quality and varies from manufacturer to manufacturer.

Butyl rubber, BR

Fluorocarbon rubber (Viton)

Nitrile rubber, NBR Neoprene

Penetration time of glove

material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be

(Contd. on page 5)




(Contd. of page 4)

Printing date 29.12.2023 Version: 14 (replaces version 13) Revision: 26.06.2023

Trade name: PEROXAN DB

· Eye/face protection

· Body protection:



SECTION 9: Physical and chamical proportion

SECTION 9: Physical and chemical properties	
9.1 Information on basic physical and chemical properties General Information	
· Physical state	Fluid
· Colour:	Colourless
· Odour:	Characteristic
· Odour threshold:	Not determined.
· Melting point/freezing point:	Not applicable.
 Boiling point or initial boiling point and boiling range 	Not applicable.
· Flammability	May cause fire.
	Highly flammable.
· Lower and upper explosion limit	
· Lower:	0,74 Vol %
· Upper:	Not determined.
Flash point:	< 6 °C
· Decomposition temperature:	+80 °C (SADT)
••	ALCIC L

· pH Not determined. Viscosity: Not determined.

· Kinematic viscosity · Dynamic at 20 °C:

· Solubility · water:

Undetermined. · Partition coefficient n-octanol/water (log value) not determined Not determined. 24 hPa

· Vapour pressure at 20 °C: · Density and/or relative density

· Density at 20 °C: · Relative density · Vapour density

0,8 g/cm³ Not determined. Not determined.

1 mPas

· 9.2 Other information

· Appearance: · Form:

Fluid · Important information on protection of health and environment,

and on safety.

Ignition temperature: Not determined.

· Explosive properties: Product is not explosive. However, formation of explosive air/vapour

	mixtures are possible.
· Change in condition	
Evaporation rate	Not determined.
Information with regard to abvaical beyond alacase	
Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Highly flammable liquid and vapour.
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in	
contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Heating may cause a fire.
· Corrosive to metals	Void
· Desensitised explosives	Void

(Contd. on page 6)



Printing date 29.12.2023 Version: 14 (replaces version 13) Revision: 26.06.2023

Trade name: PEROXAN DB

(Contd. of page 5)

Other safety characteristics

· Active oxygen > 10,7 %

SECTION 10: Stability and reactivity

· 10.1 Reactivity

No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition / conditions to be avoided:

SADT (Self Accelerating Decomposition Temperature) is the lowest temperature at which self accelerating decomposition may occur with substance in the packaging as used in transport. A dangerous selfaccelerating decomposition reaction and, under certain circumstances, explosion or fire can be cause decomposition at and above the temperature. Contact with incompatible substances can cause

decomposition at or below the SADT.

No decomposition if used and stored according to specifications.

To avoid thermal decomposition do not overheat

· 10.3 Possibility of hazardous

reactions

Self-accelerating decomposition at SADT. 10.4 Conditions to avoid No further relevant information available

· 10.5 Incompatible materials:

Additional information:

Rapid decomposition by dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g.

heavy-metal compounds and amines).

· 10.6 Hazardous decomposition

products:

Hydrocarbons, carbondioxide and -monoxid.

No hazardous decomposition products if used and stored according to specifications.

Emergency procedures will vary depending on conditions. The customer should have an emergency

response plane in place.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	values	reievant	TOF	ciassification:

110-05-4 di-tert-butyl peroxide

Oral	LD50	>25.000 mg/kg (rattus)
Dermal	LD50	>19.000 mg/kg (mus)
Inhalative	LC50 / 4h	>24,5 mg/l (rattus)

75-91-2 tert-butyl hydroperoxide

Oral	LD50	805 mg/kg /(70%) (rattus)
Dermal	LD50	633 mg/kg /(70%) (cuniculosus)
Inhalative	I C50 / 4h	1.2 mg/L/(70%) (rattus)

Skin corrosion/irritation Serious eye damage/irritation Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Respiratory or skin

Based on available data, the classification criteria are not met.

sensitisation

Suspected of causing genetic defects.

Germ cell mutagenicity Carcinogenicity

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

 Reproductive toxicity · STOT-single exposure STOT-repeated exposure

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

· Aspiration hazard

Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

75-91-2 tert-butyl hydroperoxide

EC50 / 72h 2,1 mg/l /(70%) (selenastrum capricornutum) LC50 / 96h 42,3 mg/l /(70%) (pimephales promelas)

24,3 mg/l /(70%) (activa sludge) EC50

(Contd. on page 7)



Printing date 29.12.2023 Version: 14 (replaces version 13) Revision: 26.06.2023

Trade name: PEROXAN DB

(Contd. of page 6) EC50 / 48h | 20 mg/l /(70%) (daphnia magna)

12.2 Persistence and degradability

· Degree of elimination:

· Classification:

110-05-4 di-tert-butyl peroxide

Degradation (Not readily biodegradable) (OECD 301 D)

75-91-2 tert-butyl hydroperoxide

Degradation (Not readily biodegradable) (OECD 301 D)

12.3 Bioaccumulative potential

· Partition coefficient: nOctanol/water: [Log Kow]				
110-05-4	di-tert-butyl peroxide	3,2 (22°C)		
75-65-0	2-methylpropan-2-ol	0,32 (20°C)		
75-91-2	tert-butyl hydroperoxide	0,85 (30 °C)		

12.4 Mobility in soil No further relevant information available

· 12.5 Results of PBT and vPvB assessment

· PBT: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. · vPvB: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

· 12.6 Endocrine disrupting

properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

· Remark:

· Additional ecological information:

· General notes:

Harmful to aquatic organisms

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage

system.

Harmful to fish

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation



After diluting with a suitable desentisation agent to 10 %, the solution must be supplied to a special treatment (e. g. thermal utilization) under observance of all official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Waste disposal key: Please contact your hazardous waste disposers to assign the right EWC-(European waste catalog)-

number

· Uncleaned packaging:

· Recommendation: This material and its container must be disposed of as hazardous waste.

SECTION 14: Transport information

· 14.1 UN number or ID number UN3107 · ADR, IMDG, IATA

· 14.2 UN proper shipping name

· ADR UN3107 ORGANIC PEROXIDE TYPE E, LIQUID (DI-tert-BUTYL

PEROXIDE)

· IMDG, IATA ORGANIC PEROXIDE TYPE E, LIQUID (DI-tert-BUTYL PEROXIDE)

· 14.3 Transport hazard class(es)

· ADR



Class 5.2 (P1) Organic peroxides.

· Label 5.2

· IMDG, IATA



Class 5.2 Organic peroxides

(Contd. on page 8)



Printing date 29.12.2023 Version: 14 (replaces version 13) Revision: 26.06.2023

Trade name: PEROXAN DB

(Contd. of page 7) · Label 5.2 · 14.4 Packing group · ADR, IMDG, IATA Void · 14.5 Environmental hazards: Not applicable. · 14.6 Special precautions for user Warning: Organic peroxides. Hazard identification number (Kemler code): D **Stowage Category** SW1 Protected from sources of heat. · Stowage Code · Segregation Code SG35 Stow "separated from" SGG1-acids SG36 Stow "separated from" SGG18-alkalis. SG72 See 7.2.6.3.2. · 14.7 Maritime transport in bulk according to IMO instruments Not applicable. · Transport/Additional information: · ADR · Limited quantities (LQ) 125 ml · Excepted quantities (EQ) Code: E0 Not permitted as Excepted Quantity · Transport category 2 · Tunnel restriction code D · RID / GGVSEB: like ADR · IMDG · Limited quantities (LQ) 125 ml Code: E0 · Excepted quantities (EQ) Not permitted as Excepted Quantity

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances
- ANNEX I Substance is not listed.
- · Seveso category P6b SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES
- Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t Qualifying quantity (tonnes) for

the application of upper-tier requirements

REGULATION (EC) No

1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex

None of the ingredients is listed.

- REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 9)



Printing date 29.12.2023 Version: 14 (replaces version 13) Revision: 26.06.2023

Trade name: PEROXAN DB

(Contd. of page 8)

· Contact: Tel: +49 2871 9902-0 E-mail: mail@pergan.com

· Version number of previous version:

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
Flam. Liq. 3: Flammable liquids – Category 3
Org. Perox. E: Organic peroxides – Type E/F
Org. Perox. F: Organic peroxides – Type E/F
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 3: Acute toxicity – Category 2
Skin Corr. 10: Skin corrosion/irritation – Category

Skin Corr. 1C: Skin corrosion/irritation – Category 1C
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1
Muta. 2: Germ cell mutagenicity – Category 2
Carc. 2: Carcinogenicity – Category 2
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· * Data compared to the previous version altered.

MT -