

rision: 02.04.2024

Page 1/8	Safety data sheet according to Regulation (EC) No 1907/2006, Article 31	PERGA The Peroxide Com
Printing date 02.04.2024	Version: 14 (replaces version 13)	Revision: 02.0
SECTION 1: Identification of	the substance/mixture and of the company/undertaking	
· 1.1 Product identifier		
· Trade name:	PEROXAN HX	
CAS Number: EC number: Registration number: 1.2 Relevant identified uses of th	78-63-7 201-128-1 01-2119875400-42 ne substance or mixture and uses advised against No further relevant information available.	
 Application of the substance / the mixture 	Reaction initiator For industrial use	
 ∙ 1.3 Details of the supplier of the • Manufacturer/Supplier: 	safety data sheet PERGAN GmbH Hilfsstoffe für industrielle Prozesse Schlavenhorst 71 D-46395 Bocholt Tel: +49 2871 9902-0 Fax: +49 2871 9902-50	
• Further information obtainable from:	Environment protection / Security of labour Qualified person: E-mail: msds@pergan.com	
 1.4 Emergency telephone number: 	- Tel: +49 2871 9902-0	
 2.1 Classification of the substan Classification according to Reg Org. Perox. C H242 Heating may Skin Irrit. 2 H315 Causes skin 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms 	ulation (EC) No 1272/2008 cause a fire. irritation. The substance is classified and labelled according to the CLP regulation.	
· Signal word	GHS02 GHS07 Danger	
 Hazard-determining components of labelling: Hazard statements 	2,5-Dimethyl-2,5-di-(tertbutylperoxy)-hexane H242 Heating may cause a fire. H315 Causes skin irritation.	ada a inviti a an una Ala
 Precautionary statements 	 P210 Keep away from heat, hot surfaces, sparks, open flames and smoking. P234 Keep only in original packaging. P264 Wash thoroughly after handling. P280 Wear protective gloves/protective clothing/eye protection/face P370+P378 In case of fire: Use CO2, powder or water spray to extinguish. P403 Store in a well-ventilated place. P410 Protect from sunlight. P411+P235 Store at temperatures not exceeding +40°C. Keep cool. P420 Store separately. P501 Dispose of contents/container in accordance with local/region regulations. 	protection.
 2.3 Other hazards Results of PBT and vPvB asses 	sment	
· PBT: · vPvB:	This substance does not meet the PBT/vPvB criteria of REACH, Annex XI This substance does not meet the PBT/vPvB criteria of REACH, Annex XI	
Determination of endocrine- disrupting properties	The product does not contain substances with endocrine disrupting proper	
SECTION 3: Composition/inf	ormation on ingredients	

· 3.1 Substances · CAS No. Description

78-63-7 2,5-Dimethyl-2,5-di-(tert.-butylperoxy)-hexane

Version: 14 (replaces version 13)

Printing date 02.04.2024

Revision: 02.04.2024

Trade name: PEROXAN HX

(Contd. of page 1) · Identification number(s) · EC number: 201-128-1 **SECTION 4: First aid measures** · 4.1 Description of first aid measures · General information: Take care of personal protection for the first aider. · After inhalation: In case of unconsciousness place patient stably in side position for transportation. Take affected persons into fresh air and keep quiet. · After skin contact: Immediately wash with water and soap and rinse thoroughly. Immediately remove contaminated clothing. · After eye contact: Rinse opened eye for several minutes under running water. After swallowing: If symptoms persist consult doctor. 4.2 Most important symptoms and effects, both acute and No further relevant information available. delayed 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available **SECTION 5: Firefighting measures** · 5.1 Extinguishing media · Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. 5.2 Special hazards arising from the substance or mixture Under certain fire conditions, traces of other toxic gases cannot be excluded. Hydrocarbons, carbondioxide and -monoxid. 5.3 Advice for firefighters

Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. Self-protection first!

SECTION 6: Accidental release measures


 6.1 Personal precautions, protective equipment and 	
emergency procedures	Keep away from ignition sources.
	In case of further temperature should be cooled with waterspray from a safe distance.
	Wear breathing apparatus with filter A during decomposition of materials. Wear protective equipment. Keep unprotected persons away.
· 6.2 Environmental precautions:	
0.2 Environmental precaditoris.	Do not allow to enter sewers/ surface or ground water.
· 6.3 Methods and material for	
containment and cleaning up:	Ensure adequate ventilation.
	Large quantities should be diluted with suitable desensitation agent to a concentration below 10 % before disposal.
	Soak up with absorbant material (e. g. Vermiculit) and dispose of in accordance with government regulations.
· 6.4 Reference to other sections	See Section 7 for information on safe handling.
	See Section 8 for information on personal protection equipment.
	See Section 13 for disposal information.
	In case of large spillage the environmental authority should be informed.

SECTION 7: Handling and storage

· 7.1 Precautions for safe	
handling	Keep receptacles tightly sealed.
-	Store in cool, dry place in tightly closed receptacles.
	Keep away from heat and direct sunlight.
	Ensure good ventilation/exhaustion at the workplace.
	Open and handle receptacle with care.
	Prevent formation of aerosols.
	Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.
	Do not refill residue into storage receptacles.



Version: 14 (replaces version 13)





Revision: 02.04.2024

Trade name: **PEROXAN HX**

	Restrict the quantity stored at the work place.
	Use only in well ventilated areas.
	Before break and at the end of work hands should be thoroughly washed.
	Only use tools made of suitable materials (e. g. polyethylene or stainless steel).
	Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heav metal compounds and amines). While using do not eat, drink or smoke. Avoid shock and friction.
	Do not smoke.
Information about fire - and	
explosion protection:	Protect from heat.
	Prevent impact and friction.
	Fumes can combine with air to form an explosive mixture.
	Wear shoes with conductive soles.
	Avoid open flames, sparks, direct sunlight and other sources of ignition.
7.2 Conditions for safe storage,	
Storage:	Pay attention to the special requirements of your local autorithies for storing dangerous goods.
· Requirements to be met by	
storerooms and receptacles:	Store in a cool location.
	Store only in the original receptacle.
	Prevent any seepage into the ground.
	Use only receptacles specifically permitted for this substance/product.
 Information about storage in 	
one common storage facility:	Do not store or park organic peroxide together with heavy metal compounds and amines. Store away from foodstuffs, drinks and feeding stuffs.
 Further information about 	
storage conditions:	Keep container tightly sealed.
	Store in cool, dry conditions in well sealed receptacles.
	Protect from heat and direct sunlight.
	Protect from contamination.
	Store in a cool place.
 Recommended storage temperature (To maintain 	
quality):	+10 +40 °C
· Storage class:	4.1A
7.3 Specific end use(s)	No further relevant information available.

· 8.1 Control parameters Ingredients with limit values that require monitoring at the workplace: Not required. · DNELs 78-63-7 2,5-Dimethyl-2,5-di-(tert.-butylperoxy)-hexane DNEL Longterm System 15 mg/kg bw/day (Worker) Dermal Inhalative DNEL Longterm System 11 mg/m3 (Worker) · PNECs 78-63-7 2,5-Dimethyl-2,5-di-(tert.-butylperoxy)-hexane PNEC Marinewater sed 7,22 mg/kg sed dw (-) 0,00065 mg/l (AF 10) **PNEC** Freshwater 72,2 mg/kg sed dw (-) PNEC Freshwater sed 14,4 mg/kg soil dw (-) PNEC Soil PNEC STP 100 mg/l (AF 10) **PNEC** Marinewater 0,000065 mg/l (AF 100) Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Appropriate engineering controls No further data; see section 7. (Contd. on page 4) MT -



Version: 14 (replaces version 13)



Revision: 02.04.2024

Trade name: **PEROXAN HX**

(Contd. of page
res, such as personal protective equipment
The your presentioner, measures are to be adhered to when bandling chemicals
The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid close or long term contact with the skin.
Avoid contact with the eves and skin.
Do not eat, drink, smoke or sniff while working.
Use skin protection cream for skin protection.
Be sure to clean skin thoroughly after work and before breaks.
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer
exposure use self-contained respiratory protective device.
Use suitable respiratory device when it exceed exposure limit and when insufficiently ventilated.
Filter A2
Only use chemical-protective gloves with CE-labelling of category III.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the
degradation
Protective gloves
The selection of the suitable gloves does not only depend on the material, but also on further marks of
quality and varies from manufacturer to manufacturer.
Butyl rubber, BR
Fluorocarbon rubber (Viton)
Nitrile rubber, NBR
Neoprene
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be
observed.
Tightly sealed goggles
rightly sealed goggles
Protective work clothing

SECTION 9: Physical and chemical properties

\cdot 9.1 Information on basic physical and chemical properties	
· General Information	
· Physical state	Fluid
· Colour:	colourless - yellowish
· Odour:	Characteristic
· Odour threshold:	Not determined.
 Melting point/freezing point: 	< 10 °C
Boiling point or initial boiling point and boiling range	Not applicable.
Flammability	May cause fire.
Lower and upper explosion limit	
Lower:	Not determined.
· Upper:	Not determined.
Flash point:	≥ 68 °C
Decomposition temperature:	+80 °C (SADT)
· pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
· Dynamic at 20 °C:	8 mPas
Solubility	
water:	Undetermined.
 Partition coefficient n-octanol/water (log value) at 20 °C 	7,34 log POW
Vapour pressure at 20 °C:	<0,01 hPa
Density and/or relative density	
Density at 20 °C:	0,88 g/cm ³
Relative density	Not determined.
· Vapour density	Not determined.
	(Contd. on page

Version: 14 (replaces version 13)

Printing date 02.04.2024

Revision: 02.04.2024

Trade name: PEROXAN HX

	(Contd. of page
9.2 Other information	
· Appearance:	
· Form:	Fluid
Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Not determined.
Explosive properties:	Risk of explosion by shock, friction, fire or other sources of ignition.
Change in condition	
· Evaporation rate	Not determined.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
 Self-reactive substances and mixtures 	Void
· Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in	
contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Heating may cause a fire.
Corrosive to metals	Void
· Desensitised explosives	Void
Other safety characteristics	
· Active oxygen	> 9,9 %

SECTION 10: Stability and reactivity

· · · · · · · · · · · · · · · · · · ·	,
 10.1 Reactivity 10.2 Chemical stability Thermal decomposition / 	No further relevant information available.
conditions to be avoided:	SADT (Self Accelerating Decomposition Temperature) is the lowest temperature at which self accelerating decomposition may occur with substance in the packaging as used in transport. A dangerous self-accelerating decomposition reaction and, under certain circumstances, explosion or fire can be cause decomposition at and above the temperature. Contact with incompatible substances can cause decomposition at or below the SADT. No decomposition if used and stored according to specifications. To avoid thermal decomposition do not overheat.
 10.3 Possibility of hazardous 	
reactions	Self-accelerating decomposition at SADT.
 10.4 Conditions to avoid 	No further relevant information available.
· 10.5 Incompatible materials:	Rapid decomposition by dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e.g. heavy-metal compounds and amines).
 10.6 Hazardous decomposition 	
products:	Hydrocarbons, carbondioxide and -monoxid. No hazardous decomposition products if used and stored according to specifications.
· Additional information:	Emergency procedures will vary depending on conditions. The customer should have an emergency response plane in place.

SECTION 11: Toxicological information

	tanta in formation on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.		
· LD/LC	· LD/LC50 values relevant for classification:		
78-63-7	78-63-7 2,5-Dimethyl-2,5-di-(tertbutylperoxy)-hexane		
Oral	Oral LD50 >2.000 mg/kg (rattus)		
Dermal	Dermal LD50 >2.000 mg/kg (rabbit)		
· Skin ce	Skin corrosion/irritation Causes skin irritation.		
· Seriou	s eye damage/irrita	tion Based on available data, the classification criteria are not met.	
			(Contd. on page 6)

The Peroxide Company

Printing date 02.04.2024

Version: 14 (replaces version 13)

Revision: 02.04.2024

י **ע** הן

The Peroxide Company

E

Trade name: **PEROXAN HX**

. Deeniveten er ekin		(Contd. of page
 Respiratory or skin sensitisation 	Based on available data, the classification criteria are not mot	
· Germ cell mutagenicity		
Carcinogenicity Based on available data, the classification criteria are not met.		
· Reproductive toxicity		
STOT-single exposure	osure Based on available data, the classification criteria are not met.	
TOT-repeated exposure Based on available data, the classification criteria are not met.		
 Aspiration hazard 11.2 Information on other haz 	Based on available data, the classification criteria are not met.	
· Endocrine disrupting proper		
None of the ingredients is listed	-	
SECTION 12: Ecological in	formation	
12.1 Toxicity		
 Aquatic toxicity: 12.2 Persistence and degrada 	No further relevant information available.	
· Degree of elimination:	binty	
· Classification:		
78-63-7 2,5-Dimethyl-2,5-di-(te		
Degradation (Not readily biode		
12.3 Bioaccumulative potentia		
 Partition coefficient: nOctan 	ol/water: [Log Kow]	
78-63-7 2,5-Dimethyl-2,5-di-(te	ertbutylperoxy)-hexane	7,34 (20°C
75-65-0 2-methylpropan-2-ol		0,32 (20°C
110-05-4 di-tert-butyl peroxide		3,2 (22°C)
Bioconcentration factor (BCF		
78-63-7 2,5-Dimethyl-2,5-di-(te	rtbutylperoxy)-hexane	
BCF 521-839		
12.4 Mobility in soil	No further relevant information available.	
 12.5 Results of PBT and vPvB PBT: 	This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.	
· vPvB:	This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.	
12.6 Endocrine disrupting		
properties	The product does not contain substances with endocrine disrupting properties.	
12.7 Other adverse effects		
· Additional ecological information		
· General notes:	Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardo Do not allow undiluted product or large quantities of it to reach ground water, wa	

13.1 Waste treatment methods Recommendation	After diluting with a suitable desentisation agent to 10 %, the solution must be supplied to a special treatment (e. g. thermal utilization) under observance of all official regulations. Must not be disposed together with household garbage. Do not allow product to reach sewage system.
· Waste disposal key:	Please contact your hazardous waste disposers to assign the right EWC-(European waste catalog)- number.
· Uncleaned packaging:	
· Recommendation:	This material and its container must be disposed of as hazardous waste.

SECTION 14: Transport information		
 14.1 UN number or ID number ADR, IMDG, IATA 	UN3103	
		(Contd. on page 7)

Printing date 02.04.2024

Version: 14 (replaces version 13)

Revision: 02.04.2024

Trade name: PEROXAN HX

	(Contd. of page
· 14.2 UN proper shipping name	
ADR	UN3103 ORGANIC PEROXIDE TYPE C, LIQUID (2,5-DIMETHYL-2,5-DI-
· IMDG, IATA	(tertBUTYLPEROXY)-HEXANE) ORGANIC PEROXIDE TYPE C, LIQUID (2,5-DIMETHYL-2,5-DI-(tert
	BUTYLPEROXY)-HEXANE)
14.3 Transport hazard class(es)	
· ADR	
· Class	5.2 (P1) Organic peroxides.
· Label	5.2
· IMDG, IATA	
· Class	E 2 Organia narovidao
	5.2 Organic peroxides. 5.2
14.4 Packing group	
ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Organic peroxides.
Hazard identification number (Kemler code): EMS Number:	- F-J.S-R
· Stowage Category	D
· Stowage Code	SW1 Protected from sources of heat.
· Segregation Code	SG35 Stow "separated from" SGG1-acids
	SG36 Stow "separated from" SGG18-alkalis.
14.7 Maritime transport in bulk according to IMO instr	ruments Not applicable.
· Transport/Additional information:	
· ADR	
 Limited quantities (LQ) Excepted quantities (EQ) 	25 ml Code: E0
	Not permitted as Excepted Quantity
Transport category	1
Tunnel restriction code	D
· RID / GGVSEB:	like ADR
·IMDG	
Limited quantities (LQ)	25 ml
 Excepted quantities (EQ) 	Code: E0
	Not permitted as Excepted Quantity

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

 Directive 2012/18/EU 	
• Named dangerous substances	
- ANNEX I	Substance is not listed.
· Seveso category	P6b SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES
Qualifying quantity (tonnes) for	
the application of lower-tier	
requirements	50 t
Qualifying quantity (tonnes) for	
the application of upper-tier	
requirements	200 t
REGULATION (EC) No	
1907/2006 ANNEX XVII	Conditions of restriction: 3



Printing date 02.04.2024

Version: 14 (replaces version 13)

PERGAN The Peroxide Company

Revision: 02.04.2024

MT -

Trade name: PEROXAN HX

(Contd. of page 7) · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex Ш None of the ingredients is listed. · REGULATION (EU) 2019/1148 · Regulation (EC) No 273/2004 on drug precursors None of the ingredients is listed. • Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors None of the ingredients is listed. **SECTION 16: Other information** This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Contact: Tel: +49 2871 9902-0 E-mail: mail@pergan.com · Version number of previous version: 13 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods · Abbreviations and acronyms: INDEX International Air Transport Association IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Org. Perox. C: Organic peroxides – Type C/D Skin Irrit. 2: Skin corrosion/irritation – Category 2 * * Data compared to the previous version altered.