

Printing date 17.04.2024 Version: 16 (replaces version 15) Revision: 22.02.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

PEROXAN PO M + · Trade name:

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance /

the mixture

Reaction initiator For industrial use

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: PERGAN GmbH

Hilfsstoffe für industrielle Prozesse

Schlavenhorst 71 D-46395 Bocholt Tel: +49 2871 9902-0 Fax: +49 2871 9902-50

Further information obtainable

Environment protection / Security of labour from:

Qualified person: E-mail: msds@pergan.com

1.4 Emergency telephone

- Tel: +49 2871 9902-0 number:

### **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Org. Perox. C H242 Heating may cause a fire.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Repr. 1B H360F May damage fertility. H400 Very toxic to aquatic life. Aquatic Acute 1

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

Danger

2.2 Label elements

Labelling according to

Hazard pictograms

Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.



· Signal word

· Hazard-determining

components of labelling: **Hazard statements** 

tert-butyl 2-ethylperoxyhexanoate H242 Heating may cause a fire.

May cause an allergic skin reaction. H317

H360F May damage fertility.

Very toxic to aquatic life with long lasting effects. H410

· Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P220 Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators

(e. g. heavy metal compounds and amines).

P234 Keep only in original packaging. P273

Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.

P410 Protect from sunlight.

P411+P235 Store at temperatures not exceeding +20°C. Keep cool.

P420 Store separately.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional information: Restricted to professional users.

2.3 Other hazards

Results of PBT and vPvB assessment

· PBT: The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. · vPvB The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

Determination of endocrine-disrupting properties

128-37-0 Butylated hydroxytoluene

MT (Contd. on page 2)

List II



Printing date 17.04.2024 Version: 16 (replaces version 15) Revision: 22.02.2023

Trade name: PEROXAN PO M +

(Contd. of page 1)

### **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

Dangerous components:	gerous components:			
CAS: 3006-82-4 EINECS: 221-110-7 Reg-No.: 01-2119498310-40	tert-butyl 2-ethylperoxyhexanoate Org. Perox. C, H242; Repr. 1B, H360F; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Skin Sens. 1, H317	80-90%		
CAS: 103-09-3 EINECS: 203-079-1 Reg-No.: 01-2119483620-40	2-ethylhexyl acetate Skin Irrit. 2, H315	5-10%		
CAS: 128-37-0 EINECS: 204-881-4 Reg-No.: 01-2119555270-46 01-2119565113-46		0,1-1%		
· Additional information:	For the wording of the listed hazard phrases refer to section 16.			

### **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

General information:

Take care of personal protection for the first aider.

· After inhalation: Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Take affected persons into fresh air and keep quiet.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

Immediately remove contaminated clothing.

· After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate

medical attention and special treatment needed

No further relevant information available.

No further relevant information available

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media

• Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from

the substance or mixture Under certain fire conditions, traces of other toxic gases cannot be excluded.

Hydrocarbons, carbondioxide and -monoxid.

5.3 Advice for firefighters

· Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray.

Self-protection first!

### **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources.

In case of further temperature should be cooled with waterspray from a safe distance.

Wear breathing apparatus with filter A during decomposition of materials.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Large quantities should be diluted with suitable desensitation agent to a concentration below 10 % before

disposal.

Soak up with absorbant material (e. g. Vermiculit) and dispose of in accordance with government

regulations.

(Contd. on page 3)



(Contd. of page 2)

Printing date 17.04.2024 Version: 16 (replaces version 15) Revision: 22.02.2023

Trade name: PEROXAN PO M +

· 6.4 Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

In case of large spillage the environmental authority should be informed.

### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe

handling Keep away from heat and direct sunlight.

Open and handle receptacle with care. Prevent formation of aerosols.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.

Do not refill residue into storage receptacles. Restrict the quantity stored at the work place.

Before break and at the end of work hands should be thoroughly washed. Only use tools made of suitable materials (e. g. polyethylene or stainless steel).

Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavy-

metal compounds and amines). While using do not eat, drink or smoke. Do not generate flames or sparks.

Keep product and emptied container away from heat and sources of ignition.

Avoid shock and friction.

Take precautionary measures against static discharges.



Do not smoke.

Information about fire - and explosion protection:

Protect from heat.

Protect against electrostatic charges.

Prevent impact and friction.

Use explosion-proof apparatus / fittings and spark-proof tools. Fumes can combine with air to form an explosive mixture.



Wear shoes with conductive soles.

Formation of flammable or explosive gas/air-mixtures is possible.



Avoid open flames, sparks, direct sunlight and other sources of ignition.

Keep ignition sources away - Do not smoke.

· 7.2 Conditions for safe storage, including any incompatibilities

• Storage: Pay attention to the special requirements of your local autorithies for storing dangerous goods.

 Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Prevent any seepage into the ground.

Use only receptacles specifically permitted for this substance/product.

 Information about storage in one common storage facility: Do not store or park organic peroxide together with heavy metal compounds and amines.

Store away from foodstuffs, drinks and feeding stuffs.

Further information about storage conditions:

Protect from heat and direct sunlight. Protect from contamination.

Storage in a collecting room is required.

Recommended storage

temperature (To maintain quality):

max.: +15 °C +20 °C

Control temperature:
Emergency temperature:
Storage class:

+25 °C

· 7.3 Specific end use(s)

No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

128-37-0 Butylated hydroxytoluene

WEL (Great Britain) Long-term value: 10 mg/m³

(Contd. on page 4)



Printing date 17.04.2024 Version: 16 (replaces version 15) Revision: 22.02.2023

Trade name: PEROXAN PO M +

(Contd. of page 3) · DNFI s 3006-82-4 tert-butyl 2-ethylperoxyhexanoate Dermal DNEL Longterm System 5,6 mg/kg bw/day (Worker) Inhalative DNEL Longterm System 9,8 mg/m3 (Worker) 103-09-3 2-ethylhexyl acetate Dermal DNEL Longterm System 30 mg/kg bw/day (Worker) Inhalative DNEL Longterm System 17 mg/m3 (Worker) 128-37-0 Butylated hydroxytoluene DNEL Longterm System 0,5 mg/kg bw/day (Worker) Dermal Inhalative DNEL Longterm System 1,76 mg/m3 (Worker) · PNECs 3006-82-4 tert-butyl 2-ethylperoxyhexanoate PNEC Marinewater sed | 0,0622 mg/kg sed dw **PNEC Freshwater** 0,002 mg/l (AF 50) PNEC Freshwater sed 0,622 mg/kg sed dw PNEC STP 0,64 mg/l (AF 100) **PNEC Marinewater** 0 mg/l (AF 500) 103-09-3 2-ethylhexyl acetate PNEC Marinewater sed | 0,0213 mg/kg sed dw **PNEC Freshwater** 0,008 mg/l (AF 1.000) PNEC Freshwater sed 0,213 mg/kg sed dw PNEC Soil 0,038 mg/kg soil dw PNEC STP 100 mg/l (AF 10) **PNEC Marinewater** 0,001 mg/l (AF 10.000) 128-37-0 Butylated hydroxytoluene PNEC Marinewater sed 0,046 mg/kg sed dw (-) **PNEC Freshwater** 0,000199 mg/l (AF 1.000) **PNEC Seawater** 0,00002 mg/l (AF 10.000) PNEC Freshwater sed 0,458 mg/kg sed dw (-)

• Additional information: The lists valid during the making were used as basis.

0,054 mg/kg soil dw (-)

0,017 mg/l (AF 100)

8.2 Exposure controls
 Appropriate engineering

PNEC Soil

PNFC STP

Appropriate engineering

**controls** No further data; see section 7.

 $\cdot$  Individual protection measures, such as personal protective equipment

General protective and

hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid close or long term contact with the skin.
Do not eat, drink, smoke or sniff while working.
Use skin protection cream for skin protection.

Be sure to clean skin thoroughly after work and before breaks.

· Respiratory protection: Not necessary if room is well-ventilated.

Use suitable respiratory device when it exceed exposure limit and when insufficiently ventilated.

Filter A2

• Hand protection Only use chemical-protective gloves with CE-labelling of category III.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Protective gloves

• Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of

quality and varies from manufacturer to manufacturer.

Butyl rubber, BR

Fluorocarbon rubber (Viton)

Nitrile rubber, NBR

Neoprene

(Contd. on page 5)



(Contd. of page 4)

Printing date 17.04.2024 Version: 16 (replaces version 15) Revision: 22.02.2023

Yellowish

## Trade name: PEROXAN PO M +

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Tightly sealed goggles

· Body protection:

Protective work clothing

· General Information

· Colour:

· Odour: Characteristic · Odour threshold: Not determined. · Melting point/freezing point: Not applicable. · Boiling point or initial boiling point and boiling range Not applicable. Not applicable.

· Flammability

Lower and upper explosion limit

· Lower: Not determined. Not determined. · Upper: · Flash point: > SADT

Decomposition temperature: +35 °C (SADT) · pH Not determined.

· Viscosity:

· Kinematic viscosity Not determined. · Dynamic: Not determined

· Solubility

· water:

Undetermined. · Partition coefficient n-octanol/water (log value) not determined · Vapour pressure: Not determined.

Density and/or relative density

0,894 g/cm<sup>3</sup> · Density at 20 °C: Relative density Not determined. · Vapour density Not determined.

9.2 Other information

No further relevant information available.

· Appearance: Form:

Fluid · Important information on protection of health and environment,

and on safety.

· Ignition temperature: Product is not selfigniting.

**Explosive properties:** Product is not explosive. However, formation of explosive air/vapour

> Void Void

mixtures are possible.

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard classes

· Explosives Void Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void

· Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void

Pyrophoric solids · Self-heating substances and mixtures

· Substances and mixtures, which emit flammable gases in contact with water

Void · Oxidising liquids Void · Oxidising solids Void

Organic peroxides Heating may cause a fire.

· Corrosive to metals Void

(Contd. on page 6)



(Contd. of page 5)

Printing date 17.04.2024 Version: 16 (replaces version 15) Revision: 22.02.2023

Trade name: PEROXAN PO M +

· Desensitised explosives

Void

### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity

No further relevant information available.

10.2 Chemical stability

· Thermal decomposition /

conditions to be avoided: SADT (Self Accelerating Decomposition Temperature) is the lowest temperature at which self accelerating decomposition may occur with substance in the packaging as used in transport. A dangerous self-

accelerating decomposition reaction and, under certain circumstances, explosion or fire can be cause decomposition at and above the temperature. Contact with incompatible substances can cause

decomposition at or below the SADT.

No decomposition if used and stored according to specifications.

To avoid thermal decomposition do not overheat.

· 10.3 Possibility of hazardous

reactions

Self-accelerating decomposition at SADT. · 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: Rapid decomposition by dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g.

heavy-metal compounds and amines).

· 10.6 Hazardous decomposition

· Additional information:

products:

Hydrocarbons, carbondioxide and -monoxid.

No hazardous decomposition products if used and stored according to specifications.

Emergency procedures will vary depending on conditions. The customer should have an emergency

response plane in place.

### **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Based on available data, the classification criteria are not met. Acute toxicity

LD/LC50 values relevant for classification:	
2006 02 4 test buttel 2 other because become of	

3006-62-4 tert-butyi /			2-ethylperoxynexanoate	
	Oral	LD50	>10.000 mg/kg (rattus)	
	Dermal	LD50	14.142-20.000 mg/kg (rabbit)	

Inhalative LC50 / 4h 42,2 mg/l (rattus)

### 103-09-3 2-ethylhexyl acetate

LD50 5.140 mg/kg (rattus)

## 128-37-0 Butylated hydroxytoluene

Oral	LD50	>2.000 mg/kg (rattus)
Dermal	LD50	>2.000 mg/kg (rabbit)

Skin corrosion/irritation Based on available data, the classification criteria are not met. · Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin

sensitisation May cause an allergic skin reaction.

Based on available data, the classification criteria are not met. Germ cell mutagenicity · Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity May damage fertility.

Based on available data, the classification criteria are not met. STOT-single exposure · STOT-repeated exposure Based on available data, the classification criteria are not met. **Aspiration hazard** Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

### · Endocrine disrupting properties

128-37-0 Butylated hydroxytoluene

List II

### **SECTION 12: Ecological information**

· 12.1 Toxicity

Aquatic toxicity:

3006-82-4 tert-butyl 2-ethylperoxyhexanoate

EC50 / 72h 0,44 mg/l (alga (Süsswasser))

LC50 / 96h 8,66 mg/l (poecilia reticulata)

EC50 / 48h 7,5 mg/l (daphnia)

(Contd. on page 7)



Printing date 17.04.2024 Version: 16 (replaces version 15) Revision: 22.02.2023

## Trade name: PEROXAN PO M +

(Contd. of page 6) 103-09-3 2-ethylhexyl acetate EC50 / 72h | >21,9 mg/l (selenastrum capricornutum) LC50 / 96h 8,27 mg/l (oncorhynchus mykiss) EC50 / 48h | 22,9 mg/l (daphnia) 128-37-0 Butylated hydroxytoluene LC0 /96h >0,57 mg/l (fish) EC50 / 48h 0,61 mg/l (daphnia) IC50 / 72h |>0,4 mg/l (algae)

### 12.2 Persistence and degradability

Degree of elimination:

· Classification:
3006-82-4 tert-butyl 2-ethylperoxyhexanoate
Degradation (Readily biodegradable) (OECD 301 D)
103-09-3 2-ethylhexyl acetate
Degradation (Readily biodegradable)
128-37-0 Butylated hydroxytoluene
Degradation (Not readily biodegradable)

### 12.3 Bioaccumulative potential

· Partition coefficient: nOctanol/water: [Log Kow]			
3006-82-4 tert-butyl 2-ethylperoxyhexanoate	4,79 (20°C)		
103-09-3 2-ethylhexyl acetate	1,2 (25 °C)		
128-37-0 Butylated hydroxytoluene	5,1		
67-56-1 methanol	-0,77 (20°C)		

### · Bioconcentration factor (BCF)

### 128-37-0 Butylated hydroxytoluene

BCF 1.277

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

· PBT: The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. · vPvB: The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

· 12.6 Endocrine disrupting

properties 12.7 Other adverse effects

For information on endocrine disrupting properties see section 11.

No further relevant information available. · Remark: Toxic for fish

· Additional ecological information:

General notes: Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

### **SECTION 13: Disposal considerations**

### · 13.1 Waste treatment methods

· Recommendation



After diluting with a suitable desentisation agent to 10 %, the solution must be supplied to a special treatment (e. g. thermal utilization) under observance of all official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Waste disposal key: Please contact your hazardous waste disposers to assign the right EWC-(European waste catalog)-

number.

Uncleaned packaging:

Recommendation: This material and its container must be disposed of as hazardous waste.

### **SECTION 14: Transport information**

· 14.1 UN number or ID number

· ADR, IMDG UN3113

(Contd. on page 8)



(Contd. of page 7)

Printing date 17.04.2024 Version: 16 (replaces version 15) Revision: 22.02.2023

## Trade name: PEROXAN PO M +

• 14.2 UN proper shipping name
• ADR

UN3113 ORGANIC PEROXIDE TYPE C, LIQUID, TEMPERATURE
CONTROLLED (tert-BUTYLPEROXY-2-ETHYLHEXANOATE),
ENVIRONMENTALLY HAZARDOUS

• IMDG ORGANIC PEROXIDE TYPE C, LIQUID, TEMPERATURE CONTROLLED (tert-BUTYLPEROXY-2-ETHYLHEXANOATE), MARINE POLLUTANT

· 14.3 Transport hazard class(es)

· ADR



Class
 Label
 5.2 (P2) Organic peroxides.
 5.2

·IMDG





Class 5.2 Organic peroxides.
Label 5.2

· IATA
· Class X
· Label X

· 14.4 Packing group
· ADR, IMDG Void

• 14.5 Environmental hazards: Product contains environmentally hazardous substances: tert-

BUTYLPEROXY-2-ETHYLHEXANOATE

Marine pollutant:
Symbol (fish and tree)
Special marking (ADR):
Symbol (fish and tree)

• 14.6 Special precautions for user Warning: Organic peroxides. Hazard identification number (Kemler code):

Stowage Category D

• Stowage Code SW1 Protected from sources of heat.

SW3 Shall be transported under temperature control.

Segregation Code SG35 Stow "separated from" SGG1-acids SG36 Stow "separated from" SGG18-alkalis.

· 14.7 Maritime transport in bulk according to IMO instruments Not applicable.

· Transport/Additional information:

· ADR
· Limited quantities (LQ)
· Excepted quantities (EQ)

Code: E0

Not permitted as Excepted Quantity

Transport category
Tunnel restriction code

RID / GGVSEB: no admission

· IMDG

· Limited quantities (LQ) 0

• Excepted quantities (EQ) Code: E0

Not permitted as Excepted Quantity

 $\cdot \, \text{IATA}$ 

· Remarks: no admission

· Control temperature: +20 °C · Emergency temperature: +25 °C

### SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances
- ANNEX I None of

None of the ingredients is listed.

(Contd. on page 9)



(Contd. of page 8)

Printing date 17.04.2024 Version: 16 (replaces version 15) Revision: 22.02.2023

Trade name: PEROXAN PO M +

· Seveso category P6b SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES

E1 Hazardous to the Aquatic Environment

· Qualifying quantity (tonnes) for the application of lower-tier

requirements Qualifying quantity (tonnes) for the application of upper-tier

requirements

50 t

**REGULATION (EC) No** 1907/2006 ANNEX XVII

Conditions of restriction: 3, 30, 75

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship

 Department issuing SDS: Environment protection / Security of labour

Contact: Tel: +49 2871 9902-0

E-mail: mail@pergan.com

· Version number of previous

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the

International Transport of Dangerous Goods by Rail)

International Transport of Dangerous Goods by Rain)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Org. Perox. C: Organic peroxides – Type C/D Skin Irrit. 2: Skin corrosion/irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1 Repr. 1B: Reproductive toxicity – Category 1B Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

\* Data compared to the previous version altered.